APPLICA	BLE STAN	DARD							
RATING	OPERATING TEMPERATURE RANGE				STORAGE TE RANGE	MPERATURE	−10 °C TO +6	0 °C	
	VOLTAGE		AC 30 V , DC 42 V						
	CURRENT		2 A	APPL I CABLE	LICABLE CABLE -				
			SPEC	CIFICAT	IONS				
דו	ГЕМ	TEST METHOD				REQUIREMENTS			АТ
CONSTRU	CTION	1			•				
GENERAL EXAMINATION		VISUALLY AND BY MEASURING INSTRUMENT.			ACCORD	ACCORDING TO DRAWING.			X
MARKING		CONFIRMED VISUALLY.						X	X
ELECTRIC	CHARACTE	RISTICS							
CONTACT RESISTANCE		CONTACT SHALL BE MEASURED AT DC 1 A			1	15 mΩ MAX.			X
INSULATION RESISTANCE		100 V DC.			100	1000 MΩ MIN.			X
VOLTAGE PROOF		300 V AC. FOR 1 min.			NO FLAS	NO FLASHOVER OR BREAKDOWN.			X
MECHANIC	CAL CHARA	CTERISTI	CS						
CONTACT INSERTION AND WITHDRAWAL FORCES		———— BY STEEL GAUGE.			INSERT	INSERTION AND WITHDRAWAL FORCES : — N MIN.			-
CONNECTOR INSERTION AND		MEASURED BY APPLICABLE CONNECTOR.			INSERT	INSERTION AND WITHDRAWAL FORCES			
WITHDRAWAL FORCES					1	LOCKING DEVICE WITH UNLOCK : - N MAX.			-
		4				LOCKING DEVICE WITH LOCK : 50 N MAX.			
MECHANICAL O	PERATION	1000 TIMES INSERTIONS AND EXTRACTIONS.			CONTAC	CONTACT RESISTANCE: 30 mΩ MAX.			<u> </u>
VIBRATION		FREQUENCY: $10 \rightarrow 55 \rightarrow 10$ (Hz) (1CYC, 5min), SINGLE AMPLITUDE 0.75 mm, AT 10 CYC, FOR 3			"	①NO ELECTRICAL DISCONTINUITY OF 10 μs. ②NO DAMAGE, CRACK AND LOOSENESS, OF PARTS.			_
SHOCK		DIRECTIONS.  490 m/s <sup>2</sup> DIRECTIONS OF PULSE 11 ms AT 3 TIMES			1.	① NO ELECTRICAL DISCONTINUITY OF 10 μs.			
			DIRECTIONS.		② NO [	DAMAGE, CRACK	AND LOOSENESS, OF PARTS.	<u> </u>	-
	MENTAL CH	1						1	1
DAMP HEAT (STEADY STATE)		EXPOSED AT 40 °C, 90 TO 95 %, 96 h.			~	<ul> <li>① INSULATION RESISTANCE: 10 MΩ MIN         (AT HIGH HUMIDITY).</li> <li>② INSULATION RESISTANCE: 100 MΩ MIN (AT DRY).</li> <li>③ NO DAMAGE. CRACK AND LOOSENESS OF PARTS.</li> </ul>			
					l T				-
					'				
RAPID CHANGE	0F	TEMPERATURE $-55 \rightarrow R/T^{(1)} \rightarrow +85 \rightarrow R/T ^{\circ}C$				① INSULATION RESISTANCE: 100 MΩ MIN.			
TEMPERATURE		TIME 30 $\rightarrow$ 10 TO 15 $\rightarrow$ 30 $\rightarrow$ 10 TO 15 min UNDER 5 CYCLES.			② NO [	② NO DAMAGE. CRACK AND LOOSENESS OF PARTS.			-
CORROSION SALT MIST		EXPOSED IN 5 % SALT WATER SPRAY FOR 48 h.			NO HEAV	NO HEAVY CORROSIN RUIN THE FUNCTION.			1_
DRY HEAT		EXPOSED AT + 85 °C , 96 h.			NO DAMA	NO DAMAGE, CRACK AND LOOSENESS OF PARTS.			† <u> </u>
COLD		EXPOSED AT - 55 °C , 96 h.			NO DAM	NO DAMAGE, CRACK AND LOOSENESS OF PARTS.			1_
RESISTANCE TO SOLDERING		SOLDER TEMPERATURE, + 380±10°C, FOR SOLDERING				NO DEFORMATION OF CASE OF EXCESSIVE LOOSENESS			
HEAT		DURATION, 3 TO 4 s.				OF THE TERMINALS.			-
SOLDERABILITY		SOLDERED AT SOLDER TEMPERATURE, + 350±10℃ FOR SOLDERING DURATION, 2 TO 3 s.			WETTING	WETTING ON SOLDER SURFACE, NO SOLDER CLUSTER.			-
SEALING		EXPOSED AT A DEPTH OF 1 m FOR 0.5 h.			NO WATI	NO WATER PENETRATION INSIDE CONNECTOR.			_
AIRTIGHTNESS		APPLY AIR PRESSURE 17.6kPa FOR 0.5min TO INSIDE CONNECTOR.			NO AIR	NO AIR BUBBLES INSIDE CONNECTOR.			_
COUN	T DESCRIPTION OF REVISIONS DE		DESIGNED	GNED CHECKED			λΤΕ		
<b>Q</b> .									
REMARK	'					APPROVED	MO. SATOH	09. 02. 17 09. 02. 16 09. 02. 16 09. 02. 16	
NOTE(1) R/	T : ROOM TE					CHECKED	HY, KOBAYASHI		
						DESIGNED	TY. SUZUKI		
Unless otherwise specified, refer to JIS C 5402.						DRAWN TY. SUZUKI			J2. 16
Note QT:Q		est AT:Assurance Test X:Applicable Test			DRAWING NO.		ELC4-116274-00		
HS.		SPECIFICATION SHEET			PART NO.	01.104	HR30-8PB-12P 30-0030-1-00 \( \( \alpha \)		414
	пік	OSE ELECTRIC CO., LTD.			CODE NO.	DDE NO.   CL130-0030-1-00   2			1/ 1

