Specifications

Drawing No.	UKY1C-H1-16227-00[40] 1/9
Issued Date.	Mar. 2,2016

TO:	Digi-Key		

Note: In case of specification change, KYOCERA Part Number also will be changed.

Product Name	Quartz Crystal
Product Model	CX5032GA
Frequency	8000kHz
Customer Part Number	-
Customer Specification Number	-
KYOCERA Part Number	CX5032GA08000H0PST02
Remarks RoHS Compliant, MSL 1 AEC-Q200 conformity	

Customer Acceptance

Accept Signature	Approved Date	
	Department	
	Person in charge	

Seller KYOCERA Crystal Device Corporation

(Sales Division) 6 Takeda Tobadono-cho, Fushimi-ku, Kyoto 612-8501 Japan

TEL. No. 075-604-3500 FAX. No. 075-604-3501

Manufacturer

FAX. No. 0237-43-5615

Crystal Units Division 5850, Higashine-Koh, Higashine-Shi, Yamagata 999-3701 Japan TEL. No. 0237-43-5611

Design Department	Quality Assurance	Approved by	Examination by	Issued by
KYOCERA Crystal Device Corporation Crystal Units Engineering Section Crystal Units Division	T. Noritake	H. Shoji	A.Ito	M.Hashimoto

Drawing No.	UKY1C-H1-16227-00[40] 2/9
-------------	---------------------------

Revision History

Rev.No.	Description of revise	Date	Approved by	Examination by	Issued by
1	First Edition	Mar. 2,2016	H. Shoji	A.Ito	M.Hashimoto

1. APPLICATION

This specification sheet is applied to quartz crystal "CX5032GA08000H0PST02"

2. KYOCERA PART NUMBER

CX5032GA08000H0PST02

3. RATINGS

Items	SYMB.	Rating	Unit	Remarks
Operating Temperature	Topr	-40 to +125	°C	
Storage Temperature Range	Tstg	-40 to +150	°C	

4. CHARACTERISTICS ELECTRICAL CHARACTERISTICS

Items		Elect	Electrical Specification			Test Condition	Remarks
	SYMB.	Min.	Тур.	Max.	Unit		
Mode of Vibration			Fundament	al			
Nominal	F0		8		MHz		
Frequency							
Nominal	T _{NOM}		+25		°C		
Temperature							
Load Capacitance	CL		12.0		pF		
Frequency	df/F	-50.0		+50.0		+25±3°C	
Tolerance							
Frequency	df/F	-100.0		+100.0		-40 to +125°C	
Temperature					PPM		
Characteristics							
Frequency Aging		-5.0		+5.0		1 st year	+25±3°C
Rate							
Equivalent Series	ESR			200	Ω		
Resistance							
Drive Level	Pd	0.01		500	μW		
Insulation	IR	500			ΜΩ	100V(DC)	
Resistance							

5. Measurement Condition

5.1 Frequency measurement

Measuring instrument : PI-Network Test Fixture


5.2 Equivalent series resistance (ESR) measurement

Measuring instrument : PI-Network Test Fixture

Load Capacitance : Series


Drive Level : 10µW

6. APPEARANCES, PHYSICAL DIMENSION OUTLINE DIMENSION (not to scale)



	1	
A	Terminal	W-Ni-Au(Pb-Free)
$^{\circ}$	CAP	CERAMICS (BLACK)
©	BASE	CERAMICS (BLACK)
D	GLASS	LOW TEMPERATURE GLASS
	1	
	MARKING	NOTE
1	NOMINAL FREQUENCY	(5 DIGITS MAX) UNIT: kHz
2	IDENTIFICATION	
(3)	DATE CODE	YEAR · · · · LAST 1 DIGIT of YEAR AND WEEK
	5, 112 0052	EXAMPLE \cdots Jan. 1,2016 $ ightarrow$ 601
(4)	MANUFACTURING	Y : Japan (Yamagata)
T)	LOCATION	T : Thailand
* The	e font of marking is reference.	


7. RECOMMENDED LAND PATTERN (not to scale)




Unit: mm

8. TAPING & REEL

8.1 Carry tape dimension




8.2 Leader and trailer tape




8.3 Taping specification

- 1. Material of the carrier tape shall be A-PET or PS (ESD)
- 2. The seal tape shall not cover the sprocket holes. And not protrude from the carrier tape.
- 3. Tensile strength of the tape: 10N or more.
- 4. The number of lack is 0.1% of 1 reel total part number (the number of the table letters) or the part following whose 1 either is big. (But, the thing which lack of the continuance is not in.)
- 5. The R of the corner without designation is 0.3R MAX.
- 6. Misalignment between centers of the cavity and sprocket hole shall be 0.05mm or less.
- 7. Peeling force of the seal tape (Peeling speed 300mm/min.): 0.1 to 1.0N.
- 8. Cumulative pitch error of feed hole: 50 pitch→±0.3mm
- 9. The marking on parts is not fixed its direction, its electrical characteristic is equal.



Drawing No.	UKY1C-H1-16227-00[40]	7/9	
-------------	-----------------------	-----	--

8.4 Reel specifications



ϕ 180 Reel (1,000 pcs. Max.)

Symbol	А	В	С	D
Dimension	φ180	φ60	φ13	φ21
Symbol	E	W		
Dimension	2.0	13.0		

(Unit:mm)

Drawing No. UKY1C-H1-16227-00[40] 8/9	/9
---------------------------------------	----

9.Enviromental requirements

(Reference: AEC-Q200 Rev. D. The solder used by examination is hereafter set to Sn-3Ag-0.5Cu.) After following test, Frequency applies to each item and CI, $\pm 20\%$ or 5Ω of large value.

No	Stress	Reference	Additional Requirements	
9.1			1000 hrs. at rated operating temperature (e.g. 85°C	
	(Storage)	Method 108	part can be stored for 1000 hrs at 85°C. Same applies	
			for 125°C). Unpowered.	
			Measurement at 24±4 hours after test conclusion.	
9.2	Temperature Cycling	JESD22	1000 cycles (-40°C to 125°C) Note: If 85°C part the	
		Method JA-104	1000 cycles will be at that temperature rating.	
			Measurement at 24±4 hours after test conclusion.	
			30min maximum dwell time at each temperature	
			extreme. 1 min. maximum transition time.	
9.3	Biased Humidity MIL-STD- 202 1000 hours 85		1000 hours 85°C/85%RH. Rated VDD applied with 1	
		Method 103	MW and inverter in parallel, 2X crystal CL capacitors	
			between each crystal leg and GND.	
			Measurement at 24±4 hours after test conclusion.	
9.4	Operational Life	MIL-STD- 202	Note: 1000 hrs @ 125°C. If 85°C part will be tested at	
		Method 108	that temperature. Rated VDD applied with 1 MW and	
			inverter in parallel, 2X crystal CL capacitors between	
			each crystal leg and GND.	
			Measurement at 24±4 hours after test conclusion.	
9.5	Terminal Strength (Leaded)	MIL-STD- 202	Test leaded device lead integrity only. Conditions: A	
		Method 211	(227 g), C (227 g).	
9.6	Resistance to Solvents	MIL-STD- 202	Note: Also aqueous wash chemical - OKEM clean or	
		Method 215	equivalent. Do not use banned solvents.	
9.7	Mechanical Shock	MIL-STD-202	Figure 1 of Method 213. Condition C	
		Method 213		
9.8	Vibration	MIL-STD-202	5g's for 20 minutes 12 cycles each of 3 orientations.	
		Method 204	Note: Use 8"X5" PCB .031" thick with 7 secure points	
			on one 8" side and 2 secure points on corners of	
			opposite sides. Parts mounted within 2" from any	
			secure point. Test from 10-2000 Hz.	
9.9	Resistance to	MIL-STD-202	Condition B No pre-heat of samples. Note: Single	
	Soldering Heat	Method 210	Wave solder - Procedure 1 with solder within 1.5 mm of	
			device body for Leaded. Procedure 1 except 230°C	
			and immerse only to level to cover terminals for SMD.	
9.10	Solder ability	J-STD-002	For both Leaded & SMD. Electrical Test not required.	
			Magnification 50 X. Conditions:	
			Leaded: Method A @ 235°C, category 3.	
			SMD: a) Method B, 4 hrs @ 155°C dry heat @ 235°C	
			b) Method B @ 215°C category 3.	
0.44	Flancous L T'	111.04	c) Method D category 3 @ 260°C.	
9.11	Flammability	UL-94	V-0 or V-1 Acceptable	
9.12	Board Flex	AEC Q200-005	60 sec minimum holding time.	
9.13	Terminal Strength(SMD)	AEC Q200-006	-	

Drawing No.	UKY1C-H1-16227-00[40]	9/9	

10. Cautions for use

(1) Soldering upon mounting

There is a possibility to influence product characteristics when Solder paste or conductive glue comes in contact with product lid or surface.

(2) When using mounting machine

Please minimize the shock when using mounting machine to avoid any excess stress to the product.

(3) Conformity of a circuit

We strongly recommend to make sure that Negative resistance (Gain) of IC is designed to be 10 times the ESR (Equivalent Series Resistance) of crystal unit.

(4) After making the Quartz Crystal mount on a printed circuit board, if it is required to devide the printed circuit board into another one, use it with attentive confirmation so that a warp cased by this dividing might not affect any damage. When designing a printed circuit board as well as handling the mounting As much as possible. The quartz crystal shall be passed through the reflow furnace. Then it shall be subjected to standard atmospheric conditions, after which cleaning shall be made.

11. Storage conditions

Please store product in below conditions, and use within 6 months.

Temperature +18 to +30°C, and Humidity of 20 to 70 % in the packaging condition.

12. Manufacturing location

Kyocera Crystal Device Corporation / Japan(Yamagata)

Kyocera Crystal Device (Thailand) Co., Ltd / Thailand(Lamphun)

13. Quality Assurance

Kyocera Crystal Device Quality Assurance Division

14. Quality guarantee

In case when Kyocera Crystal Device Corporation rooted failure occurred within 1 year after its delivery, substitute product will be arranged based on discussion. Quality guarantee of product after 1 year of its delivery is waivered.

15.Others

In case of any questions or opinions regarding the Specification, please have it in written manner within 45 days after issued date.