
NOTICE OF PROPRIETARY RIGHTS THIS DOCUMENT CONTAINS CONFIDENTIAL TECHNICAL DATA, INCLUDING TRADE SECRETS, PROPRIETARY TO TIMES MICROWAVE SYSTEMS. DISCLOSURE OF THIS DATA IS EXPRESSLY CONDITIONED UPON YOUR ASSENT THAT ITS USE IS LIMITED TO USE WITHIN YOUR COMPANY ONLY. ANY OTHER USE IS STRICTLY PROHIBITED WITHOUT THE PRIOR WRITTEN CONSENT OF TIMES MICROWAVE SYSTEMS.

MYS	REVISION DES	DFTM	DATE	APPD	DATE	
Α	RELEASED FOR	PRODUCTION	n.n.n	11/22/13	J.D.B.	11/22/13



-19.75 R**EF**.-

MATERIALS A	AND PLATING	UNIT: MICRO-INCHES		
BODY	BRASS C3604	ALBALOY 80u"/COPPER		
CONTACT PIN	BRASS C3604	GOLD 50u"/NICKEL/COPPER		
INSULATOR	TEFLON MIL-P-19468	NATURAL		
GASKET	SILICONE	RED		
FERRULE	BRASS	ALBALOY 80u"/COPPER		

32.0 R**EF**.

_				
	ELECTRICAL CHARACTERISTICS			
	Impedance		75 ♀	
4	Voltage rating		500V(rms)	
	Frequency range		0~2GHz	
1	Dielectric withstanding voltage	2	1000V	
1	Contact resistance		Center contact: ≤3mΩ Outer contact: ≤2mΩ	
1	Insulation resistance		≥5000MΩ	
J	Insertion loss	0.1 x √Fghz		
	RF- leakage	N/A 1.20 MAX.		
	VSWR			
	3rd Intermodulation	N/	A	
]	Insertion loss RF- leakage VSWR	0.1 x √Fghz N/A		

-15.0

MECHANICAL CHARACTERISTICS		
Force to engage and disengage	N/A	
Center contact retention force	N/A	
Coupling torque	N/A	
Bayonet coupling retention force	60 lbs Min.	
Durability	≥ 500 cycles	

ENVIRONMENTAL CHARACTERISTICS				
Temperature range		-55°C- +125°C		
Vibration	MIL-STD-	202,Method 204,Cond B		
Shock	MIL-STD-	202,Method 213,Cond G		
Corrosion	MIL-STD-	202,Method 101,Cond B		

		DETM	
MATL:	UNLESS OTHERWISE SPECIFIED	DFTM.N.N.N	TIMES MISSELVAVE SVSTEMS
1	I LIUCITIANT SOLVI HORS I TIATOLI TIO KILO LIUKI	DATE 11/22/13	TIMES MICROWAVE SYSTEMS
	MACHINE CURNERS 0.15X45° MAX FILLET R	<sup>снкр.</sup> J. D. B.	TC-300-BM-75-X
USED DN: ~	TOLERANCES ON DECIMALS	DATE 11/22/13	75 OHM BNCM
	ANGLES ± 1/2* FRACTIONS ± N/A	APPD. J. D. B.	for LMR-300-75 CABLE
SCALE: N/A DWG. /	DO NOT SCALE DRAWING CODE 68999	DATE 11/22/13	1 of 1 SD3190-2959   A