## **Flexible Heaters**



www.allflexheaters.com

## Fast Quotes - Fast Delivery - High Quality Now offering HighTemp<sup>™</sup> Heaters

## CUSTOM HEATERS

All Flex manufactures precision-grade etched foil flexible heaters constructed of both polyimide and silicone rubber. With its extensive design and application engineering support team, the company offers highly-customized heaters that are engineered specifically to meet the overall physical, thermal, and environmental requirements of its customers.



Typical Parameters Typical Parameters lighTemp™ Characteristics Polyimide Silicone Rubber Polyimide Less than 1/2" sq. to 16" X 6+ ft Less than 1/2" sq. to Size Range Less than 1/2 30" X 6+ ft to 16" X 6+ f 150 - 200C (300-390F) Temperature Range\* Up to 235C (455F) Up to 250C (482) **Resistance Range** Up to 250 ohms per square inch Up to 250 ohms per Up to 250 ohm square inch per square inc .0005" - .00023" .0005" - .00023" Metal Thickness Range  $0005'' - 0.002^{\circ}$ **Total Thickness Range** .0045" - .01" .015" - .060" .0035" - 0.010" Insulation Resistance 4000-5000 V/mil 400-600 V/mil 5000-6000 V/mil **Example Power Densities** .1 W/in2 to 20W/in2 .1 W/in2 to 50W/in2 .1 W/in2 to 60 V +/- 10% Resistance Tolerance +/- 10% +/- 10% Standard Coverlay Thick-.001", .002", .003", .005" .008" or .015" .001". .0015..002 .003 ness Leads (if required) Length/AWG/Coating Options Length/AWG/Coating Length/AWG/ Options Coating Optic Minimum Bend Radius\*\* .030" .030 General Chemical Resistivi-Better Good Bes Out gassing / Aerospace Good Not recommended Good Edge Insulation .030" .030" .030' Bond/Peel Strength (to flat 101 oz/inch 20 oz/inch 101 oz/inch

plate using PSA)\*\*

tv

Note: These are standard parameters. Inquire for requirements beyond this range.

Note: Customer is responsible for ensuring an adequate bond of the heater to its mounting surface. Utilizing proper surface preparation and pressure procedures to ensure thermal transfer away from the heating element.

Note: For a small radius wrap, it is recommended that supplemental means be used to ensure that the heater maintains tight bond to the mounting surface. Polyimide tape (3M P/N 5413 Amber) is one possible solution. Continuous Operating Temperatures. Contact All Flex for short duration peaks. UL certification is not

available above 105C.

\*\* Application-specific and must be validated by customer.

\*\*\* Bond data per 3M specification and test protocol. Actual data will vary depending upon application and construction.

lighTemp<sup>™</sup> heater materials are UL rated to 94V-0 and 746F, meet IPC Specifications and RoHs



medical, aerospace, industrial, military, instrumentation and other outdoor applications where thermal management and cold temperature protection is needed.

All Flex custom heaters are used in

## **PRODUCT DETAILS**

- Integration of RTD, sensors, and other thermal control devices
- Design of custom heaters with unique requirements
  - Bifilar
  - Multi-zone
  - Profiled
  - Combination/hybrid heaters and flexible circuits
- Extended lengths
- Etched foil •
- Polyimide
- Silicone rubber
- Non-traditional materials and foils
- UL certified/marked •
- Custom marking •
- Wire assembly
- Mounting of heaters



Save money and time by designing your own quick turn custom heater using our Build-A-Heater configurator. Visit www.allflexheaters.com