Materials

1. Brass, nickel plating, 1µm minimum 2. Nylon PA46, black

Electrical requirements

Dielectric strength: 1 min @ 500 Vac Insulation resistance: 100 M Ω @ 500 Vdc Contact resistance: 50 m Ω or less

Mechanical requirements

Insertion force: $0.4 \sim 4 \text{ kgf}$ Withdrawl force: $0.4 \sim 4 \text{ kgf}$ Durability: 5000 mating cycles while maintaining insertion force of $0.3 \sim 4 \text{ kg}$; withdrawl force of $0.3 \sim 4 \text{ kgf}$; contact resistance of $60\text{m}\Omega$ or less.

Environmental tests

Damp test: 40 °C, RH 90-100% for 96 hrs. Cool to ambient and recover for 2 hours. Maintain dielectric strength of 500 Vac for 1 min, insulation resistance of 50 M Ω @ 500 Vdc minimum.

Dry test: 70 °C, RH 70-85% for 96 hrs. Cool to ambient and recover for 2 hours. Maintain contact resistance of 100 m Ω or less with no looseness or deformation.

Salt spray test: 35 \pm 2 °C, RH 90-95%, 5% NaCl mist for 24 hrs. Wash parts after test. Maintain mechanical requirements and a contact resistance of less than 100 m Ω .

DESCRIPTION

Initial release

wiring information

Added PCB dimensioning and

Λ

Operating range

REVISION DATE

7/9/2015

10/27/2015

А

A1

-25 to 70 °C, relative humidity of 85% or less



2

1

3

5