SRA | SOLDERING® PRODUCTS

SKU: PEN-RMA-VF TECHNICAL DATASHEET

VOC-FREE RMA FLUX PEN & REFILLS





Key Features

- Formulated for Solder Flux Pens
- VOC-Free, RMA formulation.
- For use with lead-free and lead-bearing alloys.
- Formulated to reduce spattering upon contact.
- For general purpose soldering of PCBs, wire, cable, and semiconductors.
- Excellent for a variety of metals including copper, gold, nickel alloys, silver, and tin.
- Can be used for automated and manual hand soldering operations.

Product Description

Our VOC-Free RMA flux is a homogeneous solution of water-white rosin in a solvent system with a brominated organic activator. It is completely chloride-free. The flux is widely used in electronic applications requiring excellent soldering activity and yielding residues with high water-extract resistivity. This flux becomes active above 175°C / 340°F, attaining peak activity in the temperature range 200-260°C / 390-500°F, where it promotes excellent solderability. It can also be used for hightemperature soldering applications, such as magwire tinning at temperatures in the 400-430°C / 750-800°F range.

Availability

- PEN-RMA-VF 10mL Refillable Flux Pen
- **PEN-RMA-VF-SET** 10mL Flux Pen with 5 Refills
- **REFILL-RMA-VF** 50mL Bottle for Flux Pen Refill





DIRECTIONS

SRA VOC-FREE RMA Flux can be applied by foaming, brushing, dipping, rolling and spraying. Soldering need not be carried out immediately after fluxing. The residues are completely non-corrosive, non-conductive and fungus-proof, and need not be removed. However, cleaning is easily accomplished by vapor-degreasing methods, using appropriate solvent systems.

SPECIFICATIONS

SRA VOC-FREE RMA Flux meets all the requirements of Mil-F-14256.

PHYSICAL PROPERTIES

Form Specific Gravity Density Solids Content Free Acidity Chloride Content VOC Content Inorganic Cations Recommended Soldering Range Spread Factor Flash Point (TCC.) Boiling Point Freezing Effects Residue Characteristics **This Product is RoHS Compliant**

Light Brown Liquid 0.859 ± 0.025 @ 20-25°C/68-77°F 7.16 lbs./gallon @ 20-25°C/68-77°F 20% ± 1.0% None None 0% None 200-260°C/390-500°F 80 minimum 122°C 255-261.5°C None Non-Corrosive, Non-Conductive

SAFETY PRECAUTIONS

SRA VOC-FREE RMA Flux should be used in adequate ventilation to remove flux fumes, along with fumes from the soldering station. Avoid contact with skin and eyes and avoid breathing vapors.

Refer to the Safety Data Sheet (SDS) for additional safety information.

SRA VOC-FREE RMA Flux has a two (2) year shelf life.

