




P/N 3122-16-1-0500-0XX-1-TS



UL3122 Fiberglass Braiding over Silicone Rubber Wire 200°C 300V(16AWG)

obolizz Tibergiass Bratting over Stilleone Rubber wife 200 C 5007 (101mg)				
CONSTRUCTION:		Tinned Strands, converall Diameter	. (6	70.254mm strands. D without fiber glass is 2.40mm) Tiber thickness: 0.15mm
CERTIFICATION & APPROVALS:		DUAL-RATED AWM: Can be used in USA and Canada UL Subject 758 UL FILE NO:E108485 CSA Standard CSA FILE NO:LL84687 Printed Markings: AWM 3122 200°C 300V E108485-S ()AWG REI HSING CSA SEW-1 200° 300V LL84687 -H- SILICONE RUBBER		
PHYSICAL & ELECTRICAL PROPERTIES:		Rated Temperature: 200°C ~ -50°C Rated Voltage: 300V Insulation Potential Strength: 2000 VAC/min. Flexibility: Silicone Rubber Insulation Maximum Conductor Resistance: 24.4 ohm/km Resistant to: Oil, hot & cold, lighter, flexing.		
APPLICATIONS:		Pass FT2 flame test Suitable for Lights, Electric heaters, electric heated household service, high temperature appliance etc.		
PACKAGING:		500ft per reel.		
ENVIRONMENTAL APPROVALS:		Conforms to all current RoHS directives as laid out in EU Directive 2011/65/EC. Current SGS reports for this wire are available upon request.		
P/N's & COLORS				
3122-16-1-0500-001-1-TS BLACK	3122-16-1-0500-002-1-TS WHITE	3122-16-1-0500-003-1-TS	3122-16-1-0500-004-1-TS RED	3122-16-1-0500-005-1-TS
		YELLOW		BLUE
BROWN	3122-16-1-0500-007-1-TS GREEN	3122-16-1-0500-008-1-TS ORANGE	VIOLET	3122-16-1-0500-011-1-TS GREEN + YELLOW