APPLICAI	BLE STAN	DARD									
RATING	OPERATING TEMPERATURE	RANGE	−25 °C TO +85	−25 °C TO +85 °C STORAGE TEMPERATURE −10 °C TO +60 RANGE							
	VOLTAGE		AC 30 V , DC 42	٧							
	CURRENT	2 A APPLICABLE CABLE -								_	
			SPEC	CIFICA	TIONS	S					
	EM		TEST METHOD				R	EQUI	REMENTS	QT	AT
CONSTRU	CTION	1								_	
GENERAL EXAMINATION		VISUALLY AND BY MEASURING INSTRUMENT.				ACCORDING TO DRAWING.				X	X
MARKING		CONFIRMED VISUALLY.								X	<u> </u>
ELECTRIC CHARACTE										1	1
CONTACT RESISTANCE		CONTACT SHALL BE MEASURED AT DC 1 A				15 mΩ MAX.				X	X
INSULATION RESISTANCE		100 V DC.				1000 MΩ MIN.				X	X
VOLTAGE PROOF						NO FLASHOVER OR BREAKDOWN.				X	X
	CAL CHARAC	1				Ι				1	1
CONTACT INSERTION AND WITHDRAWAL FORCES		ϕ 0. 53 \pm 0. 003 BY STEEL GAUGE.				INSERTION AND WITHDRAWAL FORCES : 0.4 N MIN.				Х	_
CONNECTOR INSERTION AND WITHDRAWAL FORCES		MEASURED BY APPLICABLE CONNECTOR.				INSERTION AND WITHDRAWAL FORCES LOCKING DEVICE WITH UNLOCK : — N MAX.				X	_
						LOCKING DEVICE WITH LOCK : 50 N MAX.					
MECHANICAL OP	PERATION	1000 TIMES INSERTIONS AND EXTRACTIONS.				CONTACT RESISTANCE: 30 mΩ MAX.				X	<u> </u>
VIBRATION		FREQUENCY: 10 → 55 → 10 (Hz) (1CYC, 5min),				①NO ELECTRICAL DISCONTINUITY OF 10 μs.					
		SINGLE AMPLITUDE 0.75 mm, AT 10 CYC, FOR 3				(2)NO DAN	MAGE, CRA	.CK ANI	D LOOSENESS, OF PARTS.	X	-
SH0CK		DIRECTIONS. 490 m/s ² DIRECTIONS OF PULSE 11 ms AT 3 TIMES				① NO ELECTRICAL DISCONTINUITY OF 10 μs.				+	
OHOOK						② NO DAMAGE. CRACK AND LOOSENESS. OF PARTS.				X	_
ENVIRONM	IENTAL CHA					J				1 /	<u> </u>
DAMP HEAT	121111112					① INSUL	_ATION RE	SISTAI	NCE: 10 MΩ MIN		
(STEADY STATE)						_	HIGH HUM				
						② INSUL	_ATION RE	SISTAI	NCE: 100 MΩ MIN (AT	x	_
						DRY).					
						③ NO DAMAGE CRACK AND LOOSENESS OF PARTS.					
RAPID CHANGE OF		1				① INSULATION RESISTANCE: 100 MΩ MIN.					
TEMPERATURE		TIME 30 \rightarrow 10 T0 15 \rightarrow 30 \rightarrow 10 T0 15 min UNDER 5 CYCLES.				② NO DAMAGE. CRACK AND LOOSENESS OF PARTS.				X	_
CORROSION SALT MIST		EXPOSED IN 5 % SALT WATER SPRAY FOR 48 h.				NO HEAVY CORROSIN RUIN THE FUNCTION.				X	<u> </u>
DRY HEAT		EXPOSED AT + 85 °C , 96 h.				NO DAMAGE, CRACK AND LOOSENESS OF PARTS.				X	_
COLD		EXPOSED AT - 55 °C , 96 h.				NO DAMAGE, CRACK AND LOOSENESS OF PARTS.				X	-
RESISTANCE TO SOLDERING		1				NO DEFORMATION OF CASE OF EXCESSIVE LOOSENESS					
HEAT		DURATION, 3 s			OF PARTS.				X	_	
SOLDERABILITY		SOLDER AT SOLDER TEMPERTURE, +350±10°C FOR				SOLDER S	SOLDER SURFACE TO BE FREE FROM PIN-HOLE,				
						NO WETTING AND OTHER DEFFECTS.				X	_
		DURATION, 2 TO 3 s									
SEALING		EXPOSED AT A DEPTH OF 1 m FOR 0.5 h.			NO WATER PENETRATION INSIDE CONNECTOR.				X	_	
AIRTIGHTNESS		APPLY AIR PRESSURE 17.6kPa FOR 0.5min TO INSIDE CONNECTOR.			NO AIR BUBBLES INSIDE CONNECTOR.				Х	-	
COUN	וח ד	SCRIPTION OF REVISIONS DESIG			NED CHECKED			D/	TE		
۵											
REMARK APPROVED SU. OBARA								09 1	12. 09		
NOTES (1) R/T : ROOM TEMPERATURE CHECKED						HY, KISHI	-	09, 12, 09			
(2) SEALING AND AIRTIGHTNESS SHALL BE TESTED BY APPLICABLE CONNECTOR. DESIGNED TY. SUZUI											
								09. 12. 09			
Unless otherwise specified, refer to JIS C 5402.						DRAW	/N	TY. SUZUK I	09. 12. 09		
Note QT:Qu						RAWING NO.			ELC4-116603-00		
H		PECIFICATION SHEET			PART NO.		HR30-8JB-12S				4
	HIR	HIROSE ELECTRIC CO., LTD. CO				E NO. CL130-2024-0-00			Δ_	1/ 1	

