

Series: Internal Active GPS





All dimensions are in mm / inches

Issue: 1945

In the effort to improve our products, we reserve the right to make changes judged to be necessary. CONFIDENTIAL AND PROPRIETARY INFORMATION

This document contains confidential and proprietary information of Pulse Electronics, Inc. (Pulse) and is protected by copyright, trade secret and other state and federal laws. Its receipt or possession does not convey any rights to reproduce, disclose its contents, or to manufacture, use or sell anything it may describe. Reproduction, disclosure or use without specific written authorization of Pulse is strictly forbidden. For more information:

Pulse Worldwide Headquarters 12220 World Trade Drive San Diego, CA 92128 USA Tel:1-858-674-8100 Pulse/Larsen Antennas 3611 NE 112th Ave Vancouver, WA 98682 USA Tel: 1-360-944-7551 Europe Headquarters Pulse GmbH & Do, KG Zeppelinstrasse 15 Herrenberg, Germany Tel: 49 7032 7806 0 Pulse (Suzhou) Wireless Products Co, Inc. 99 Huo Ju Road(#29 Bldg,4th Phase Suzhou New District Jiangsu Province, Suzhou 215009 PR China Tel: 86 512 6807 9998



- Satellite navigation active antenna
- Ultra low noise amplifiers
- High Gain (30dB) and Low Gain (15dB) LNA variants available
- High rejection filters to suppress out of band interference

Applications:

- GPS, GLONASS, BeiDou, Compass, Galileo satellite navigation system
- Asset tracking, Fleet management, IoT, M2M





TECHNICAL DATA SHEET

Description: GPS/GLONASS/BEIDOU/COMPASS/Galileo PART NUMBER: GPSGBXXXX

Series: Internal Active GPS

This document covers all product variants of the following product family:

Projects	Ceramic Size(mm)	PCB Size (mm)	Thickness (mm)	Cable	Connector
GPSGB1315	13 X 13 X 5 25 X 25 X 4	14 X 15 X 0.8	8.15	Ф: 1.13mm L : 100mm	I-PEX MHF 20278-112R-13 compatible with U.FL connector
GPSGB1330		16 X 17 X 0.8	8.15		
GPSGB2515		30 X 30 X 0.8	8		
GPSGB2530					

In the effort to improve our products, we reserve the right to make changes judged to be necessary. CONFIDENTIAL AND PROPRIETARY INFORMATION



2





Description: GPS/GLONASS/BEIDOU/COMPASS/Galileo

PART NUMBER: GPSGBXXXX

ELECTRICAL SPECIFICATIONS

GPSGB1315

Fraguanay	Fraguaday	1561.098±2.046/	MHz
	Frequency	1575.42±1.023/	
		1602.5625 ± 4	
	Nominal Impedance	50	Ω
	VSWR	2:1	
	Gain (Radiating element)	-1	$dBic \pm 1 \ dB$
	Gain (LNA gain)	15	$dB\pm 2\;dB$
	Polarization	RHCP	
	Out of Band Rejection		
	698 MHz	>60	dB
	960MHz	>50	dB
	1710MHz	>55	dB
	2170MHz	>55	dB
	2400MHz	>55	dB
	2700MHz	>55	dB

Issue: 1945

In the effort to improve our products, we reserve the right to make changes judged to be necessary. CONFIDENTIAL AND PROPRIETARY INFORMATION



3





Description: GPS/GLONASS/BEIDOU/COMPASS/Galileo

PART NUMBER: GPSGBXXXX

ELECTRICAL SPECIFICATIONS

GPSGB1330

Frequency	1561.098±2.046/ 1575.42±1.023/ 1602.5625±4	MHz
Nominal Impedance	50	Ω
VSWR	2:1	
Gain (Radiating element)	-1	$dBic \pm 1 dB$
Gain (LNA gain)	30	$dB \pm 2 \ dB$
Polarization	RHCP	
Out of Band Rejection		
698 MHz	>70	dB
960MHz	>65	dB
1710MHz	>60	dB
2170MHz	>65	dB
2400MHz	>65	dB
2700MHz	>65	dB

Issue: 1945

In the effort to improve our products, we reserve the right to make changes judged to be necessary. CONFIDENTIAL AND PROPRIETARY INFORMATION



4





Series: Internal Active GPS

ELECTRICAL SPECIFICATIONS

GPSGB2515

Frequency		1561.098±2.046/ 1575.42±1.023/	MHz
		1602.5625±4	
Nominal I	mpedance	50	Ω
VSWR		2:1	
Gain (Rad	diating element)	1	$dBic\pm 1\;dB$
Gain (LN/	۹ gain)	15	$dB\pm 2\;dB$
Polarizati	วท	RHCP	
Out of Ba	nd Rejection		
698 MHz		>60	dB
960MHz		>50	dB
1710MHz		>55	dB
2170MHz		>55	dB
2400MHz		>55	dB
2700MHz		>55	dB

Issue: 1945

In the effort to improve our products, we reserve the right to make changes judged to be necessary. CONFIDENTIAL AND PROPRIETARY INFORMATION



5





Description: GPS/GLONASS/BEIDOU/COMPASS/Galileo

PART NUMBER: GPSGBXXXX

ELECTRICAL SPECIFICATIONS

GPSGB2530

Frequency	Frequency	1561.098±2.046/	MHz
	requeriey	1575.42±1.023/	1011 12
		1602.5625 ± 4	
	Nominal Impedance	50	Ω
	VSWR	2:1	
	Gain (Radiating element)	1	$dBic\pm 1 \ dB$
	Gain (LNA gain)	30	$dB\pm 2\;dB$
	Polarization	RHCP	
	Out of Band Rejection		
	698 MHz	>70	dB
	960MHz	>65	dB
	1710MHz	>60	dB
	2170MHz	>65	dB
	2400MHz	>65	dB
	2700MHz	>65	dB

Issue: 1945

In the effort to improve our products, we reserve the right to make changes judged to be necessary. CONFIDENTIAL AND PROPRIETARY INFORMATION



6





Series: Internal Active GPS

ELECTRICAL SPECIFICATIONS

ALL GPSGBXXXX

Noise Figure	<2.4	dB
Operating Voltage	3.3-5	Vdc±0.5V
Current Consumption	<6	mA

Issue: 1945

In the effort to improve our products, we reserve the right to make changes judged to be necessary. CONFIDENTIAL AND PROPRIETARY INFORMATION



7



MECHANICAL SPECIFICATIONS

Fixing system

Adhesive Tape

ENVIRONMENTAL SPECIFICATIONS

Operating temperature

-40 ~ +85° C

Issue: 1945

In the effort to improve our products, we reserve the right to make changes judged to be necessary. CONFIDENTIAL AND PROPRIETARY INFORMATION



8

This document contains confidential and proprietary information of Pulse Electronics, Inc. (Pulse) and is protected by copyright, trade secret and other state and federal laws. Its receipt or possession does not convey any rights to reproduce, disclose its contents, or to manufacture, use or sell anything it may describe. Reproduction, disclosure or use without specific written authorization of Pulse is strictly forbidden.



Series: Internal Active GPS



Description:

GPS/GLONASS/BEIDOU/COMPASS/Galileo

Series: Internal Active GPS PART NUMBER: GPSGBXXXX

MECHANICAL DRAWING



Issue: 1945

In the effort to improve our products, we reserve the right to make changes judged to be necessary. CONFIDENTIAL AND PROPRIETARY INFORMATION

This document contains confidential and proprietary information of Pulse Electronics, Inc. (Pulse) and is protected by copyright, trade secret and other state and federal laws. Its receipt or possession does not convey any rights to reproduce, disclose its contents, or to manufacture, use or sell anything it may describe. Reproduction, disclosure or use without specific written authorization of Pulse is strictly forbidden.

9

RóHS



Series: Internal Active GPS

MECHANICAL DRAWING



Issue: 1945

In the effort to improve our products, we reserve the right to make changes judged to be necessary. CONFIDENTIAL AND PROPRIETARY INFORMATION

This document contains confidential and proprietary information of Pulse Electronics, Inc. (Pulse) and is protected by copyright, trade secret and other state and federal laws. Its receipt or possession does not convey any rights to reproduce, disclose its contents, or to manufacture, use or sell anything it may describe. Reproduction, disclosure or use without specific written authorization of Pulse is strictly forbidden.

10

RóHS



Description: GPS/GLONASS/BEIDOU/COME

GPS/GLONASS/BEIDOU/COMPASS/Galileo

PART NUMBER: GPSGBXXXX

MECHANICAL DRAWING



Issue: 1945

In the effort to improve our products, we reserve the right to make changes judged to be necessary. CONFIDENTIAL AND PROPRIETARY INFORMATION

This document contains confidential and proprietary information of Pulse Electronics, Inc. (Pulse) and is protected by copyright, trade secret and other state and federal laws. Its receipt or possession does not convey any rights to reproduce, disclose its contents, or to manufacture, use or sell anything it may describe. Reproduction, disclosure or use without specific written authorization of Pulse is strictly forbidden.

11

RóHS



Description:

GPS/GLONASS/BEIDOU/COMPASS/Galileo

Series: Internal Active GPS

PART NUMBER: GPSGBXXXX

MECHANICAL DRAWING



In the effort to improve our products, we reserve the right to make changes judged to be necessary. CONFIDENTIAL AND PROPRIETARY INFORMATION ROHS 12





CHARTS

LNA Gain and out-of-band rejection





Issue: 1945

In the effort to improve our products, we reserve the right to make changes judged to be necessary. CONFIDENTIAL AND PROPRIETARY INFORMATION



This document contains confidential and proprietary information of Pulse Electronics, Inc. (Pulse) and is protected by copyright, trade secret and other state and federal laws. Its receipt or possession does not convey any rights to reproduce, disclose its contents, or to manufacture, use or sell anything it may describe. Reproduction, disclosure or use without specific written authorization of Pulse is strictly forbidden.

Series: Internal Active GPS





CHARTS

LNA Gain and out-of-band rejection





Issue: 1945

In the effort to improve our products, we reserve the right to make changes judged to be necessary.

CONFIDENTIAL AND PROPRIETARY INFORMATION

14







Series: Internal Active GPS

CHARTS

Radiation Pattern (70mm x 70mm ground plane) GPS & Galileo



13 X 13 X 5mm Ceramic Antenna



25 X 25 X 4mm Ceramic Antenna

Issue: 1945

In the effort to improve our products, we reserve the right to make changes judged to be necessary. CONFIDENTIAL AND PROPRIETARY INFORMATION







CHARTS

Radiation Pattern (70mm x 70mm ground plane) GLONASS



13 X 13 X 5mm Ceramic Antenna



25 X 25 X 4mm Ceramic Antenna

Issue: 1945

In the effort to improve our products, we reserve the right to make changes judged to be necessary. CONFIDENTIAL AND PROPRIETARY INFORMATION



This document contains confidential and proprietary information of Pulse Electronics, Inc. (Pulse) and is protected by copyright, trade secret and other state and federal laws. Its receipt or possession does not convey any rights to reproduce, disclose its contents, or to manufacture, use or sell anything it may describe. Reproduction, disclosure or use without specific written authorization of Pulse is strictly forbidden.

Series: Internal Active GPS





Series: Internal Active GPS

CHARTS

Radiation Pattern (70mm x 70mm ground plane) BD2



13 X 13 X 5mm Ceramic Antenna



25 X 25 X 4mm Ceramic Antenna

Issue: 1945

In the effort to improve our products, we reserve the right to make changes judged to be necessary. CONFIDENTIAL AND PROPRIETARY INFORMATION

