

Fuse - FUSE 10,3X38 10A PV - 3061334

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (http://phoenixcontact.com/download)

Fuse, 10.3x38 mm, up to 1000 V DC, gPV characteristics

Your advantages

- ${\ensuremath{\,^{\odot}}}$ 10 x 38 midget fuses for reliable protection of PV modules and their control system
- ☑ Use in PV lines with a nominal voltage of up to 1000 V DC
- ☑ Designed in accordance with the photovoltaic standard IEC 60269-6



Key Commercial Data

Packing unit	10 pc
GTIN	4 046356 523660
GTIN	4046356523660

Technical data

General

Color	white
Flammability rating according to UL 94	V0
Maximum power dissipation for nominal condition	2.1 W

Dimensions

Length	38 mm
Diameter	10.3 mm

General

Fuse	Midget / 10.3 x 38
Nominal current I _N	10 A
Nominal voltage U _N	1000 V DC

Standards and Regulations

Flammability rating according to UL 94	V0
--	----



Fuse - FUSE 10,3X38 10A PV - 3061334

Technical data

Environmental Product Compliance

China RoHS		Environmentally friendly use period: unlimited = EFUP-e
		No hazardous substances above threshold values
Approvals		
Approvals		
Approvals		
EAC / EAC		
Ex Approvals		
Approval details		
510	rnr	
EAC	EAC-Zulassung	
EAC	EAC	RU C- DE.A*30.B.01742
	LIIL	DE.A 30.D.01742

Phoenix Contact 2019 © - all rights reserved http://www.phoenixcontact.com

PHOENIX CONTACT GmbH & Co. KG Flachsmarktstr. 8 32825 Blomberg Germany Tel. +49 5235 300 Fax +49 5235 3 41200 http://www.phoenixcontact.com

08/30/2019 Page 2 / 2