

## **Product Change Notification**

Date October 14, 2019

Product

Digi Transport WR44R Cellular Router with L5 cellular module

Audience	All cellular distributors
Product	The cellular module used in North American variants of the TransPort WR44R has been
Notice	EOL'd by the supplier.
	Replacement models that are coverage and frequency equivalent for this region are
	available to make this transition as seamless as possible.

**Reason for Notification:** Product Migration to similar variants with new cellular module

Affected	A table with suggested replacement SKUs is provided below
Products	EOL Terms and Conditions:
	<ul> <li>All LTB Purchase Orders are non-cancelable and non-returnable (NCNR)</li> <li>Digi reserves the right to make shipments against the total quantity ordered as material becomes available.</li> <li>Standard warranty policy will apply.</li> </ul>

Timing	Last Time Buy (LTB) orders shall be placed before 3/31/2020, for a Last Time Ship
	before 9/30/2020 Due to very limited quantity of processors, orders will be filled as long as devices
	are available.

<b>Action Required</b>	Resale partners are instructed to remove EOL SKUs from their fulfillment systems
	and migrate to the replacement SKUs listed below.

## **SKU Cross Reference**

EOL SKU	Replacement SKU	Similarity to SKU
WR44-L500- TE1-RF	WR54-A112	Same Dual WI-Fi modules. WR54 brings Improvements to: -Processor Speed
WR44-L5F1-TE1- RF		-Cellular module (Cat 11 vs. Cat 3) -GPS module -IP Rating (IP54 vs. IP30)
WR44-L5G1- TE1-RF		-Operating Temperature (-34 to 74 vs -20 to 60 C) -USB (3.0 vs. 2.0)
WR44-L5A3- CE1-RF	Dependent upon use case*	

\*Contact your Digi representative for custom SKU and quote information

The following cellular band and frequency information is provided for reference:

Module Reference	Cellular bands, frequencies and approvals
WR44-L5(EOL)	Coverage: North America, software defined multi-carrier LTE CAT 3: 700(B13, B17) / 850(B5) / AWS (B4) / 1900(B2,B25) Transfer rate (max): 100 Mbps down, 50Mbps up 3G HSPA+: 850/900/1700AWS/1900/2100 MHz 3G EVDO: 800 / 1900 MHz 2G EDGE/GPRS: 850/900/1800/1900 MHz 2G 1XRTT: 800 / 1900 MHz
	Approvals: Verizon Private Network, DMNR and PNTM, AT&T, Sprint, Telus, Bell
WR54-A112 (New)	Coverage: Worldwide LTE Advanced CAT 11 – Global Coverage Transfer Rate (theoretical): 600Mbps(DL); 75Mbps(UL) Supported LTE Bands: LTE FDD : 700 (B12,B13,B17, B28, B29) / 800 (B20) / 850 (B5, B26) / 900 (B8) / 1700AWS(B4, B66) / 1800 (B3) / 1900 (B2, B25) / 2100 (B1) / 2300(B30) / 2600(B7) LTE TDD : 2300(B40) / 2500(B41) / 2600(B38) 3G HSPA: 850/900/1700AWS/1800/1900/2100 MHz
	Accessories Not Included - All product part numbers listed above ship without accessories.

<ul> <li>For convenience aligning product to applications, accessory kits are available with different power connection options.</li> <li>Carrier Certifications</li> </ul>
<ul> <li>All part numbers are certified in the US with AT&amp;T and Verizon carrier</li> </ul>
approvals.

Action Required	Digi distributors are encouraged to enter the new part number in the
	appropriate fulfillment systems. Contact your Digi Sales representative for
	specifics on stock availability.

\_

	Authorization	David Ridenour, Product Manager, Digi International
--	---------------	---