





LOC		DIST		REVISIONS			
GP	00	P	LTN	DESCRIPTION	DATE	DWN	APVD
		A		RELEASED PER ECO-12-006362	11MAY2012	CJV	MRS
		A1		RELEASED PER ECO-15-016093	09NOV2015	PP	SH




- 1 HOUSING AND RETENTION PLUG MATERIAL: POLYESTER LCP.
- 2 CONTACT MATERIAL: COPPER ALLOY.
- 3 CONTACT FINISH: CONFORMS TO THE REQUIREMENTS OF TE CONNECTIVITY PRODUCT SPECIFICATION 108-2399. BASED ON EIA/ECA-364-1000.01A, (CONTROLLED ENVIRONMENT APPLICATIONS) ON MATING END, GOLD FLASH ON SOLDER TAILS.
- 4 DATUMS AND BASIC DIMENSIONS ARE TO BE ESTABLISHED BY CUSTOMERS FIDUCIALS.
- 5 OPTIONAL HOLES FOR M3x0.5 SCREW/STANDOFFS.
- 6 BELLY TO BELLY PCB THICKNESS: 3.40 ± 0.40 mm.
- 7 PART NUMBER AND DATE CODE MARKED IN APPROXIMATE AREA SHOWN.
- 8 MANUFACTURER'S LOGO APPROXIMATELY AS SHOWN.



TRAY	2057630-2
TAPE REEL	2057630-1
PACKAGE	PART NUMBER

THIS DRAWING IS A CONTROLLED DOCUMENT. DIMENSIONING AND TOLERANCING PER ASME Y14.5M-2009.		DWN P. KERLIN 08NOV2008	TE Connectivity
DIMENSIONS: mm		CHK E. BRIGHT 08NOV2008	
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD	NAME
0 PLC	±	PRODUCT SPEC	RECEPTACLE ASSEMBLY, HOST, CFP PLUGGABLE
1 PLC	±0.10	APPLICATION SPEC	
2 PLC	±	SIZE	CAGE CODE DRAWING NO
3 PLC	±	WEIGHT	A100779C=2057630
4 PLC	±	CUSTOMER DRAWING	SCALE 8:1 SHEET 1 OF 3 REV A1
ANGLES	±		
MATERIAL SEE NOTES	FINISH SEE NOTES		

LOC	DIST	REV	DATE	BY	APPV
GP	00				
		REVISIONS			
		DESCRIPTION	DATE	BY	APPV
		SEE SHEET 1			




RECOMMENDED PCB LAYOUT FOR SINGLE SIDE MOUNTING
SCALE 3:1


THIS DRAWING IS A CONTROLLED DOCUMENT. DIMENSIONING AND TOLERANCING PER ASME Y14.5M-2009.		DWN P. KERLIN 08NOV2008 CHK E. BRIGHT 08NOV2008 APVD -	NAME STE TE Connectivity
DIMENSIONS: mm 	TOLERANCES UNLESS OTHERWISE SPECIFIED: 0 PLC ± 1 PLC ±0.10 2 PLC ± 3 PLC ± 4 PLC ± ANGLES ±	PRODUCT SPEC 108-2399 APPLICATION SPEC 114-13263 WEIGHT -	SIZE CAGE CODE DRAWING NO A100779C=2057630 RESTRICTED TO -
MATERIAL SEE NOTES	FINISH SEE NOTES	CUSTOMER DRAWING	SCALE 8:1 SHEET 2 OF 3 REV A

LOC	DIST	REV	DATE	BY	APVD
GP	00				


REVISIONS			
REV	DATE	BY	APVD
-	-	-	-
-	-	-	-



DETAIL U
 RECOMMENDED HOST CONNECTOR PCB LAYOUT
 SCALE 8:1



RECOMMENDED COMPONENT AND TRACE KEEPOUT AREA
 SCALE 2:1



RECOMMENDED PCB LAYOUT FOR BELLY TO BELLY MOUNT,
 SAME AS SINGLE SIDE MOUNT EXCEPT AS SHOWN
 SCALE 2:1

THIS DRAWING IS A CONTROLLED DOCUMENT. DIMENSIONING AND TOLERANCING PER ASME Y14.5M-2009.		DWN P. KERLIN 08NOV2008 CHK E. BRIGHT 08NOV2008 APVD - NAME PRODUCT SPEC 108-2399 APPLICATION SPEC 114-13263 WEIGHT CUSTOMER DRAWING	SIZE CAGE CODE DRAWING NO A100779C=2057630 SCALE 8:1 SHEET 3 OF 3 REV A
DIMENSIONS: mm TOLERANCES UNLESS OTHERWISE SPECIFIED: 0 PLC ± 1 PLC ±0.10 2 PLC ± 3 PLC ± 4 PLC ± ANGLES ± FINISH SEE NOTES		STE TE Connectivity RECEPTACLE ASSEMBLY, HOST, CFP PLUGGABLE	