www.wago.com/211-856





Data Technical data

Marking method	Thermal transfer
Marking	plain
Delivery form	Roll
Delivery form configuration	1,000 pcs/reel
Printing device	Smart Printer (Thermal Transfer Printer)

Physical data

Depth	0.12 mm
Marking surface	12 x 23 mm
Sheathed cable diameter	5 12 mm

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG	Do you have any questions about our products?
Hansastr. 27	We are always happy to take your call at +49 (571) 887-44222.
32423 Minden	
Phone: +49571 887-0 Fax: +49571 887-169	
Email: info.de@wago.com Web: www.wago.com	



Mechanical Data

Mounting type	Wrapping
Smear resistance	in conjunction with 258-5014 Ink Ribbon

Material Data

Color	white
Material	Polyvinyl chloride
UV resistance	EN 60068-2-5:2010 Procedure B
Adhesive information	Acrylic; permanent
Halogen-free	Yes
Weight	181 g

Environmental requirements

Ambient temperature (storage)	+10+22 °C
Ambient temperature (operation)	-30+120 °C
Relative humidity	40 50 %

Commercial data

2 (Terminal Block Accessories)
27-40-04-01
27-40-06-29
EC001530
EC001530
1 pcs
box
DE
4050821656869
39191080888

Environmental Product Compliance

RoHS Compliance Status

Compliant,No Exemption

Optional accessories

Marking accessories

Marking devices

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG Hansastr. 27 32423 Minden Phone: +49571 887-0 | Fax: +49571 887-169 Email: info.de@wago.com | Web: www.wago.com Do you have any questions about our products? We are always happy to take your call at +49 (571) 887-44222.





Item no.: 258-5000 Thermal transfer printer; Smart Printer; for complete control cabinet marking; 300 dpi; With marking www.wago.com/258-5000 material

Downloads Documentation

Operating Instructions

211-856 Information on printing material	1 2020 Aug 28	pdf 1.3 MB	Download

Environmental Product Compliance

Compliance Search

Environmental Product Compliance 211-856	URL	Download
Self-laminating labels; for Smart Printer; 15 x 22 mm; white		

Installation Notes

Marking



Remove the printed label from the sheet or reel.



Wrap the label around the conductor or cable.

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG Hansastr. 27 32423 Minden Phone: +49571 887-0 | Fax: +49571 887-169 Email: info.de@wago.com | Web: www.wago.com Do you have any questions about our products? We are always happy to take your call at +49 (571) 887-44222.

Data sheet | Item number: 211-856

www.wago.com/211-856





The transparent laminate protects the marking.

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG Hansastr. 27 32423 Minden Phone: +49571 887-0 | Fax: +49571 887-169 Email: info.de@wago.com | Web: www.wago.com Do you have any questions about our products? We are always happy to take your call at +49 (571) 887-44222.