REVISIONS				
EC	REV	DESCRIPTION	DATE	
CPR	Α	NEW RELEASE	11/08/05	

- 6. THIS CONNECTOR MATE WITH PIN CONNECTOR 6643106-1.
- 5. ITEMS PROVIDED TO THIS SPECIFICATION TO BE PERMANENTLY IDENTIFIED PER THE FOLLOWING IDENTIFIER:

YEAR _ _ _ WEEK
TYCO PART NUMBER DATE CODE (e.g. 0525)

XXXXXXXXXXXX

SOCKET CRIMP CONTACTS AND SHOULDER SCREWS SHALL BE PACKAGED AND PLACED IN THE BOX WITH THE CONNECTOR ASSEMBLY. THIS CONNECTOR ASSEMBLY SHALL BE PACKAGED AS A KIT.

3. FINISHES:

CONTACTS: SILVER PLATED PER ASTM B 700 OVER NICKEL PER QQ-N-290.

2. MATERIALS:

HOUSINGS: THERMOPLASTIC, GLASS REINFORCED, COLOR-BLACK UL94V-0 FLAMMABILITY RATED.

SOCKET CONTACTS: LEAD COPPER.

CROWN BANDS: BERYLLIUM COPPER.

RETENTION CLIPS: BERYLLIUM COPPER OR STAINLESS STEEL.

1. PART NUMBER CHANGES AND OR DESIGN CHANGES AFFECTING ITEM INTERCHANGEABILITY REQUIRE PRIOR ELCON APPROVAL AND AUTHORIZATION BY REVISION TO THIS DRAWING.

NOTES: UNLESS OTHERWISE SPECIFIED

TABLE FOR SOCKET CONNECTOR PN 6643107-1						
PART NUMBER	DESCRIPTION	POSITION	QTY			
1648128-2	CONNECTOR, SOCKET	N/A	1			
6648318-1	CONTACT, SOCKET, SIZE #12, CRIMP	1 - 8	8			
1650575-1	SHOULDER SCREW, #8-32	N/A	2			

INCH OR INCH (MM)	DRAWN	DATE	Tyco Electronics Corporation		
	HA NGUYEN	11/08/05	Electronics Menlo Park, Ca 94025		
THIRD ANGLE PROJECTION	CHECKED		TITLE		
UNLESS OTHERWISE			CONNECTOR COCKET		
SPECIFIED DIMENSIONS ARE IN INCHES (METRIC)	APPROVED		CONNECTOR, SOCKET		
TOLERANCES			HV8P DRAWER		
	APPROVED		PN 6643107-1		
ANGLES ± .5°	D. CHAU	11/08/05	SIZE DWG NUMBER	REV.	
DECIMALS	DCA APPROVED		R	٨	
.XXX ± .010 (.25)	M. ALIM	11/08/05		Α	
.XX ± .02 (.3)	ACAD FILE NUMBER	C6643107A	DWG SCALE $1=1$ SH 1	OF 3	

4

3

2

1



