www.wago.com/211-503





Data Technical data

Suitable	for wire cross-section 4 6 mm ²	
Marking method	Thermal transfer	
Delivery form	Roll	
Delivery form configuration	20 m/roll	
Printing device	Smart Printer (Thermal Transfer Printer)	

Physical data

Depth	0.185 mm
Sheathed cable diameter	6.4 mm

Mechanical Data

Mounting type	Sliding on conductor
Shrink rate	2:1

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG	Do you have any questions about our products?
Hansastr. 27	We are always happy to take your call at +49 (571) 887-44222.
32423 Minden	
Phone: +49571 887-0 Fax: +49571 887-169	
Email: info.de@wago.com Web: www.wago.com	

www.wago.com/211-503



Smear resistance

in conjunction with 258-5005 Ink Ribbon

Material Data

Color	white
Material	Polyolefin
UV resistance	EN 60068-2-5:2010 Procedure B
Adhesive information	without adhesive
Halogen-free	Yes
Weight	304.3 g

Environmental requirements

Ambient temperature (storage)	+10 +25 °C
Ambient temperature (operation)	-55 +125 °C
Relative humidity	45 55 %

Commercial data

eCl@ss 9.0 27-40-04-01	
ETIM 8.0 EC001530	
ETIM 7.0 EC001530	
PU (SPU) 1 pcs	
Packaging type box	
Country of origin DK	
GTIN 4055143370271	
Customs tariff number 39173200910	

Environmental Product Compliance

RoHS Compliance Status

Compliant,No Exemption

Optional accessories

Marking accessories

Marking devices



ltem no.: 258-5000

Thermal transfer printer; Smart Printer; for complete control cabinet marking; 300 dpi; With marking www.wago.com/258-5000 material

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG Hansastr. 27 32423 Minden Phone: +49571 887-0 | Fax: +49571 887-169 Email: info.de@wago.com | Web: www.wago.com Do you have any questions about our products? We are always happy to take your call at +49 (571) 887-44222.

Downloads Documentation

Operating Instructions



211-502 Information on printing material	1 2020 Aug 28	pdf 1.1 MB	Download
Environmental Product Compliance			
Compliance Search			
Environmental Product Compliance 211-503		URL	Download
Shrink tube; for Smart Printer; Unshrunk diameter: 6.4 mm; white			

Installation Notes

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG Hansastr. 27 32423 Minden Phone: +49571 887-0 | Fax: +49571 887-169 Email: info.de@wago.com | Web: www.wago.com Do you have any questions about our products? We are always happy to take your call at +49 (571) 887-44222.