## **HellermannTyton**

## **Specification Sheet**

Part Number: 556-00256

300 dpi print head for high resolution printing.

Label holder included for easy loading of any size media.

Lightweight with a small footprint for easy transport to jobs sites or around

the shop.

LCD user interface for easier setup, diagnostics and adjustments.

Ethernet ready for easy network connectivity.

Print speeds up to 3 in (76.2mm) per second for fast label production.

2mb flash/8mb DRAM for accepting large label files that require a lot of

data.

Highly accurate sensor means there is no need to calibrate during label changes and eliminates most common printer errors.



TT230SMC Printer Kit with Cutter, 1/pkg

Article Number 556-00256

Type TT230SMC KIT

Color Black (BK)

Quantity Per EA

Duadinat	December
Product	Description

HellermannTyton's TT230 Series thermal transfer printers are designed for low- to medium-volume printing of thermal transfer labels and ShrinkTrak. They deliver optimal performance not found in other small desktop printers. This lightweight printer offers high speed, precision and flexible printing with the ability to print on most HellermannTyton labels and ShrinkTrak. Used in conjunction with TagPrint Pro, the printers offer error-free printing and seamless operation. Each kit contains one TT230SMC printer (556-00240), a carrying case (556-00231), one black and one white ribbon (TT822OUTSM) and (556-00190), label holder (556-00235) and TagPrint Pro 4.0 software (556-00035).

**Short Description** 

TT230SMC Printer Kit with Cutter, 1/pkg

Global Part Name

TT230SMC KIT-PL-BK

Contents of pkg/kit

One TT230SMC printer with cutter, label caddy, TagPrint® Pro label design software, black ribbon, white ribbon, and a high-quality hard-shell carrying case.

Length L (Imperial)

11.75

Length L (Metric)

298.5

Width W (Imperial)

7.95

Width W (Metric)

202

Height H (Imperial)

13.5

Height H (Metric)

342.9

Material

Plastic (PL)

Material Shortcut PL Halogen Free No UV Resistant (Yes/No) No **Operating Temperature** +40°F to +104°F (+4°C to +40°C) Reach Compliant (Article 33) Yes **ROHS Compliant** Yes UL Listed (US and Canada) Yes UL Listed (US) Yes 1 Package Quantity (Imperial) Package Quantity (Metric) 1 **Customs Number** 8443321050

## About HellermannTyton

HellermannTyton is a global manufacturer of cable management and identification solutions for automotive, solar, electrical, construction, industrial automation, broadband and other OEM markets. The company's integrated approach to product design, sustainability, production, quality assurance and delivery is optimized to benefit local and global customers. HellermannTyton operates in 39 countries, with North American headquarters in Milwaukee, Wisconsin. (www.hellermann.tyton.com).

© 2023 HellermannTyton. All Rights Reserved.