

UNLESS OTHERWISE SPECIFIED, DIMENSIONS ARE IN INCHES AND TOLERANCES ARE: 2 PLACE DECIMAL 3 PLACE DECIMAL ANGLES ±.015 (0,381 mm) ±.005 (0,127 mm) ± 1°	MATERIAL	DRAWN MIKE HOYACK	DATE -Ju -02	I.0/2.3 PUS
NOTICE - These drawings, specifications, or other data (1) are, and remain the property of Amphenol Corp. (2) must be returned upon request; and (3) are confidential and not to be disclosed to any person other than those to whom they are given by Amphenol Corp. The furnishing of these drawings, specifications, or other data by Amphenol Corp., or to any other person to anyone for any purpose is not to be regarded by implication or otherwise in any manner licensing, granting rights or permitting such holder or any other person to manufacture, use or sell any product, process or design, patented or otherwise, that may in any way be related to or disclosed by said drawings, specifications, or other data.	REFERENCE EAR 637 & 2132 GEN# ASSYM4_1023 615X-1814-100	ENGINEER MIKE HOYACK	DATE 06 - Jun - 02	PLUG 75 OHM
		APPROVED K. CAPOZZI	DATE 7/17/06	- 735A CABLE
		CAD FILE I:\ 023\ 02-799-7535		code 1d 74868

REVI CRIPTION	SIONS	DATE	ECO	APPR
ASE TO MFG		7/17/06	46177	MAH
CONTACTS WAS	.000030 THIC		46219	MAH
		SCALE 3.000		
Ø :0960 Ø :0935 Ø	.213 REF			
DUTLIN ARE FOR INTI		AWIN(NLY	3	
JSH PULL HM	SCAL	Ampher Danbury, Tainan, Shenzher www.amphe E: 6.0:1 SH	CT, USA Taiwan A, China nolrf.c	om
dwg sizedr. 3 B		799-753	5	rev B