NOTES:

I. MATERIALS AND FINISHES: INNER CONDUCTOR - BRASS OUTER CONDUCTOR - BRASS

NUT - BRASS

INSULATOR - PTFE, NATURAL O-RING - SILICONE RUBBER, RED

2. ELECTRICAL:

A. IMPEDANCE: 50 OHM

B. FREQUENCY RANGE: DC - 3 GHz

C. VSWR: I.IO MAX.

D. INSERTION LOSS: . I MAX.

E. DWV: IOOOVRMS

F. INTERMODULATION: \leq -165 dBc (2 X 43 dBm)

G. INSULATION RESISTANCE: 5000 m Ω

H. CONTACT RESISTANCE: OUTER CONDUCTOR <1.5 m Ω

3. MECHANICAL:

A. DURABILITY: 500 CYCLES MIN.

B. TEMPERATURE RANGE: -40° C TO +85° C

C. COMPATIBLE WITH ALL STANDARD 4.3/10 PLUGS

4. ENVIRONMENTAL:

A. PLUG MEETS IP-67 STANDARD IN MATED CONDITION.

5. ASSEMBLY SPEC. 349-50926

CONTACT/INSULATOR ASSEMBLY TO BE SHIPPED LOOSE IN BAG.

7. PACKAGING:

A. QUANTITY: SINGLE PACK

B. MARKING: BAG TO BE MARKED


"AMPHENOL RF, 431-124P-52S, AND DATE CODE"

THIRD ANGLE PROJ.

REVISIONS

REV DESCRIPTION DATE ECO APPR

RELEASE TO MFG. 10/21/16 02202 KCE



CUSTOMER OUTLINE DRAWING

ALL OTHER SHEETS ARE FOR INTERNAL USE ONLY

UNLESS OTHERWISE SPECIFIED, DIMENSIONS ARE IN METRIC AND TOLERANCES ARE: MATERIAL DATE DRAWN Amphenol RF <0.5mm 0.5 - 6mm 6 - 30mm 30 - 120mm ANGLES BRASS 09-Mar-16 K. ELMES ± 0.05mm $\pm\,$ 0 . Imm ±0.2mm ± 0.3mm 4.3/IOSM NOTICE - These drawings, specifications, or other data (I) are, and remain the ENGINEER DATE property of Amphenol corp.' (2) must be returned upon request; and (3) are FOR 0.250" www.amphenolrf.com K. ELMES 09-Mar-16 confidential and not to be disclosed to any person other than those to whom they are given by Amphenol Corp. the furnishing of these drawings, specifications, or REFERENCE EAR #6645 SFMI-RIGID CABLE APPROVED DATE DRAWING NO.431-124P-52S other data by Amphenol Corp., or to any other person to anyone for any purpose is not to be regarded by implication or otherwise in any manner licensing, granting rights to permitting such holder or any other person to manufacture, use or sell any product, process or design, patented or otherwise, that may in any way be related to or disclosed by said drawings, specifications, or other data. K. CAPOZZI SCALE: 2.0:1.0 | SHEET | 2 OF 2 10/21/16 ITEM NO.431-124P-52S CONFIGURATION LEVEL: CAD FILE DWG SIZE REV | PART NO.431-124P-52S FINISH