

General ordering data

Order No. Part designation Version

EAN Qty.

Approvals

Approvals institutes





Classifications

ETIM 2.0 ETIM 3.0 eClass 4.1 eClass 5.0 eClass 5.1 NK EC001284 NK NK NK

Similar products

Order No.		
1629680000	BL 3.5 ZE 3 OR	PCB-component accessories, Strain relief, System pitch 3.50 mm (0.138 inch), No. of poles: 3, orange
1627820000	BL 3.5 ZE 3 SW	PCB-component accessories, Strain relief, System pitch 3.50 mm (0.138 inch), No. of poles: 3, black
1627830000	BL 3.5 ZE 8 SW	PCB-component accessories, Strain relief, System pitch 3.50 mm (0.138 inch), No. of poles: 8, black



1577980000	BLAT ZE4 OR	PCB-component accessories, Strain relief, System pitch 5.08 mm (0.200 inch) - SLA/BLA, No. of poles: 4, orange
1578010000	BLAT ZE8 OR	PCB-component accessories, Strain relief, System pitch 5.08 mm (0.200 inch) - SLA/BLA, No. of poles: 8, orange
1652100000	BLZ 5.00 ZE4 OR	PCB-component accessories, Strain relief, System pitch 5.00 / 5.08
1652040000	BLZ 5.00 ZE8 OR	mm (0.197 / 0.200 inch), No. of poles: 4, orange PCB-component accessories, Strain relief, System pitch 5.00 / 5.08 mm (0.107 / 0.200 inch). No. of poleo: 8, orange
1652060000	BLZ 5.00 ZE8 SW	mm (0.197 / 0.200 inch), No. of poles: 8, orange PCB-component accessories, Strain relief, System pitch 5.00 / 5.08
1652110000	BLZ 5.08 ZE4 OR	mm (0.197 / 0.200 inch), No. of poles: 8, black PCB-component accessories, Strain relief, System pitch 5.00 / 5.08
1652130000	BLZ 5.08 ZE4 SW	mm (0.197 / 0.200 inch), No. of poles: 4, orange PCB-component accessories, Strain relief, System pitch 5.00 / 5.08
1652050000	BLZ 5.08 ZE8 OR	mm (0.197 / 0.200 inch), No. of poles: 4, black PCB-component accessories, Strain relief, System pitch 5.00 / 5.08
1652070000	BLZ 5.08 ZE8 SW	mm (0.197 / 0.200 inch), No. of poles: 8, orange PCB-component accessories, Strain relief, System pitch 5.00 / 5.08
1652140000	BLZ 7.50 ZE3 OR	mm (0.197 / 0.200 inch), No. of poles: 8, black PCB-component accessories, Strain relief, System pitch 7.50 / 7.62
1652200000	BLZ 7.50 ZE3 SW	mm (0.295 / 0.300 inch), No. of poles: 3, orange PCB-component accessories, Strain relief, System pitch 7.50 / 7.62
1652160000	BLZ 7.50 ZE6 OR	mm (0.295 / 0.300 inch), No. of poles: 3, black PCB-component accessories, Strain relief, System pitch 7.50 / 7.62
1652180000	BLZ 7.50 ZE6 SW	mm (0.295 / 0.300 inch), No. of poles: 6, orange PCB-component accessories, Strain relief, System pitch 7.50 / 7.62
1652150000	BLZ 7.62 ZE3 OR	mm (0.295 / 0.300 inch), No. of poles: 6, black PCB-component accessories, Strain relief, System pitch 7.50 / 7.62
1652210000	BLZ 7.62 ZE3 SW	mm (0.295 / 0.300 inch), No. of poles: 3, orange PCB-component accessories, Strain relief, System pitch 7.50 / 7.62
1652170000	BLZ 7.62 ZE6 OR	mm (0.295 / 0.300 inch), No. of poles: 3, black PCB-component accessories, Strain relief, System pitch 7.50 / 7.62
1652190000	BLZ 7.62 ZE6 SW	mm (0.295 / 0.300 inch), No. of poles: 6, orange PCB-component accessories, Strain relief, System pitch 7.50 / 7.62
1714930000	BLZF/SLZF ZE 4 OR	mm (0.295 / 0.300 inch), No. of poles: 6, black PCB-component accessories, Strain relief, System pitch 5.00 / 5.08
1746300000	BLZF/SLZF ZE 4 SW	mm (0.197 / 0.200 inch), No. of poles: 4, orange PCB-component accessories, Strain relief, System pitch 5.00 / 5.08
1714940000	BLZF/SLZF ZE 8 OR	mm (0.197 / 0.200 inch), No. of poles: 4, black PCB-component accessories, Strain relief, System pitch 5.00 / 5.08
1746310000	BLZF/SLZF ZE 8 SW	mm (0.197 / 0.200 inch), No. of poles: 8, orange PCB-component accessories, Strain relief, System pitch 5.00 / 5.08
1937550000	BV/SV 7.62HP/02 ZE GR	mm (0.197 / 0.200 inch), No. of poles: 8, black PCB-component accessories, Strain relief, System pitch 7.62 mm
1937560000	BV/SV 7.62HP/04 ZE GR	(0.300 inch) - SV/BV, No. of poles: 2, grey PCB-component accessories, Strain relief, System pitch 7.62 mm
1563300000	RSV1,6 ZE 12 SW	(0.300 inch) - SV/BV, No. of poles: 4, grey PCB-component accessories, Strain relief, System rectangular
1563200000	RSV1,6 ZE 18 SW	connector RSV, No. of poles: 12, black PCB-component accessories, Strain relief, System rectangular
1563100000	RSV1,6 ZE 24 SW	connector RSV, No. of poles: 18, black PCB-component accessories, Strain relief, System rectangular connector RSV, No. of poles: 24, black



1563000000	RSV1,6 ZE 36 SW	PCB-component accessories, Strain relief, System rectangular connector RSV, No. of poles: 36, black
1563600000	RSV1,6 ZE 4 SW	PCB-component accessories, Strain relief, System rectangular connector RSV, No. of poles: 4, black
1563500000	RSV1,6 ZE 6 SW	PCB-component accessories, Strain relief, System rectangular connector RSV, No. of poles: 6, black
1563400000	RSV1,6 ZE 9 SW	PCB-component accessories, Strain relief, System rectangular connector RSV, No. of poles: 9, black
1613940000	STVS 10 ZE SW	PCB-component accessories, Strain relief, System pitch 7.00 mm (0.276 inch) - STV, No. of poles: 10, black
1613870000	STVS 3 ZE SW	PCB-component accessories, Strain relief, System pitch 7.00 mm (0.276 inch) - STV, No. of poles: 3, black
1613890000	STVS 5 ZE SW	PCB-component accessories, Strain relief, System pitch 7.00 mm (0.276 inch) - STV, No. of poles: 5, black
1613900000	STVS 6 ZE SW	PCB-component accessories, Strain relief, System pitch 7.00 mm (0.276 inch) - STV, No. of poles: 6, black
1613910000	STVS 7 ZE SW	PCB-component accessories, Strain relief, System pitch 7.00 mm (0.276 inch) - STV, No. of poles: 7, black
1613920000	STVS 8 ZE SW	PCB-component accessories, Strain relief, System pitch 7.00 mm (0.276 inch) - STV, No. of poles: 8, black
1613930000	STVS 9 ZE SW	PCB-component accessories, Strain relief, System pitch 7.00 mm (0.276 inch) - STV. No. of poles: 9. black

