



Vector subrack packaging for 19" systems offers a versatile and comprehensive solution to your packaging needs. Based on DIN 41914, all parts conform to a system which allows your unique design to be constructed from a combination of standards. You may mix different module sizes and add accessories without the need for special designs. Subracks and accessories are available "off the shelf", affording you short lead times for on time completion of your project.

COMPLETE DIN SUBRACKS FULLY ASSEMBLED OR KITS

<u>CCK</u> Card Cage (subrack) frame only kit including sidewalls, front, rear and rear-center extrusions, all nut strips, backplane insulators and assembly instructions. CG1-series VectorPaktm card guides <u>sold</u> <u>separately.</u> Guide positions are variable at 1HP (0.200") horizontal increments. **CCA** Card cage (subrack) frame only described above, but factory assembled.

CG1-series VectorPaktm card guides sold separately

	DIN-Based Met	ric Subrack	Ordering Information
SYSTEM PACKAGING PRODUCTS INCLOSUMES MICHANES POWER SUMPLIES SUBJACCS EXTENDER BOARDS	<u>CCK</u> - <u>1</u>	<u>60</u> 	<u>3U</u> Rack Height
SUBRACKS EXTENDER BOARDS	Model Type		3U = 5.25"H x 19.0"W
PROTOTYPING PRODUCTS SYSTEM INTEGRATION DESIGN SERVICES	CCK- Card cage frame kit		6U = 10.50"H x 19.0"W
	CCA- Factory Assembled		9U = 15.75"H x 19.0"W
VectorPak [™] Kit (CCK)	7		
vector at Ait (COA)	Card De	pth	Standard Card Heights
11111111111111111111111111111111111111	160 -160r	nm, 6.299"	3U = 100mm (3.94")
	220 -220r	nm, 8.66"	6U = 233.35mm (9.187")
•	280- 280	nm, 11.02"	9U = 366.70mm (14.437")
	340- 340r	nm, 13.39"	



CCA160-6U shown with 1 pr. of CG1-160 card guides installed

CCA160-3U shown with 1 pr. of CG1-160 card guides installed