iRetail

Intelligent Digital Signage Solution

优店联網

WebAccess/MM Digital Signage Server

Increasing Shopper Engagement and Sales

SRP-UDS530

Driving Up Digital, Engaging and Creative Communication

Introducing SRP-UDS530 - An Intelligent Digital Signage Solution for Retail Business

Advantech's Intelligent Digital Signage solution delivers dynamic multimedia content with rich graphics for an immersive viewing experience for consumers. The solution combines industrial grade digital signage players with WebAccess/IMM, a web-based content editing/ publishing software and remote management. The friendly interface of WebAccess/IMM allows users to easily edit and publish content to digital signage terminals around the world.

Software Architecture



Dashboard Design Features



· · · ·

Multi Zone and Frameset Support

WebAccess/IMM supports the creation of multi zones and framesets whether the network is on a single screen. video wall or projection.

"WYSIWYG" User Interface

Using the "what you see is what you get (WYSIWYG)" user interface for editing, users can drag-and-drop content and view the layout as a finalized artwork.



- **Visualized Layout Editing Interface**
- **Rich Widgets and Media Formats Supported**
- **Convenient Centralized Management**

Enabling an Intelligent Planet





iRetail Solution Website





Schedule and Dispatch

Content can be scheduled for specific times. Users can pre-program advertising content to various locations in advance. It also supports interrupt scheduling.



Remote Device Management

The system provides a server-client architecture. It supports up to 500 players/clients. Users can also monitor real-time device broadcast ing status through a dashboard.



Key Advantages/Features

Easy-To-Use Interface

With intuitive operation, users can easily edit 1x3, 2x3 or multi display layouts simply by drag and drop operation.

Rich Features

The software provides widget tools such as clock, scrolling text, and bulletins. It supports real-time data feeds and helps you to create content that fulfills your vision.



Managers can use the online interface to remotely edit, dispatch, and schedule promotional content to display during specific times. Effective message delivery for up to 500 stores is possible, which saves operating and maintenance expenses.



Package Offering

Application Software — WebAccess/IMM Digital Signage Server

WebAccess/IMM Digital Signage Server Software



Digital Signage Player — UBX-310UDS1-G1E-C

Preinstalled WebAccess/IMM Digital Signage Client Software Intel® Celeron® J1900 Digital Signage Player equipped with 4 GB of DDR3L and Microsoft® Windows Embedded 7 Pro



Intelligent Digital Signage Player Comparison Table

	Lite	Standard	Pro
P/N	UBX-310UDS1-G1E-C	DS-570UDS1-G1E-C	DS-980UDS1-G1E-C
		and the second	
CPU	Intel Bay Trail J1900 2.4 GHz	Intel Bay Trail J1900 2.4 GHz	Intel Skylake i7-6700TE
RAM	4GB DDR3L 1333MHz	4GB DDR3L 1333MHz	8GB DDR4-2133MHz
Graphic	Intel HD Graphics	NVIDIA GeForce GT 730M	NVIDIA GT730 1G
Numbers of Display Output	2 (HDMI, VGA)	4 (2 x HDMI, 1 x DP++, 1 x VGA)	6 (6 x HDMI)
Storage	SATA 2.5" HDD 500GB	SATA 2.5" HDD 500GB	SATA 2.5" HDD 500GB
Internet	1 x RJ45 (10/100/1000 Mbps)	2 x RJ45 (10/100/1000 Mbps)	2 x RJ45 (10/100/1000 Mbps)
I/O	5 x USB, 3 x COM, 1 x LPT	4 x USB, 3 x COM, 2 x Mini-PCIe (Internal)	6 x USB, 3 x COM, 2 x Mini-PCIe (Internal)
Power	12V DC-in	19V DC-in	12V DC-in 150W for top; optional 12V DC-in 84W for bottom
Size	245 x 45 x 185 mm	220 x 44.2 x 150 mm	190 x 250 x 88 mm
Weight	2.0 kg	1.7 kg	3.6kg
Operating System		Microsoft Windows 7 Embedded	
Software		WebAccess/IMM Digital Signage Client	

Ordering Configuration Table

SRP-UDS 530 Intelligent Digital Sigange Solution Package Offering Ар outing [:] **Operating System:** We S1-G1E-C Microsoft[®] Windows Die Embedded 7 Pro x1 We Preinstalled Microsoft[®] Windows /ebAccess/IMM

Application Software	System Comp
WebAccess/IMM Digital Signage Server x1	UBX-310UDS
WebAccess/IMM Digital Signage Server Software	Preinstalled Wo Digital Signage Intel® Bay Trail Player, 4GB DD

Optional Configuration

Option 100 Server Software

[101] Digital Signage Server Software (968SPUDSS0)

Option 200 System Computing

[201] Digital Signage Player Lite (2 Displays) (UBX-310UDS1-G1E [201] Digital Signage Player Standard (4 Displays) (DS-570UDS1-0 [202] Digital Signage Player Pro (6 Displays) (DS-980UDS1-G1E-C

Successful Case

Eye-Catching Video Wall for Luxury Cosmetics Brand

In Guanzhou, China, a high-end cosmetics brand came out with a brilliant idea: to replace a plain and boring wall with live-broadcasting video walls. The retailer used a total of 18 units of 55" TVs as a video wall and had it setup inside the shop. It not only played seasonal advertisements, but it also integrated the whole shop interior as well as the shelf. At one minute, the customers are immersed in a green environment, the next moment they are bathed in a red color that echo's the brand's personality.



According to the retailer, this eye-catching video wall has successfully attracted customers to come in the store, and the longer visits inside the shop have improved sales of the promoted products shown on the video wall

Order in 3 Easy Steps





ADVANTECH

US/Canada: 1-888-576-9668 Europe: 00800-2426-8080/8081 China: 800-810-0345/8389 Taiwan: 800-777-111 Japan: 0800-500-1055 Korea: 080-363-9494/9495



Client Software J1900 Digital Signage DR3L

Embedded 7 Pro

	Qty:
C)	Qty:
G1E-C)	Qty:
.)	Qty:

Note: Select your required configuration, then log into MyAdvantech for order processing.

Advantech Headquarters

No. 1, Alley 20, Lane 26, Rueiguang Road, Neihu District, Taipei, Taiwan 11491 Tel: 886-2-2792-7818 Fax: 886-2-2794-7301 www.advantech.com

> Singapore: +65-6442-1000 Malaysia: 1800-88-1809 Australia: 1300-308-531 Thailand: 66-2-248-3140 Indonesia: +62-21-7511939 Mexico: 1-800-467-2415



Online Catalog