
THIS DOCUMENT IS THE PROPERTY OF KEYSTONE ELECTRONICS CORP. AND SHALL NOT BE REPRODUCED, DISTRIBUTED OR USED AS A BASIS FOR MANUFACTURE WITHOUT PRIOR WRITTEN PERMISSION FROM KEYSTONE ELECTRONICS CORP.



REV.

# NOTES:

TAPE AND REEL SPECIFICATIONS:

# 1. TAPE:

MAT'L - ALL CONDUCTIVE POLYSTYRENE CARRIER ANSI/EIA-481 STANDARD .945 [24.0] WIDE; .472 [12.0] PITCH


# 2. REEL:

DATE

13.0 [330.2] DIA. 1500 PIECES OF PART NO. 3563 PER REEL

**DESCRIPTION** 

### KEYSTONE ELECTRONICS CORP. www.keyelco.com • ASTORIA, N.Y. 11105-2017 • Tel (718) 956-8900 PART NAME SM MINI-AUTO BLADE CLIP ON TAPE MATERIAL **AS NOTED** FINISH DRN BY DATE **BOONE** 5.14.01 **AS NOTED** APP'D SCALE LN TOLERANCES INCH [MM] CODE DWG NO. $\pm .015$ [ $\pm 0.38$ ] DECIMAL 3563TR C ANGULAR ± 1° UNLESS OTHERWISE SPECIFIED



### PART NAME SM MINI-AUTO BLADE FUSE CLIP MATERIAL .016 [0.40] TH'K BRASS CHANGE AS PER ECN 09-168 C 12.15.15 FINISH DRN BY DATE **BOONE** 3.18.08 В MATTE TIN PLATE 11.17.09 CHANGE AS PER ECN 09-168 APP'D SCALE LN 4X Α 1.14.03 CHANGE AS PER ECN 03-002 TOLERANCES INCH [MM] CODE DWG NO. $\pm .005 [\pm 0.15]$ DECIMAL 3563 C ANGULAR ± 1° DATE **DESCRIPTION** REV. UNLESS OTHERWISE SPECIFIED