

Specification Control Drawing

a) Part as supplied

224K012-*-G02



b) Part after unrestricted recovery.



DIMENSIONS (in millimetres).

	ŀ	-1		J	Ρ	R	JO	Т	U	JW	ΗW
Part	Min	Мах	Min	Мах	±10%	±10%	±10%	±10%	±10%	±20%	±20%
Number	a	b	а	b	b	b	b	b	b	b	b
224K012-*-G02	24 #	14	16 #	3.3	33	25	15	1.5	0.8	1.8	0.8

This is an overexpanded variant Modified dimensions are shown thus:- #

Copyright(!)

The copyright in this drawing is the property of Tyco Electronics UK Ltd. The drawing is issued on the condotion that it is not copied, reproduced or disclosed to a third party, either in whole or in part without the prior written consent of Tyco Electronics UK Ltd.

Drawn A.LILLEY. Checked Star Issue 3 Date November 2000 Conforms to ISO Recommendations Approval Design MKTG. Dufores O.A.

a Same

lss.	Date	E.C.R. No.	Details of Change
2	July 1989	5507	H & J min was 18
3	November 2000	****	Redrawn

Ordering Information)



COMPATIBILITY CHART)

MATERIAL DASH NUMBER	MATERIAL DESCRIPTION	COATING SLASH NUMBER
-3	POLYOLEFIN, SEMI-RIGID	/42 ,/86
-4	POLYOLEFIN, FLEXIBLE	/42 ,/86
-25	ELASTOMER, FLUID RESISTANT	/86,/225
-130	POLYOLEFIN, COMMERCIAL FLEXIBLE	/42, /86

AS SUPPLIED DIMENSIONS ARE FOR UNCOATED PARTS, WHEN COATING IS ADDED, ENTRY DIAMETERS WILL REDUCE BY 1.5mm MAX.

Raychem Wire & Harness a Division of Tyco Electronics Faraday Road, Swindon, Wiltshire, England. SN3 5JA Telephone: (01793) 528171 Fax: 572516 Raychem Wire & Harness a Division of Tyco Electronics 300, Constitution Drive, Menlo Park, California 94025-1164, USA Telephone (650) 361-3333 Fax: (650) 361-5579