
**REVISION N** 

## RECOMMENDED PCB LAYOUT FOR QMS-XXX-01-XX-D-RA

2/5/2015 ECN-244580

(QMS-052-01-XX-D-RA SHOWN)



ALL DIMENSIONS ARE SYMMETRIC ABOUT THE CENTERLINE.

- 1. NOT REQUIRED FOR ONE BANK PART CONNECTOR.
- 2. DESIGNED IN ENGLISH.
- 3. TO BE SOLDERED USING PASTE IN HOLE TECHNOLOGY. 4. NOT RECOMMENDED FOR INVERTED REFLOW SOLDERING.


### **PROPRIETARY NOTE**

THIS DOCUMENT CONTAINS INFORMATION CONFIDENTIAL AND PROPRIETARY TO SAMTEC, INC. AND SHALL NOT BE REPRODUCED OR TRANSFERRED TO OTHER DOCUMENTS OR DISCLOSED TO OTHERS OR USED FOR ANY PURPOSE OTHER THAN THAT WHICH IT WAS OBTAINED WITHOUT THE EXPRESSED WRITTEN
CONSENT OF SAMTEC, INC.



NOTE: STENCIL TO BE .0060[.152] THICK.

<u>FIG 2</u> (QMS-052-01-XX-D-RA SHOWN)




ALL DIMENSIONS ARE SYMMETRIC ABOUT THE CENTERLINE.

### PROPRIETARY NOTE

THIS DOCUMENT CONTAINS INFORMATION CONFIDENTIAL AND PROPRIETARY 10 ASAMTEC, INC. AND SHALL NOT BE REPRODUCED OR TRANSFERRED TO OTHER DOCUMENTS OR DISCLOSED TO OTHERS OR USED FOR ANY PURPOSE OTHER THAN THAT WHICH IT WAS OBTAINED WITHOUT THE EXPRESSED WRITTEN CONSENT OF SAMTEC, INC.







# RECOMMENDED STENCIL LAYOUT FOR QMS-XXX-01-XX-D-RA-PCX

FIG 5 (QMS-052-01-XX-D-RA-PC4 SHOWN) (SAME AS FIG 2, DIFFERENT AS SHOWN)





FIG 6 (QMS-052-01-XX-D-RA-PC8 SHOWN) (SAME AS FIG 2, DIFFERENT AS SHOWN)



### PROPRIETARY NOTE

THIS DOCUMENT CONTAINS INFORMATION CONFIDENTIAL AND PROPRIETARY TO SAMTEC, INC. AND SHALL NOT BE REPRODUCED OR TRANSFERRED TO OTHER DOCUMENTS OR DISCLOSED TO OTHERS OR USED FOR ANY PURPOSE OTHER THAN THAT WHICH IT WAS OBTAINED WITHOUT THE EXPRESSED WRITTEN CONSENT OF SAMTEC, INC.

