

4-Port Portable USB 3.0 SuperSpeed Hub

MODEL NUMBER: **U360-004-MINI**



Connect up to four USB devices via a single USB 3.0 port on your desktop, laptop, or tablet

Description

Tripp Lite U360-004-MINI is a compact, 4-Port USB 3.0 SuperSpeed hub, with built-in cable, that provides up to 5Gbps transfer rates in a compact, portable format (Computer and devices must be both USB3.0 rated to achieve maximum 5Gbps speeds). Hub is backward compatible to USB 2.0 and 1.1, so that older USB devices can be attached (devices will run at their native speeds of 480Mbps and 12Mbps respectively).

Small, portable design allows the hub to travel easily, and built-in cable eliminates the need to carry a separate cable for attachment to laptops and tablets. Needed power comes from the attached computer... no need for external power adapter. Plug-n-Play...no drivers or software required. Works with all Windows and MAC operating systems.

Features

- Add 4 additional USB 3.0 ports to your PC, Laptop, or Tablet
- Compact design...4in long by 1.25in wide by .75in high
- Built-in 1-ft. attachment cable
- USB 3.0 SuperSpeed 5gbps
- Plug-n-Play...no drivers or software to load
- Bus powered...separate power supplied not needed
- Compatible with all Windows and MAC OS
- Backward compatible with Hi-Speed (480Mbps), Full Speed (12Mbps), and Low Speed (1.5Mbps) USB versions

Specifications

OVERVIEW	
UPC Code	037332184726
Product Type	Hub
Host Connector	USB A (MALE)

Highlights

- Portable design with built-in 1-ft. cable
- USB data transfer rates up to 5Gbps
- Plug and Play

System Requirements

- Desktop, Laptop or Tablet with USB 3.0 USB port
- USB 3.0 (or less) Peripherals

Package Includes

- Portable USB 3.0 SuperSpeed Hub - 4-Port

VIDEO	
Number of Monitors Supported	0
Extended Mode	No
Mirror Mode	No
DATA	
Data Ports	(4) USB A (FEMALE)
Data Ports Details	(4) USB-A - USB 3.2 Gen 1 (5 Gbps)
INPUT	
Bus Powered	Yes
Product Length (in.)	16.8
Product Length (cm.)	42.67
Product Length (ft.)	1.4
Product Length (m.)	0.426
POWER	
Power Source Type	USB
Power Consumption (Watts)	0.77
PHYSICAL	
Color	Black; Silver
Material of Construction	Plastic
Cable Jacket Rating	VW-1
Included Mounting Accessories	No
Shipping Dimensions (hwd / in.)	5.50 x 3.90 x 1.20
Shipping Dimensions (hwd / cm)	13.97 x 9.91 x 3.05
Shipping Weight (lbs.)	0.24
Shipping Weight (kg)	0.11
Unit Dimensions (hwd / in.)	0.750 x 3.500 x 2.250
Unit Packaging Type	Box
Unit Weight (lbs.)	0.13
Unit Weight (kg)	0.06
ENVIRONMENTAL	
Operating Temperature Range	-4 to 158 F (-20 to 70 C)

Storage Temperature Range	-4 to 185 F (-20 to 85 C)
Relative Humidity	20% to 80% RH, Non-Condensing
BTUs	2.6 BTU/Hr
Power Provided to Connected Device(s)	5V 0.9A (4.5W) Output per USB port
CONNECTIONS	
Number of Ports	4
Side A - Connector 1	USB 3.0 A (MALE)
Side B - Connector 1	(4) USB 3.0 A (FEMALE)
Connector Plating	Nickel
FEATURES & SPECIFICATIONS	
USB Specification	USB 3.0 (up to 5 Gbps); USB 3.1 Gen 1 (up to 5 Gbps)
Driver Required	No
STANDARDS & COMPLIANCE	
Product Compliance	RoHS; CE (Europe); REACH; FCC (USA)
WARRANTY & SUPPORT	
Product Warranty Period (Worldwide)	3-year limited warranty