

# Safety Data Sheet

# **Section 1: Identification**

## Product Identifier and Other Means of Identification

Product Identifier: 842WB

**Other Means of Identification:** Super Shield<sup>™</sup> Water Based Silver Conductive Paint / Peinture d'Argent Conducteur Super ShieldTM à Base d'Eau

Related Part # 842WB-15ML, 842WB-150ML, 842WB-850ML, 842WB-3.78L

#### **Recommended Use and Restriction on Use**

Use: Silver filled, electrically conductive coating

Uses Advised Against: Not for sale in the EU.

#### **Details of Manufacturer or Importer**

#### Manufacturer MG Chemicals 1210 Corporate Drive Burlington, Ontario L7L 5R6 CANADA

**\*** +1-800-340-0772

 Fax
 +1-800-340-0773

 **E-MAIL** 

 www.mgchemicals.com

E-MAIL (Competent Person): <a href="mailto:sds@mgchemicals.com">sds@mgchemicals.com</a>

#### **Emergency Phone Number**

**For hazardous material incidents ONLY** (leaks, spills, fires, exposures or accidents) USA or CANADA—Call Verisk 3E at **+1-866-519-4752** or **+1-760-476-3962** (Service access code: 335388)

For emergencies involving the transport of dangerous goods; 24/7 service CANADA—Call CANUTEC collect at +1-613-996-6666 or \*666 on cellular phones

Page **1** of **16** 



# Section 2: Hazard(s) Identification

## **Classification of Hazardous Chemical**

#### **GHS** Categories

Criteria		Category	Signal Word	Pictograms
Reproductive Toxicity		1	Danger	Health
Hazardous to the Aquatic Environment	Chronic	1	Warning	Environment

*Note:* The degree of severity is ranked within each hazard class from 1 (Highest Severity) to up to 5 (Lowest Severity), which is opposite to HMIS and NFPA conventions. Severity category rankings do not allow comparisons between classes.

## Label Elements

Signal Word	DANGER	
Pictograms	Hazard Statements	
	H360: May damage fertility or the unborn child	
¥2	H410: Very toxic to aquatic life with long lasting effects	
Prevention	Precautionary Statements	
P201	Obtain special instructions before use.	
P202	Do not handle until all safety precautions have been read and understood.	
P280	Wear protective gloves, protective clothing, and eye protection.	
P273	Avoid release to the environment.	

Section continued on the next page

Page **2** of **16** 



Continued		
Response	Precautionary Statements	
P318	IF exposed or concerned: Get medical advice or attention.	
P391	Collect Spillage.	
Storage	Precautionary Statements	
P405	Store locked up.	
Disposal	Precautionary Statements	
P501	Dispose of contents in accordance to local, regional, national, and international regulations.	

# Hazards Not Otherwise Classified

Other	Hazard Statements/Precautionary	Signal	Pictograms
Criteria	Statement	Word	
Argyria	Long term exposure to silver powder or compounds can lead to an irreversible blue- grey discoloration of the skin.	None	None

Section 3: Composition/Information on Ingredients		
CAS #	Chemical Name	%(weight)
7440-22-4	silver	48%
872-50-4	1-methyl-2-pyrrolidone	4%
14807-96-6	talc	1%
121-44-8	triethylamine	0.4%



Section 4: First-Aid Measures		
Exposure Condition	GHS Code/Symptoms/Precautionary Statements	
IF INHALED	P304 + P340, P318	
Immediate Symptoms	cough, shortness of breath, headache	
Response	Remove person to fresh air and keep comfortable for breathing.	
	IF exposed or concerned: Get medical advice or attention.	
IF ON SKIN	P302 + P352, P318	
Immediate Symptoms	dry skin, redness, mild irritation	
Response	Wash with plenty of water.	
	IF exposed or concerned: Get medical advice or attention.	
IF IN EYES	P305 + P351 + P338, P318	
Immediate Symptoms	low toxicity: redness, mild irritation	
Response	Rinse cautiously with water for 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing.	
	IF exposed or concerned: Get medical advice or attention.	
IF SWALLOWED	P301 + P330, P331, P318	
Immediate Symptoms	low toxicity: no symptoms known or expected	
Response	Rinse mouth. Do NOT induce vomiting.	
	IF exposed or concerned: Get medical advice or attention.	

# Section 5: Fire-Fighting Measures

Extinguishing Media	In case of fire: Use extinguishing media suitable for surrounding material.
Specific Hazards	Produces irritating and toxic fumes in fires or in contact with hot surfaces.
<b>Combustion Products</b>	Produces carbon oxides (CO, CO <sub>2</sub> ), silver oxides fumes, and nitrogen oxides (NO <sub>x</sub> ).
Fire-Fighter	Wear self-contained breathing apparatus and full fire-fighting turn-out gear.



Section 6: Accidental Release Measures		
Personal Protection	Use personal protection recommended in Section 8.	
Precautions for Response	Avoid breathing the mist, spray, and vapors. Remove or keep away all sources of extreme heat or open flames.	
Environmental Precautions	Avoid releasing to the environment. Prevent spill from entering drains and waterways.	
Containment Methods	Contain with inert and non-flammable absorbent (such as soil, sand, vermiculite).	
Cleaning Methods	Collect liquid in a sealable, waste container. Sprinkle inert absorbent compound onto spill, then sweep into the container. Wash spill area with soap and water to remove the last traces of residue.	
Disposal Methods	Dispose of spill waste according to Section 13.	

# Section 7: Handling and Storage

Prevention	Keep out of reach of children.	
	Obtain special instructions before use. Do not handle until all safety precautions have been read and understood.	
	Avoid release to the environment.	
Handling	Wear protective gloves, protective clothing, and eye protection. Wash hands thoroughly after handling.	
	Collect spillage.	
Storage	Store locked up.	
	Keep away from incompatible substances.	

Page **5** of **16** 



# Section 8: Exposure Controls/Personal Protection

## Substances with Occupational Exposure Limit Values

Chemical Name	Country/ Provinces	Long Term Exposure Limits (PEL)	Short Term Exposure Limits (STEL)
silver	ACGIH	0.1 mg/m <sup>3</sup>	Not established
(metal dust, mist)	U.S.A. OSHA PEL	0.01 mg/m <sup>3</sup>	Not established
(metal)	Canada AB	0.1 mg/m <sup>3</sup>	Not established
(Ag and its compounds)	Canada BC	0.01 mg/m <sup>3</sup>	0.03 mg/m <sup>3</sup>
(metal, dust, fumes)	Canada ON	0.1 mg/m <sup>3</sup>	Not established
	Canada QC	0.1 mg/m <sup>3</sup>	Not established
talc (non-asbestos fiber)	ACGIH	2 mg/m <sup>3</sup>	Not established
	U.S.A. OSHA PEL	20 mppcf <sup>a)</sup>	Not established
	Canada AB	2 mg/m <sup>3</sup>	Not established
	Canada BC	2 mg/m <sup>3</sup>	Not established
	Canada ON	2 mg/m <sup>3</sup>	Not established
	Canada QC	3 mg/m <sup>3</sup>	Not established
triethylamine	ACGIH	100 mg/m <sup>3</sup>	12 mg/m <sup>3</sup>
	U.S.A. OSHA PEL	15 ppm	Not established
	Canada AB	1 ppm	3 ppm
	Canada BC	1 ppm	3 ppm
	Canada ON	0.5 ppm	1 ppm
	Canada QC	10 ppm	15 ppm

*Note:* Ingredients are listed in descending weight contribution order (from greatest to least). The ACGIH<sup>1</sup>, OSHA (Table Z-1), and Canadian provinces exposure limits were consulted. Limits from RTECS database<sup>2</sup> and from suppliers' SDS were also consulted. Short term exposure limits (STEL) are for 15 min and long term permissible exposure limits (PEL) for 8 h.

a) Million particles per cubic foot of air, based on impinge samples counted by light-field technique.

## **Engineering Controls**

Ventilation

Keep airborne concentrations below the occupational exposure limits (OEL).

Section continued on the next page

Page 6 of 16



Personal Protective Equ	uipment
Eye protection	Wear appropriate protective eyeglasses or chemical safety goggles.
	<b>RECOMMENDATION:</b> Ensure that glasses have side shields for lateral protection.
Skin Protection	For likely or incidental contacts, use nitrile, neoprene, or other chemically resistant gloves.
<b>Respiratory Protection</b>	For over-exposures up to 10 x OEL of mist/vapors/spray, wear respirator such as a half-mask respirator with organic vapor cartridges and particulate filter.
	Above 10 x OEL, use a positive-pressure, air-supplied respirator or a self-contained breathing apparatus.
	<b>RECOMMENDATION:</b> Consult your local safety supply store to ensure that your respirator has a NIOSH (U.S.) approved filter cartridges appropriate for the ingredients listed in Section 3. The respirator should be fitted to the employee by a professional. Ensure vapor cartridges are stored in sealed plastic bags when not being used.

# **General Hygiene Considerations**

Wash hands thoroughly with water and soap after handling.

Page **7** of **16** 



Section 9: Physical and	Chemical Properties
-------------------------	---------------------

Physical State	Liquid	Lower Flammability Limit	Not applicable
Appearance	Silver	Upper Flammability Limit	Not applicable
Odor	Musty	Vapor Pressure <sup>a)</sup>	23 hPa [17 mmHg]
Odor Threshold	Not available	Vapor Density	Not available
рН	Not available	Relative Density @25 °C	1.85
Freezing/Melting	Not	Solubility in	Partly
Point	available	Water	Miscible
Initial Boiling	≥100 °C	Partition Coefficient	Not
Point	[≥212 °F]	n-octanol/water	available
Flash Point	Not	Auto-ignition	Not
	available	Temperature	available
Evaporation	Not	Decomposition	Not
Rate	available	Temperature	available
Flammability	Non	Viscosity	Not
	flammable	@40 °C	available

a) Calculated using from volatile components parameters and Raoult's Law.

Page 8 of 16



# Section 10: Stability and Reactivity

Reactivity	Not available
Chemical Stability	Chemically stable at normal temperatures and pressures.
Conditions to Avoid	Ignition sources, open flames, excessive heat, and incompatible substances
Incompatibilities	Oxidizing agents, strong acids, peroxides, acetylenic compounds
Polymerization	Will not occur
Decomposition	Will not decompose under normal conditions. For thermal decomposition, see combustion products in Section 5.

# Section 11: Toxicological Information

# Summary of Effects and Symptoms by Routes of Exposure

Eyes	May cause eye redness, mild irritation, and/or pain.
Skin	May cause dry skin, redness and/or mild irritation.
Inhalation	May cause cough, shortness of breath and/or headaches.
Ingestion	Low toxicity: no symptoms known or expected
<b>Chronic</b> Exposure to silver powder may also cause argyria, an irrever blue-grey discoloration of the skin.	
	Ingestion or inhalation of paint material, mist, or vapor during pregnancy may increase the chances fetal death and developmental defects.

Section continued on the next page

Page **9** of **16** 



# Acute Toxicity (Lethal Exposure Concentrations)

Chemical Name	LD50	LD50	LC50
	oral	dermal	inhalation
silver	>2 000 mg/kg	>2 000 mg/kg	5.16 mg/m <sup>3</sup>
	Rat	Rat	4 h Rat (dust)
1-methyl-2-pyrrolidone	3 914 mg/kg	8 000 mg/kg	>5.1 mg/L
	Rat	Rabbit	Rat 4 h (mist)
talc	Not	Not	Not
	available	available	available
triethylamine	730 mg/kg	580 mg/kg	3 496 ppm
	Rat	Rat	1 hr Rat
ATE Mixture	>2 000 mg/kg	>2 000 mg/kg	>100 mg/L

*Note:* Toxicity data from the RTECS<sup>2</sup> and ECHA databases were consulted. The data from supplier SDS were also consulted.

Other Toxicological Effects		
Skin corrosion/irritation	Based on available data, the classification criteria are not met.	
Serious eye damage/irritation	Based on available data, the classification criteria are not met. Contains mechanically abrasive particles.	
Sensitization (allergic reactions)	Based on available data, the classification criteria are not met.	
Carcinogenicity (risk of cancer)	None of the ingredients are classified or listed as a carcinogen by IARC, ACGIH, CA Prop 65, or NTP.	
<b>Mutagenicity</b> (risk of heritable genetic effects)	Based on available data, the classification criteria are not met.	
<b>Reproductive Toxicity</b> (risk to sex functions)	Based on available data, the classification criteria are not met.	
<b>Teratogenicity</b> (risk of fetus malformation)	At large doses of >4 000 mg/kg, 1-methyl-2-pyrrolidone shows reproductive effects based on studies in rats and mice.	
	1-methyl-2-pyrrolidinone [CAS# 872-50-4]	
	CA Prop 65: Listed as a reproductive toxicant	
STOT-single exposure	Based on available data, the classification criteria are not met.	
Section continued on the next page		
Page <b>10</b> of <b>16</b>		
Date of I	Revision: 08 April 2022 / Ver. 4.00	



STOT-repeated exposure	Based on available data, the classification criteria are not met.
Aspiration hazard	Based on available data, the classification criteria are not met. There are no category 1 components.

# Section 12: Ecological Information

Ecological classifications are based on the IMDG/GHS criteria in conjunction with ecotoxicological data from our suppliers, the European Chemical Agency database (<u>http://echa.europa.eu</u>), and other reliable sources.

Silver powder less than 1 mm diameter is classified as an acute category 1 and chronic 1 aquatic pollutant by ECHA registrants.

Contains silver of less than a 1 mm but more than 100 nm (larger than nanoparticles), which release ionic silver levels that are very toxic to the environment. While massive silver is insoluble in water, its powders are considered sufficiently soluble to give rise to an ecological hazard by EU regulators. The classification that follows takes into account to chronic aqueous toxicity of category 1 (M = 10 for silver) of the EU.

## **Acute Ecotoxicity**

Category 1 Very toxic to aquatic life

# **Chronic Ecotoxicity**

Category 1 Very toxic to aquatic life with long lasting effects Avoid release to the environment. Collect spillage.

## **Biodegradability**

The silver content is not biodegradable.

# **Other Effects**

Actual VOC = 5.4% [37 g/L]; Regulated VOC = 532 g/L

Page 11 of 16



## Section 13: Disposal Information

Dispose of contents in accordance with all local, regional, national, and international regulations.

# Section 14: Transport Information

#### Ground

Refer to TDG regulations (Canadian Transportation of Dangerous Goods regulations); USA DOT 49 CFR (Parts 100 to 185) Regulations.		
Sizes under 450 L		
Cat. No. 842WB-15ML, 842WB-150ML, 842WB-850ML, 842WB-3.78L	FOR REFERENCE ONLY	
NOT REGULATED in TDG UN number: UN3082		
per Special Provisions 99	Shipping Name: ENVIRONMENTALLY	
Sizes 5 L and under	HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (silver particles <1 mm)	
<b>NOT REGULATED</b> in 49 CFR <b>Class</b> : 9		
per exception 171.4 (c)(2)	Packing Group: III Marine Pollutant: Yes	

**Special Provision 99 (2)**: These Regulations, except for Part 1 (Coming into Force, Repeal, Interpretation, General Provisions and Special Cases) and Part 2 (Classification), do not apply to the handling, offering for transport or transporting of less than 450 kg of UN3077, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S., or less than 450 L of UN3082, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S., on a road vehicle or a railway vehicle. The dangerous goods must be contained in one or more small means of containment designed, constructed, filled, closed, secured and maintained so that under normal conditions of transport, including handling, there will be no accidental release of the dangerous goods that could endanger public safety.

Section continued on the next page

Page **12** of **16** 



#### Air

## **Refer to ICAO-IATA regulations.**

Sizes 5 L and under

Cat. No. 842WB-15ML, 842WB-150ML, 842WB-850ML, 842WB-3.78L NOT REGULATED

On air waybill, write: "Not Restricted, as per Special Provisions A197"

**Special Provision A197**: These substances when transported in single or combination packagings containing net quantity per single or inner packaging of less than 5 L or less for liquids or having a net mass of 5 kg or less for solids, are not subject to any other provisions of these Regulations provided the packagings meet the general provisions 5.0.2.4.1, 5.0.2.6.1.1 and 5.0.2.8.

#### Sea

#### Refer to IMDG regulations.

Sizes 5 L and under *Cat. No. 842WB-15ML, 842WB-150ML, 842WB-850ML, 842WB-3.78L* **NOT REGULATED** per 2.10.2.7

**2.10.2.7**: Marine pollutants packaged in single or combination packagings containing a net quantity per single or inner packaging of 5 L or less for liquids or having a net mass per single or inner packaging of 5 kg or less for solids are not subject to any other provision of this Code relevant to marine pollutants provided the packagings meet the general provisions of 4.1.1.1, 4.1.1.2 and 4.1.1.4 to 4.1.1.8. In the case of marine pollutants also meeting the criteria for inclusion in another hazard class, all provisions of this Code relevant to any additional hazards continue to apply.

*Note:* Shipper must be appropriately <u>trained and certified</u> before involvement with the transport of dangerous goods.

Page **13** of **16** 



# Section 15: Regulatory Information

#### Canada

#### Domestic Substance List (DSL) / Non-Domestic Substance Lists (NDSL)

All hazardous ingredients are listed on the DSL.

#### Hazardous Products Act (R.S.C., 1985, c. H-3)

The safety data sheet and label comply with the Hazardous Product Act and WHMIS 2015.

#### USA

## Other Classifications

#### HMIS® RATING

HEALTH:	*	2
FLAMMABILITY:		0
PHYSICAL HAZARD:		0
PERSONAL PROTECTION:		

NFPA® 704 CODES



Approximate HMIS and NFPA Risk Ratings Legend: 0 (Low or none); 1 (Slight); 2 (Moderate); 3 (Serious); 4 (Severe)

**CAA** (Clean Air Act, USA)

This product does not contain any class 1 ozone depleting substances.

This product does not contain any class 2 ozone depleting substances.

This product does not contain products that are listed as hazardous air pollutants.

EPCRA (Emergency Planning and Right to Know Act, USA, 40 CFR 372.45)

This product contains silver (CAS# 7440-22-4, reportable quantity = 1 000 lb), which is subject to the reporting requirements of section 313 Title III of the SARA of 1986 and 40 CFR part 372.

Section continued on the next page

Page 14 of 16



**TSCA** (Toxic Substances Control Act of 1976, USA)

All substances are TSCA listed.

**California Proposition 65** (Chemicals known to cause cancer or reproductive toxicity, USA).

This product contains 1-methyl-2-pyrrolidinone, which is listed as reproductive toxicity.

## Europe

**RoHS** (Restriction of Hazardous Substances Directive)

This product does not contain any lead, cadmium, mercury, hexavalent chromium, PBB's, PBDE's, DEHP, BBP, DBP, or DIBP and complies with European

**WEEE** (Waste Electrical and Electronic Equipment Directive)

This product is not a piece of electrical or electronics equipment, and is therefore not governed by this regulation.

#### **Section 16: Other Information**

SDS Prepared by	MG Chemicals' Regulatory Department
Date of Review	08 April 2022
Supersedes	03 March 2020
Reason for Changes:	New formulation

#### Reference

1) ACGIH 2017 TLVs and BEIs: Based on the documentation of the threshold limit values for chemical substances and physical agents & biological exposure indices, American Conference of Governmental of Industrial Hygienist Cincinnati, OH (2017).

2) All toxicological data were checked against the RTECS (Registry of Toxic Effects of Chemical Substances®)

Section continued on the next page

Page 15 of 16



#### Abbreviations

- ACGIH American Conference of Governmental Industrial Hygienists (USA)
- ECHA European Chemicals Agency
- EU European Union
- EC50 Half maximal effective concentration
- EL50 Half maximal effective loading
- IARC International Agency for Research on Cancer
- NOELR No observable effect loading ratio
- NTP National Toxicology Program
- GHS Globally Harmonized System of Classification of Labeling of Chemicals
- LC50 Lethal Concentration 50%
- LCLo Lowest published lethal concentration
- LD50 Lethal Dose 50%
- OEL Occupational Exposure Limit
- PEL Permissible Exposure Limit
- SDS Safety Data Sheet
- STEL Short-Term Exposure Limit
- TCLo Lowest published toxic concentration
- TWA Time Weighted Average
- VOC Volatile Organic Content

**Technical Queries** Contact us regarding any questions, improvement suggestions, or problems with this product. Application notes, instructions, and FAQs are located at <u>www.mgchemicals.com</u>.

Email: <a href="mailto:support@mgchemicals.com">support@mgchemicals.com</a>

Phone: +1-905-331-1396

- Mailing AddressesManufacturing & Support1210 Corporate DriveBurlington, Ontario, CanadaL7L 5R6
- **Disclaimer** This safety data sheet is provided as an information resource only. *M.G. Chemicals, Ltd.* believes the information contained herein is accurate and compiled from reliable sources. It is the responsibility of the user to query and verify any information seeming suspect where doubt on the validity may exist. The buyer assumes all responsibility of using and handling the product in accordance with local, regional, national, and international regulations.