

SPECIFICATION CONTROL DRAWING	REV	DESCRIPTION	DWN	DATE	APPROVED
SI LON 10/11/01 OCIVITOL BIVIVIIIO	Α	ENGINEERING RELEASE	CZS	12/1/99	J. D. McR
THIS DRAWING CONTAINS INFORMATION PROPRIETARY TO RF INDUSTRIES,					
LTD. ANY UNAUTHORIZED USE OF THIS DRAWING IS EXPRESSLY PROHIBITED.					
ANY VIOLATION IS PUNISHABLE UNDER U.S. COPYRIGHT LAWS.					

007777

ALL DIMENSIONS ARE REFERENCE ONLY





MAXIMUM PANEL THICKNESS: .36 [9.1]

SUGGESTED MOUNTING CONFIGURATION

## SPECIFICATIONS: DIMENSIONS ARE IN INCHES 7610 MIRAMAR RD AND [MILLIMETERS] SAN DIEGO, CA 92126 IMPEDANCE: 50 OHMS (858) 549-6340 UNLESS OTHERWISE NOTED WORKING VOLTAGE: 335 VRMS @ SEA LEVEL TOLERANCES ARE: (858) 549-6345 FAX FREQUENCY RANGE: 0-2.5 GHz DIVISION OF RF INDUSTRIES, LTD. **DECIMALS** DIAMETER RFU-602-2 HEX NUT **BRASS** NICKEL LOCK WASHER NICKEL BRASS SOLDER LUG NICKEL **BRASS** MINI UHF FEMALE BULKHEAD, REAR MOUNT PRESS FIT WASHER NICKEL **BRASS** C. ZUNIGA 12/1/99 CHECKED DIELECTRIC SIZE CABLE GROUP REV PTFE NONE RFU-602-2 CONTACT SILVER 1 BRASS ORJ DRAWN BODY BRASS NICKEL 12/1/99 C. ZUNIGA CAD FILE 13ARC B DESCRIPTION **APPROVALS** ITEM QTY MATERIAL **FINISH** DATE SCALE: SHEET 1 OF 1 2:1