

846

# Safety Data Sheet

## Section 1: Identification

### Product Identifier and Other Means of Identification

**Product Identifier:** Carbon Conductive Grease

**Other Means of Identification:** 846

**Related Part #** 846-80G, 846-1P, 846-1G, 846-3.78L, 846-18.9L

### Recommended Use and Restriction on Use

**Use:** Electrically conductive lubricant for switches

**Uses Advised Against:** Avoid uses that result in aerosolizing

### Details of Manufacturer or Importer

#### Manufacturer

MG Chemicals  
1210 Corporate Drive  
Burlington, Ontario L7L 5R6  
CANADA

 +1-800-340-0772

**FAX** +1-800-340-0773

**E-MAIL** [support@mgchemicals.com](mailto:support@mgchemicals.com)

**WEB** [www.mgchemicals.com](http://www.mgchemicals.com)

 +1-905-331-1396

**FAX** +1-905-331-2682

**E-MAIL** (Competent Person): [sds@mgchemicals.com](mailto:sds@mgchemicals.com)

### Emergency Phone Number

**For hazardous material incidents ONLY** (leaks, spills, fires, exposures or accidents)  
USA or CANADA—Call Verisk 3E at **+1-866-519-4752** or **+1-760-476-3962**  
(Service access code: 335388)

**For emergencies involving the transport of dangerous goods;** 24/7 service  
CANADA—Call CANUTEC collect at **+1-613-996-6666** or **\*666** on cellular phones

**846**
**Section 2: Hazard(s) Identification**
**Classification of Hazardous Chemical**
**GHS Categories**

Based on available data, this product does not meet the HCS 2012 or WHMIS 2015 classification criteria.

**Label Elements**

<b>Signal Word</b>	<i>No signal word</i>
<b>Pictograms</b>	<b>Hazard Statements</b>
None	None

**Hazards Not Otherwise Classified**

<b>Other Criteria</b>	<b>Hazard Statements/Precautionary Statement</b>	<b>Signal Word</b>	<b>Pictograms</b>
None	None	None	None

**Section 3: Composition/Information on Ingredients**

<b>CAS #</b>	<b>Chemical Name</b>	<b>%(weight)</b>
63148-62-9	dimethylpolysiloxane <sup>a)</sup>	80%
1333-86-4	carbon black	20%

a) Non-hazardous component

**846**
**Section 4: First-Aid Measures**

<i>Exposure Condition</i>	<i>GHS Code/Symptoms/Precautionary Statements</i>
<b>IF ON SKIN</b>	P302 + P352
<b>Immediate Symptoms</b>	<i>low toxicity: no symptoms known or expected</i>
<b>Response</b>	Wash with plenty of water.
<b>IF INHALED</b>	P304 + P340 <i>(Not a likely route of exposure under normal use)</i>
<b>Immediate Symptoms</b>	<i>low toxicity: no symptoms known or expected</i>
<b>Response</b>	Remove person to fresh air (out of the contaminated zone) and keep comfortable for breathing.
<b>IF IN EYES</b>	P305 + P351 + P338
<b>Immediate Symptoms</b>	<i>low toxicity: redness, mild irritation</i>
<b>Response</b>	Rinse cautiously with water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
<b>IF SWALLOWED</b>	P301 + P330 + P331, P314
<b>Immediate Symptoms</b>	<i>low toxicity: no symptoms known or expected</i>
<b>Response</b>	Rinse mouth. Do NOT induce vomiting. Get medical advice or attention if feeling unwell.

**Section 5: Fire-Fighting Measures**

<b>Extinguishing Media</b>	In case of fire: Use material suitable for surrounding material.
<b>Specific Hazards</b>	At temperatures of 150 °C [302 °F] and above, formaldehyde can be generated in the presence of oxygen. Formaldehyde is classified as a human carcinogen, skin sensitizer, respiratory sensitizer, and eye and throat irritant.  Prevent fire-fighting wash from entering waterway or sewer system.
<b>Combustion Products</b>	Produces carbon oxides (CO, CO <sub>2</sub> ), SiO <sub>2</sub> and formaldehyde
<b>Fire-Fighter</b>	Wear self-contained breathing apparatus and full fire-fighting turn-out gear.

846

**Section 6: Accidental Release Measures**

<b>Personal Protection</b>	See personal protection recommendations in Section 8.
<b>Precautions for Response</b>	Avoid breathing fumes or vapors. Remove or keep away all sources of extreme heat or open flames.
<b>Environmental Precautions</b>	Avoid releasing to the environment.
<b>Containment</b>	Contain the spill and cover drains.
<b>Cleaning</b>	The material presents a slip hazard and must be cleaned thoroughly. Collect grease in a sealable container. Scoop into the container. Wipe up further residue with paper towel and place dirty towels in container. Wash spill area with steam, solvents, or detergents to remove the last traces of residue.
<b>Disposal</b>	Dispose of spill waste according to Section 13.

**Section 7: Handling and Storage**

<b>Prevention</b>	Keep out of reach of children.
<b>Handling</b>	Wear protective gloves, protective clothing, and eye protection. Wash hands thoroughly after handling.
<b>Storage</b>	<b>RECOMMENDATION:</b> Keep in a dry and clean area, away from incompatible substances.

**846**
**Section 8: Exposure Controls/Personal Protection**
**Substances with Occupational Exposure Limit Values**

Chemical Name	Country	Long Term Exposure Limits (PEL)	Short Term Exposure Limits (STEL)
carbon black <sup>a)</sup>	ACGIH	3.5 mg/m <sup>3</sup>	Not established
	U.S.A. OSHA PEL	3.5 mg/m <sup>3</sup>	Not established
	Canada AB	3.5 mg/m <sup>3</sup>	Not established
	Canada BC	3 mg/m <sup>3</sup>	Not established
	Canada ON	3.5 mg/m <sup>3</sup>	Not established
	Canada QC	3.5 mg/m <sup>3</sup>	Not established

*Note:* The ACGIH<sup>1</sup>, OSHA (Table Z-1), and Canadian provinces exposure limits were consulted. Limits from the suppliers' SDS were also consulted. Short term exposure limits (STEL) are for 15 min and long term permissible exposure limits (PEL) for 8 h.

a) Respirable airborne particles

**Engineering Controls**
**Ventilation**

Keep airborne concentrations below the occupational exposure limits (OEL).

Because the carbon black is bound to the liquid mixture, it does not present an airborne hazard under normal use. Ensure adequate ventilation if the product is mechanically misted or aerosolized.

**Personal Protective Equipment**
**Eye protection**

Wear appropriate protective eyeglasses or chemical safety goggles.

**RECOMMENDATION:** Use safety glasses with lateral protection (side shields).

**Skin Protection**

For likely contacts, use of protective butyl rubber, neoprene, or other chemically resistant gloves.

For incidental contacts, use nitrile, polyvinyl alcohol (PVA) or other chemically resistant gloves.

*Section continued on the next page*

## 846

**Respiratory Protection** For over-exposures up to 10 x OEL of vapors, wear respirator such as a half-mask respirator with organic vapor cartridges.

Above 10 x OEL, use a positive-pressure, air-supplied respirator or a self-contained breathing apparatus.

**RECOMMENDATION:** Consult your local safety supply store to ensure that your respirator has a NIOSH (U.S.) approved filter cartridges appropriate for the ingredients listed in Section 3. The respirator should be fitted to the employee by a professional. Ensure vapor cartridges are stored in sealed plastic bags when not being used.

### General Hygiene Considerations

Wash hands thoroughly with water and soap after handling.

### Section 9: Physical and Chemical Properties

<b>Physical State</b>	Liquid	<b>Lower Flammability Limit</b>	Not available
<b>Appearance</b>	Black grease	<b>Upper Flammability Limit</b>	Not available
<b>Odor</b>	Not available	<b>Vapor Pressure @25 °C</b>	0.13 kPa [1 mmHg]
<b>Odor Threshold</b>	Not available	<b>Vapor Density</b>	>1 (Air =1)
<b>pH</b>	Not available	<b>Relative Density @25 °C</b>	1.1
<b>Freezing/Melting Point</b>	Not available	<b>Solubility in Water</b>	Insoluble
<b>Initial Boiling Point</b>	>200 °C [ >392 °F]	<b>Partition Coefficient n-octanol/water</b>	Not available
<b>Flash Point <sup>a)</sup></b>	>300 °C [572 °F]	<b>Auto-ignition Temperature</b>	Not available
<b>Evaporation Rate</b>	<1 (ButAc = 1)	<b>Decomposition Temperature</b>	Not available
<b>Flammability</b>	Non Flammable	<b>Viscosity @25 °C</b>	570 000 cSt

a) Cleveland open cup

**846**
**Section 10: Stability and Reactivity**

<b>Reactivity</b>	Not available
<b>Chemical Stability</b>	Chemically stable at normal temperatures and pressures.
<b>Conditions to Avoid</b>	Ignition sources, excessive heat, and incompatible substances.
<b>Incompatibilities</b>	Strong oxidizing agents, strong acids
<b>Polymerization</b>	Will not occur
<b>Decomposition</b>	Will not decompose under normal conditions. For thermal decomposition, see combustion products in Section 5.

**Section 11: Toxicological Information**
**Summary of Effects and Symptoms by Routes of Exposure**

<b>Eyes</b>	Low toxicity: may cause mild eye irritation, redness.
<b>Skin</b>	Low toxicity: no symptoms known or expected
<b>Inhalation</b>	Low toxicity: no symptoms known or expected
<b>Ingestion</b>	Low toxicity: no symptoms known or expected
<b>Chronic</b>	Low toxicity: no symptoms known or expected

**Acute Toxicity (Lethal Exposure Concentrations)**

<b>Chemical Name</b>	<b>LD50 oral</b>	<b>LD50 dermal</b>	<b>LC50 inhalation</b>
dimethylpolysiloxane	>5 000 mg/kg Rat	>10 000 mg/kg Rabbit	>535 mg/L Rat
carbon black	>15 g/kg Rat	>3 g/kg Rabbit	Not available

*Note:* Toxicity data from the ECHA database were consulted. The data from supplier SDSs were also consulted.

*Section continued on the next page*

846

**Other Toxicological Effects**

<b>Skin corrosion/irritation</b>	Based on available data, the classification criteria are not met.
<b>Serious eye damage/irritation</b>	May cause mild eye irritation.
<b>Sensitization</b> (allergic reactions)	Based on available data, the classification criteria are not met.
<b>Carcinogenicity</b> (risk of cancer)	<p>The carbon black [1333-86-4] is possibly carcinogenic by airborne routes of exposures under WHMIS.</p> <p>Because the carbon black is bound in the liquid mixture, it is not available as an airborne hazard (dust) under normal use.</p> <p><b>Carbon Black [1333-86-4]</b></p> <p>IARC Group 2B: Possibly carcinogenic to humans</p> <p>ACGIH A4: Not classified as a human carcinogen</p> <p>CA Prop 65: Listed as a carcinogen (airborne, as unbound particles of respirable size)</p> <p>NTP: Not listed</p>
<b>Mutagenicity</b> (risk of heritable genetic effects)	Based on available data, the classification criteria are not met.
<b>Reproductive Toxicity</b> (risk to sex functions)	Based on available data, the classification criteria are not met.
<b>Teratogenicity</b> (risk of fetus malformation)	Based on available data, the classification criteria are not met.
<b>STOT-single exposure</b>	Based on available data, the classification criteria are not met.
<b>STOT-repeated exposure</b>	Based on available data, the classification criteria are not met.
<b>Aspiration hazard</b>	There are no category 1 components, and the kinematic viscosity is $>20.5 \text{ mm}^2/\text{s}$ at $40 \text{ }^\circ\text{C}$ .

**846****Section 12: Ecological Information**

Ecological classifications are based on the IMDG/GHS criteria in conjunction with ecotoxicological data from our suppliers, the European Chemical Agency database (<http://echa.europa.eu>), and other reliable sources.

The polydimethyl siloxane fluid and carbon black are not classifiable as ecotoxic hazards under GHS criteria.

**Acute Ecotoxicity**

Available toxicity data does not meet classification thresholds

**Chronic Ecotoxicity**

Available toxicity data does not meet classification thresholds.

**Biodegradability**

Not readily biodegradable

**Other Effects**

Regulated VOC (Volatile Organic Compound) content = 0% [0 g/L]

All components are VOC exempt in Canada and the USA.

**Section 13: Disposal Information**

Dispose of contents in accordance with all local, regional, national, and international regulations.

846

**Section 14: Transport Information****Ground**

**Refer to TDG regulations** (Canadian Transportation of Dangerous Goods regulations) and **USA 49CFR Regulations** (Parts 100 to 185).

Not Regulated

**Air**

**Refer to ICAO-IATA Dangerous Goods Regulations.**

Not Regulated

**Sea**

**Refer to IMDG regulations.**

Not Regulated

**Note: Shipper must be appropriately trained and certified before involvement with the transport of dangerous goods.**

**Section 15: Regulatory Information****Canada****Domestic Substance List (DSL) / Non-Domestic Substance Lists (NDSL)**

All hazardous ingredients are listed on the DSL/NDSL.

**Hazardous Products Act (R.S.C., 1985, c. H-3)**

The safety data sheet and label comply with the Hazardous Product Act and WHMIS 2015.

*Section continued on the next page*

# 846


## USA

### Other Classifications

#### HMIS® RATING

<b>HEALTH:</b>	<b>* 1</b>
<b>FLAMMABILITY:</b>	<b>1</b>
<b>PHYSICAL HAZARD:</b>	<b>0</b>
<b>PERSONAL PROTECTION:</b>	

#### NFPA® 704 CODES



*Approximate HMIS and NFPA Risk Ratings Legend:*

0 (Low or none); 1 (Slight); 2 (Moderate); 3 (Serious); 4 (Severe)

#### CAA (Clean Air Act, USA)

This product does not contain any class 1 ozone depleting substances.

This product does not contain any class 2 ozone depleting substances.

This product does not contain substances that are listed as hazardous air pollutants.

#### EPCRA (Emergency Planning and Right to Know Act, USA, 40 CFR 372.45)

This product does not contain ingredients that are subject to the reporting requirements of section 313 Title III of the SARA of 1986 and 40 CFR part 372.

#### TSCA (Toxic Substances Control Act of 1976, USA)

All substances are TSCA listed.

#### California Proposition 65 (Chemicals known to cause cancer or reproductive toxicity, USA).

This product contains carbon black, but it is bound and exposures during normal conditions of uses are below the Safe Harbor Threshold.

## Europe

#### RoHS (Restriction of Hazardous Substances Directive)

This product does not contain any lead, cadmium, mercury, hexavalent chromium, PBB's, PBDE's, DEHP, BBP, DBP, or DIBP and complies with European RoHS regulations.

#### WEEE (Waste Electrical and Electronic Equipment Directive)

This product is not a piece of electrical or electronics equipment and is therefore not governed by this regulation.

**846****Section 16: Other Information**

<b>SDS Prepared by</b>	MG Chemicals' Regulatory Department
<b>Date of Revision</b>	10 March 2023
<b>Supersedes</b>	05 March 2020
<b>Reason for Changes:</b>	Update to revision date.

**References**

1) ACGIH 2022 TLVs and BEIs: Based on the documentation of the threshold limit values for chemical substances and physical agents & biological exposure indices, American Conference of Governmental of Industrial Hygienist Cincinnati, OH (2022).

**Abbreviations**

ACGIH	American Conference of Governmental Industrial Hygienists (USA)
EC50	Half maximal effective concentration
EL50	Half maximal effective loading
NOELR	No observable effect loading ratio
GHS	Globally Harmonized System of Classification of Labeling of Chemicals
LC50	Lethal Concentration 50%
LCLo	Lowest published lethal concentration
LD50	Lethal Dose 50%
PEL	Permissible Exposure Limit
STEL	Short-Term Exposure Limit
TCLo	Lowest published toxic concentration
TWA	Time Weighted Average
VOC	Volatile Organic Content

*Section continued on the next page*

---

**846**

**Technical Queries** Contact us regarding any questions, improvement suggestions, or problems with this product. Application notes, instructions, and FAQs are located at [www.mgchemicals.com](http://www.mgchemicals.com).

Email: [support@mgchemicals.com](mailto:support@mgchemicals.com)

**Mailing Addresses** *Manufacturing & Support*  
1210 Corporate Drive  
Burlington, Ontario, Canada  
L7L 5R6

*Head Office*  
9347-193rd Street  
Surrey, British Columbia, Canada  
V4N 4E7

**Disclaimer** This safety data sheet is provided as an information resource only. *M.G. Chemicals, Ltd.* believes the information contained herein is accurate and compiled from reliable sources. It is the responsibility of the user to query and verify any information seeming suspect where doubt on the validity may exist. The buyer assumes all responsibility of using and handling the product in accordance with local, regional, national, and international regulations.