

# SAFETY DATA SHEET No-Clean Flux Remover Pen

According to Appendix D, OSHA Hazard Communication Standard 29 CFR §1910.1200

1. Identification		
Product identifier		
Product name	No-Clean Flux Remover Pen	
Product number	MCC-DC1PEN	
Recommended use of the che	emical and restrictions on use	
Application	Cleaning agent.	
Details of the supplier of the s	afety data sheet	
Supplier	MICROCARE LLC	
Manufacturer	MICROCARE LLC 595 John Downey Drive New Britain, CT 06051 United States of America CAGE: OATV9 Tel: + 1 800 638 0125, +1 860-827-0626 techsupport@microcare.com	
Emergency telephone number		
Emergency telephone	INFOTRAC 1-800-535-5053 (U.S.A. and CANADA) 1-352-323-3500 (from anywhere in the world)	
2. Hazard(s) identification		
Classification of the substance	e or mixture	
OSHA Regulatory Status	This Product is Hazardous under the OSHA Hazard Communication Standard.	
Physical hazards	Flam. Liq. 2 - H225	
Health hazards	Not Classified	
Environmental hazards	Aquatic Acute 1 - H400	
Human health	Splashes in the eyes may cause redness and irritation. Keep out of the reach of children. See Section 11 for additional information on health hazards.	
Physicochemical	The product is highly flammable. Vapors may form explosive mixtures with air.	
Label elements		
Hazard symbols		

Signal word

Danger

60-100%

10-30%

# No-Clean Flux Remover Pen

Hazard statements	H225 Highly flammable liquid and vapor. H400 Very toxic to aquatic life.
Precautionary statements	<ul> <li>P210 Keep away from heat, sparks, open flames and hot surfaces. No smoking.</li> <li>P240 Ground/ bond container and receiving equipment.</li> <li>P242 Use only non-sparking tools.</li> <li>P243 Take precautionary measures against static discharge.</li> <li>P273 Avoid release to the environment.</li> <li>P370+P378 In case of fire: Use foam, carbon dioxide, dry powder or water fog to extinguish.</li> </ul>
Supplemental label information	Safety data sheet available on request. For use in industrial installations only.

### Other hazards

This product does not contain any substances classified as PBT or vPvB.

### 3. Composition/information on ingredients

#### Mixtures

# HEXAMETHYLDISILOXANE (Methyl siloxane)

CAS number: 107-46-0

M factor (Acute) = 1

### Classification

Flam. Liq. 2 - H225 Aquatic Acute 1 - H400 Aquatic Chronic 2 - H411

### 1-METHOXY-2-PROPANOL

CAS number: 107-98-2

### Classification

Flam. Liq. 3 - H226 STOT SE 3 - H336

The full text for all hazard statements is displayed in Section 16.

Composition commentsTSCA: The ingredients of this product are on the TSCA Inventory. The exact percentage<br/>(concentration) of composition has been withheld as a trade secret in accordance with<br/>paragraph (i) of CFR 1900.1200 TSCA: The ingredients of this product are on the TSCA<br/>Inventory.

#### Composition

4. First-aid measures	
Description of first aid me	asures
General information	Promptly remove any clothing that becomes wet or contaminated. Move affected person to fresh air at once. Get medical attention if any discomfort continues.
Inhalation	Move affected person to fresh air at once. When breathing is difficult, properly trained personnel may assist affected person by administering oxygen. Keep affected person warm and at rest. Get medical attention immediately.

Ingestion	Do not induce vomiting. Rinse mouth thoroughly with water. Give plenty of water to drink. Never give anything by mouth to an unconscious person. Consult a physician for specific advice.
Skin Contact	Wash skin thoroughly with soap and water. Get medical attention if any discomfort continues.
Eye contact	Remove any contact lenses and open eyelids wide apart. Continue to rinse for at least 15 minutes. Get medical attention if any discomfort continues.
Most important symptoms and	effects, both acute and delayed
General information	The severity of the symptoms described will vary dependent on the concentration and the length of exposure.
Indication of immediate medicate	al attention and special treatment needed
Notes for the doctor	No specific recommendations. If in doubt, get medical attention promptly.
5. Fire-fighting measures	
Extinguishing media	
Suitable extinguishing media	Extinguish with the following media: Powder. Dry chemicals, sand, dolomite etc. Water spray, fog or mist.
Special hazards arising from the	ne substance or mixture
Specific hazards	The product is flammable. Heating may generate flammable vapors. Oxides of carbon. Protection against nuisance dust must be used when the airborne concentration exceeds 10 mg/m3.
Advice for firefighters	
Protective actions during firefighting	Containers close to fire should be removed or cooled with water. Use water to keep fire exposed containers cool and disperse vapors.
Special protective equipment for firefighters	Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing.
6. Accidental release measure	s
Personal precautions, protection	ve equipment and emergency procedures
Personal precautions	Eyewear complying with an approved standard should be worn if a risk assessment indicates eye contact is possible. Unless the assessment indicates a higher degree of protection is required, the following protection should be worn: Tight-fitting safety glasses.
Environmental precautions	
Environmental precautions	Do not discharge into drains or watercourses or onto the ground. Never use water by itself on spillage; this will spread the spill and cause further contamination.
Methods and material for conta	ainment and cleaning up
Methods for cleaning up	Wear suitable protective equipment, including gloves, goggles/face shield, respirator, boots, clothing or apron, as appropriate. If leakage cannot be stopped, evacuate area. Eliminate all sources of ignition. No smoking, sparks, flames or other sources of ignition near spillage. Provide adequate ventilation. Absorb in vermiculite, dry sand or earth and place into containers.
7. Handling and storage	

Precautions for safe handling

Usage precautions	Keep away from heat, sparks and open flame. Avoid spilling. Avoid contact with skin and eyes. Provide adequate ventilation. Avoid inhalation of vapors. Use approved respirator if air contamination is above an acceptable level. Keep out of the reach of children.
Conditions for safe storage, including any incompatibilities	
Storage precautions	Keep away from heat, sparks and open flame.
Specific end uses(s)	
Specific end use(s)	The identified uses for this product are detailed in Section 1.
Reference to other sections.	Store away from incompatible materials (see Section 10).
8. Exposure controls/Personal protection	

## **Control parameters**

## Occupational exposure limits

#### 1-METHOXY-2-PROPANOL

Long-term exposure limit (8-hour TWA): ACGIH 50 ppm 184 mg/m<sup>3</sup> Short-term exposure limit (15-minute): ACGIH 100 ppm 369 mg/m<sup>3</sup> A4

ACGIH = American Conference of Governmental Industrial Hygienists. A4 = Not Classifiable as a Human Carcinogen.

#### **Exposure controls**

#### Protective equipment



Appropriate engineering controls	Provide adequate general and local exhaust ventilation.
Eye/face protection	Eyewear complying with an approved standard should be worn if a risk assessment indicates eye contact is possible. Eyewear complying with an approved standard should be worn if a risk assessment indicates eye contact is possible. The following protection should be worn: Chemical splash goggles or face shield.
Hand protection	Chemical-resistant, impervious gloves complying with an approved standard should be worn if a risk assessment indicates skin contact is possible.
Other skin and body protection	Wear appropriate clothing to prevent any possibility of liquid contact and repeated or prolonged vapor contact.
Hygiene measures	Do not smoke in work area. Wash at the end of each work shift and before eating, smoking and using the toilet. Promptly remove any clothing that becomes wet or contaminated. When using do not eat, drink or smoke.
Respiratory protection	No specific recommendations. Respiratory protection must be used if the airborne contamination exceeds the recommended occupational exposure limit.

#### 9. Physical and chemical properties

Information on basic physical and chemical properties
---

Appearance	Liquid.
Color	Clear liquid. Colorless.
Odor	Slight. Ether.

Odor threshold	No information available.
рН	No information available.
Melting point	No information available.
Initial boiling point and range	98°C/210°F @ 101.3 kPa
Flash point	-4.0°C/25°F Method: Tag closed cup.
Evaporation rate	No information available.
Evaporation factor	No information available.
Flammability (solid, gas)	Not applicable.
Upper/lower flammability or explosive limits	Upper flammable/explosive limit: 18.6 %(V) Lower flammable/explosive limit: 1.25 %(V)
Vapor pressure	5.95 kPa @ 20°C
Vapor density	> 1.0
Relative density	No information available.
Bulk density	No information available.
Solubility(ies)	Insoluble in water.
Partition coefficient	No information available.
Auto-ignition temperature	365°C/689°F
Decomposition Temperature	No information available.
Viscosity	No information available.
Explosive properties	No information available.
Global Warming Potential (GWP)	
Surface tension	
Refractive index	No information available.
Particle size	Not applicable.
Molecular weight	Not applicable.
Volatility	100%
Saturation concentration	No information available.
Critical temperature	No information available.
Volatile organic compound	This product contains a maximum VOC content of 87 g/litre.
Heat of vaporization (at boiling point), cal/g (Btu/lb)	
10. Stability and reactivity	
Reactivity	There are no known reactivity hazards associated with this product.

Stability

Stable at normal ambient temperatures.

Possibility of hazardous reactions	Will not polymerize.	
Conditions to avoid	Avoid heat, flames and other sources of ignition. Avoid contact with the following materials: Strong oxidizing agents. Strong alkalis. Strong mineral acids.	
Materials to avoid	Strong oxidizing agents.	
Hazardous decomposition products	Oxides of carbon. Thermal decomposition or combustion may liberate carbon oxides and other toxic gases or vapors. Vapors/gases/fumes of: Silicon dioxide Formaldehyde	
11. Toxicological information		
Information on toxicological e	ffects	
Other health effects	There is no evidence that the product can cause cancer.	
Inhalation	May cause respiratory system irritation. Vapors may cause headache, fatigue, dizziness and nausea. Prolonged inhalation of high concentrations may damage respiratory system.	
Ingestion	No harmful effects expected from quantities likely to be ingested by accident.	
Skin Contact	Product has a defatting effect on skin. May cause skin irritation/eczema.	
Eye contact	Irritating to eyes.	
Toxicological information on	ingredients.	
	HEXAMETHYLDISILOXANE (Methyl siloxane)	
Acute toxicity - inhalation		
Acute toxicity inhalation 106.0 (LC₅∞ vapours mg/l)		
Species	Rat	
12. Ecological information		
Ecotoxicity	There are no data on the ecotoxicity of this product.	
Ecological information on ing	redients.	
	HEXAMETHYLDISILOXANE (Methyl siloxane)	
Toxicity	Very toxic to aquatic organisms.	
Acute aquatic to	oxicity	
LE(C) <sub>50</sub>	$0.1 < L(E)C50 \le 1$	
M factor (Acute)	1	
Acute toxicity -	<b>ish</b> LC₅₀, 96 hours: 0.46 mg/l mg/l, Fish	
Acute toxicity - a invertebrates	aquatic EC₅₀, 72 hours: 0.79 mg/l, Daphnia magna	
Acute toxicity - a plants	aquatic EC₅₀, 96 hours: > 0.93 mg/l, Selenastrum capricornutum	
Persistence and degradabilit	<u>/</u>	

Persistence and degradability	There are no data on the degradability of this product.
Bioaccumulative potential	
Bio-Accumulative Potential	No data available on bioaccumulation.
Partition coefficient	No information available.
Mobility in soil	
Mobility	The product contains volatile substances which may spread in the atmosphere.
Other adverse effects	
Other adverse effects	Not available.
13. Disposal considerations	
Waste treatment methods	
General information	Waste is classified as hazardous waste. Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority.
Disposal methods	Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority.
14. Transport information	
General	As supplied, this product is consigned under the Limited Quantities provisions.
UN Number	
UN No. (IMDG)	1993
UN No. (ICAO)	1993
UN proper shipping name	
Proper shipping name (TDG)	LIMITED QUANTITY
Proper shipping name (IMDG)	UN1993, FLAMMABLE LIQUID, N.O.S.(Hexamethyldisiloxane), 3, PGII, LIMITED QUANTITY
Proper shipping name (ICAO)	UN1993, FLAMMABLE LIQUID, N.O.S.(Hexamethyldisiloxane), 3, PGII, LIMITED QUANTITY
Proper shipping name (DOT)	LIMITED QUANTITY
Transport hazard class(es)	
IMDG Class	3
ICAO class/division	3
Packing group	
IMDG packing group	II
ICAO packing group	II
Environmental hazards	
Environmentally Hazardous Su	ubstance
Special precautions for user	

EmS

F-E, S-E

# Transport in bulk according to Not applicable. Annex II of MARPOL 73/78 and the IBC Code

# 15. Regulatory information

### **US Federal Regulations**

SARA Section 302 Extremely Hazardous Substances Tier II Threshold Planning Quantities Not listed.

CERCLA/Superfund, Hazardous Substances/Reportable Quantities (EPA) Not listed.

SARA Extremely Hazardous Substances EPCRA Reportable Quantities Not listed.

### SARA 313 Emission Reporting

Not listed.

## CAA Accidental Release Prevention

Not listed.

# SARA (311/312) Hazard Categories

Fire

**OSHA Highly Hazardous Chemicals** Not listed.

## **US State Regulations**

California Proposition 65 Carcinogens and Reproductive Toxins Not listed.

California Air Toxics "Hot Spots" (A-II) Not listed.

Inventories Canada - DSL/NDSL DSL

**US - TSCA** Yes

#### 16. Other information

Revision date	6/1/2021
Revision	40
Supersedes date	10/8/2018
SDS No.	BULK - DC1PEN
SDS status	Approved.
Hazard statements in full	H225 Highly flammable liquid and vapor. H226 Flammable liquid and vapor. H336 May cause drowsiness or dizziness. H400 Very toxic to aquatic life.

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.