

Cable marker label - US-WML 36 (25X25) - 0800474

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (http://phoenixcontact.com/download)

Cable marker label, Card, white, unlabeled, can be labeled with: THERMOMARK CARD, Mounting type: Adhesive, Cable diameter: \leq 36 mm, Lettering field: 25 x 25 mm



The figure shows a similar product

Product Features

The cable marker labels do not increase the cross section of the cable, allowing the cable to be subsequently drawn through cable ducts, for example

- High-quality labeling image created by thermal transfer printing
- Quick and easy handling
- Resistant to solvents
- The protective foil is wound over the labeling and provides permanent protection against dirt and abrasion
- US-WML ... cable marker labels consist of a labeling field and a transparent protective foil

Key Commercial Data

Packing unit	1 pc
Minimum order quantity	10 pc
Weight per Piece (excluding packing)	16.0 g
Custom tariff number	39199000
Country of origin	Germany

Technical data

Dimensions

Length (b)	25.4 mm
Width (a)	25.4 mm

Ambient conditions

	Ambient temperature (operation)	-50 °C 110 °C
--	---------------------------------	---------------

General

Color	white
Base element material	Vinyl film
Components	Silicone-free



Cable marker label - US-WML 36 (25X25) - 0800474

Technical data

General

PVC
DIN EN 61010-1 (VDE 0411-1)
4
4
Adhesive

Standards and Regulations

	Wipe resistance	DIN EN 61010-1 (VDE 0411-1)
--	-----------------	-----------------------------

Classifications

eCl@ss

eCl@ss 4.0	24190219
eCl@ss 4.1	24190219
eCl@ss 5.0	27141137
eCl@ss 5.1	27141137
eCl@ss 6.0	27400401
eCl@ss 7.0	27400401
eCl@ss 8.0	27400401

ETIM

ETIM 2.0	EC000761
ETIM 3.0	EC000761
ETIM 4.0	EC001530
ETIM 5.0	EC001530

UNSPSC

UNSPSC 6.01	30211811
UNSPSC 7.0901	39121410
UNSPSC 11	39121410
UNSPSC 12.01	39121410
UNSPSC 13.2	39121410

Phoenix Contact 2015 © - all rights reserved http://www.phoenixcontact.com