



Dimensions 0.87 x 0.49 in (22 x 12.5 mm) **Operating Frequency** Global (860 – 960 MHz)

RF Protocol ISO-18000-6C, EPC Class 1, Gen 2

Chip NXP UCODE 7

EPC Memory 128 bit

TID Memory 96 bit, pre-encoded for multi-vendor

Chip (MCS) based serialization

Common Applications

Apparel and Retail

Jewelry

Pharmaceutical and Healthcare

Toll free US 866-903- RFID (7343) / rfid.info@averydennison.com International +1-770-965-0807

| PART NUMBER | 600482 | RF600526 |
|---|------------------------------------|------------------------------------|
| Format | Dry Inlay | Wet Inlay |
| Antenna dimensions (CDxMD) | 0.87 x 0.49 in (22 x 12.5mm) | 0.87 x 0.49 in (22 x 12.5mm) |
| Die-cut dimensions | N/A | 0.945 x 0.61 (24 x 15.5mm) |
| Inlay substrate material | PET | PET |
| Inlay-to-liner adhesive | N/A | S-490 (FASSON) |
| Liner material | N/A | 1.5 M Clear PET |
| Face Sheet | N/A | N/A |
| Standard pitch | 0.75 in (19.05 mm) | 0.75 (19.05 mm) |
| Standard web width | 1.45 in (36.83mm) | 1.45 in (36.83mm) |
| Total thickness over chip | 10-13 mils (254-330.2 microns) | 14-17 mils (356-431.8 microns) |
| Operating temperature | -40 to 185F (-40 to 85C) | -40 to 185F (-40 to 85C) |
| RoHS | EU Directive 2011/65/EU | EU Directive 2011/65/EU |
| | Compliant | Compliant |
| Quality assurance | 100% read tested with-of-tolerance | 100% read tested with-of-tolerance |
| | inlay marked | inlay marked |
| Un-wind direction | Inlay-side Out | Inlay-side Out |
| Core size with adaptor insert | 3 in (76.2mm) w/ foam on core | 3 in (76.2mm) |
| Maximum roll outer diameter (not to exceed) | 13 in (330.2mm) | 13 in (330.2mm) |
| Average # of units per roll | TBD | 13,000 good +/- 10% |
| Rev | 00 | 01 |

Care and handling: RFID inlays are sensitive to ESD. Observe standard practices to keep environmental static charge to a minimum.

Applications: This product should be tested by the customer/ user thoroughly under end use conditions to ensure the product meets the particular requirements. Avery Dennison does not represent that this product is fit for any particular purpose or use.

Warranty: Please refer to Avery Dennison RFID standard terms and conditions. The information contained herein is believed to be reliable but Avery Dennison makes no representation concerning the accuracy or correctness of the data.

Product changes: Avery Dennison reserves the right to modify, change, supplement or discontinue product offerings at any time without notice.

Trademark statement: Avery Dennison, S490 and Fasson are trademarks of Avery Dennison Corporation. For the most recent information on Avery Dennison products, visit www.rfid.averydennison.com.