Product data sheet Characteristics

TM171EO22R

Modicon M171 Optimized expansion 22 I/Os





Main

Range of Product	Modicon M171/M172
Product or Component Type	Additional I/O module
Product Specific Application	HVAC and pumping solution
Total inputs/outputs	22
Discrete input number	6
Discrete output number	open collector relay outputs SPST with same common relay outputs SPST with independent common
Discrete output current	2 A relay
Analogue input number	3 analog input NTC 2 configurable
Analogue output number	3 voltage 010 V 2 PWM/PPM 20 kHz, 12 V, 35 mA

Complementary

Number of port	1 LAN expansion bus	
Input/output number	5 analog output 6 digital input 5 analog input 6 digital output	
Discrete input logic	Sink or source (positive/negative)	
Contacts usage	Volt-free contacts	
Analogue input type	Voltage 05 V ratiometric) Voltage 010 V NTC temperature probe - 50100 °C 0.1 °C Current 020 mA/420 mA Voltage 01 V	
Sensor power supply	12 V DC 85 mA 5 V DC 20 mA	
[Us] rated supply voltage	1224 V 24 V	
Width	2.76 in (70.2 mm)	
Height	3.43 in (87 mm)	
Depth	2.43 in (61.6 mm)	
Net Weight	0.42 lb(US) (0.19 kg)	

Ordering and shipping details

Category	22537-M171 / M172 HVAC CONTROLLERS	
Discount Schedule	PC12	
GTIN	3606480752698	
Nbr. of units in pkg.	1	
Package weight(Lbs)	9.17 oz (260.0 g)	
Returnability	No	
Country of origin	IT	

Packing Units

3		
Unit Type of Package 1	PCE	
Package 1 Height	5.12 in (13.0 cm)	
Package 1 width	3.58 in (9.1 cm)	
Package 1 Length	7.28 in (18.5 cm)	
Unit Type of Package 2	S02	
Number of Units in Package 2	6	
Package 2 Weight	4.03 lb(US) (1.829 kg)	
Package 2 Height	5.91 in (15.0 cm)	
Package 2 width	11.81 in (30.0 cm)	
Package 2 Length	15.75 in (40.0 cm)	


Offer Sustainability

Sustainable offer status	Green Premium product
California proposition 65	WARNING: This product can expose you to chemicals including: Lead and lead compounds, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov
REACh Regulation	REACh Declaration
REACh free of SVHC	Yes
EU RoHS Directive	Pro-active compliance (Product out of EU RoHS legal scope) EPEU RoHS Declaration
Mercury free	Yes
RoHS exemption information	₽¥Yes
China RoHS Regulation	China RoHS Declaration
Environmental Disclosure	Product Environmental Profile
Circularity Profile	End Of Life Information
WEEE	The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins.

Product data sheet Dimensions Drawings

TM171EO22R


Dimensions




TM171EO22R


Mounting and Clearance


Clearance





Misplacement






Product data sheet Connections and Schema


TM171EO22R


Power Supply



(1) Type T fuse (Controller: 1.25 A, Expansion: 1 A)

Wiring Diagram







N : Neutral GND : Ground BK : Black BU : Blue RD : Red

AI : Analogue input AO : Analogue output DI : Digital input DO : Digital output