RECOMMENDED PCB LAYOUT FOR SIB REVISION C D DECKER **FIG. 1** SCALE= 2.5 : 1.0 SIB-110-02-X-S or SIB-110-02-X-S-LC (# OF POSITIONS-1) x .100 .014 0.356 THEORETICAL PADS SHIFTED TO LEFT .030 0.762 .070 1.778 REF .150[3.8] [4.59] .120[3.048] REF THEORETICAL POINTS OF CONTACT Ø.047[1.19] (2 PLCS) WITH MATING BOARD [LOCKING CLIP- NPTH] .040[1.016] REF → .036[0.91] (# OF POSITIONS - 2) x .100 —


TABLE 1: THREADED INSERT OPTION		
POS	"A"	"B"
-05	.750[19.05]	N/A
-10	1.250[31.75]	N/A
-15	1.750[44.45]	N/A
-20	2.550[64.77]	1.275[32.39]
-25	3.050[77.47]	1.475[37.47]

ALL DIMENSIONS ARE SYMMETRIC ABOUT THE CENTERLINE.

FIG. 2

SCALE= 1.5:1.0

-E & -M OPTIONS FOR POSITIONS -05, -10, -15 (SAME AS FIGURE 1 UNLESS OTHERWISE STATED)




(SolidWorks

FIG. 3

SCALE= 1.5: 1.0

-E & -M OPTIONS FOR POSITIONS -20, -25 (SAME AS FIGURE 1 UNLESS OTHERWISE STATED)



PROPRIETARY NOTE

THIS DOCUMENT CONTAINS INFORMATION CONFIDENTIAL AND PROPRIETARY TO SANTEC, INC., AND SHALL NOT BE REPRODUCED OR TRANSFERRED TO OTHER DOCUMENTS OR DISCLOSED TO OTHERS OR USED FOR ANY PIRPOSE OTHER THAN THAT WHICH IT WAS OBTAINED WITHOUT THE EXPRESSED WRITTEN CONSENT OF SANTEC, INC.

SAMTEC

520 PARK EAST BLVD, NEW ALBANY, IN 47150 * PHONE: 812.944.6733 FAX: 812.948.5047 e-Mail: <u>INFO@SAMTEC.COM</u> CODE: 55322

F:\DWG\MISC\mktg\FOOTPRNT\SIB.SLDDRW


REVISION C

RECOMMENDED STENCIL LAYOUT FOR SIB

NOTE: STENCIL TO BE .0060[.152] THICK.

FIG. 4

SCALE= 2.5: 1.0




ALL DIMENSIONS ARE SYMMETRIC ABOUT THE CENTERLINE.

FIG. 5

SCALE= 1.5:1.0

-E & -M OPTIONS FOR POSITIONS -20, -25 (SAME AS FIGURE 1 UNLESS OTHERWISE STATED)





PROPRIETARY NOTE

THIS DOCUMENT CONTAINS INFORMATION CONFIDENTIAL AND PROPRIETARY TO SAMTEC, INC. AND SHALL NOT BE REPRODUCED OR TRANSFERRED TO OTHER DOCUMENTS OR DISCLOSED TO OTHERS OR USED FOR ANY PURPOSE OTHER THAN THAT WHICH IT WAS OBTAINED WITHOUT THE EXPRESSED WRITTEN CONSENT OF SAMTEC, INC.

520 PARK EAST BLVD, NEW ALBANY, IN 47150 * PHONE: 812.944.6733 FAX: 812.948.5047

e-Mail: INFO@SAMTEC.COM CODE: 55322 REVISION C

RECOMMENDED MATING CARD LAYOUT FOR SIB

ALL DIMENSIONS ARE SYMMETRIC ABOUT THE CENTERLINE.

PLATING TO BE .000030 INCHES GOLD WITH HARDNESS OF 120-200 KNOOP PER ASTM B488 TYPE 2, GRADE C.

FIG. 6

SCALE= 2.5: 1.0

LOCKING CLIP & NON-LOCKING CLIP




FIG. 7

SCALE= 1.5:1.0


-E & -M OPTIONS FOR POSITIONS -05, -10, -15 (SAME AS FIGURE 1 UNLESS OTHERWISE STATED)


TABLE 1: THREADED INSERT OPTION		
"C"	"D"	
.750[19.05]	N/A	
1.250[31.75]	N/A	
1.750[44.45]	N/A	
2.550[64.77]	1.275[32.39]	
3.050[77.47]	1.475[37.47]	
	"C" .750[19.05] 1.250[31.75] 1.750[44.45] 2.550[64.77]	

FIG. 8

SCALE= 1.5 : 1.0

-E & -M OPTIONS FOR POSITIONS -20, -25 (SAME AS FIGURE 1 UNLESS OTHERWISE STATED)







PROPRIETARY NOTE

THIS DOCUMENT CONTAINS INFORMATION CONFIDENTIAL AND PROPRIETARY TO SAMIEC, INC. AND SHALL MOT BE REPRODUCED OR TRANSFERRED TO OTHER DOCUMENTS OR DISCLOSED TO OTHERS OR USED FOR ANY PURPOSE OTHER THAN THAT WHICH IT WAS OBTAINED WITHOUT THE EXPRESSED WRITTEN CONSENT OF SAMIEC, INC.

SAMTEC

520 PARK EAST BLVD, NEW ALBANY, IN 47150 * PHONE: 812.944.6733 FAX: 812.948.5047 e-Mail: INFO@SAMTEC.COM _ CODE: 55322

F:\DWG\MISC\mktg\FOOTPRNT\SIB.SLDDRW

-sheet 3 of $3^{
m J}$