

Weidmüller Interface GmbH & Co. KG

Klingenbergstraße 26 D-32758 Detmold Germany

www.weidmueller.com

Product image





Potential-distribution modules; system accessory

A wide range of accessory modules is available for individual requirements of machine and plant engineering. Various potential distribution modules are available for the supply of sensors with 2- to 4-wire connection technology directly from the remote I/O system. These offer 16 "PUSH IN" potential points and supply your application with any auxiliary potential available. An empty module, where the system bus and voltage supply are looped through, allows you to plan expansion slots in a system and to start these up without any interruptions if required.

Version	Remote I/O module, IP20, Potential distributor
Order No.	<u>1334800000</u>
Туре	UR20-16AUX-GND-I
GTIN (EAN)	4050118138221
Qty.	1 pc(s).
Packaging	Cardboard box
Replacement parts	<u>1350930000 1347490000 1346470000</u>

Technical data



Weidmüller Interface GmbH & Co. KG

Klingenbergstraße 26 D-32758 Detmold Germany

Dimensions and weights			
Depth	76 mm	Depth (inches)	2.992 inch
Height	120 mm	Height (inches)	4.724 inch
Width	11.5 mm	Width (inches)	0.453 inch
Mounting dimension - height	128 mm	Net weight	84 g
Temperatures			
Storage temperature	-40 °C +85 °C	Operating temperature	-20 °C +60 °C
Operating temperature, min.	-20 °C	Operating temperature, max.	60 °C
operating temperature, min.	20 0	operating temperature, max.	00 0
Power supply			
Voltage supply	24 V DC +20 %/ -15 %, from input or output current path / FE		
Classifications			
ETIM 6.0	EC001600	ETIM 7.0	EC001600
ETIM 8.0	EC001600	ECLASS 9.0	27-24-26-10
ECLASS 9.1	27-24-26-10	ECLASS 10.0	27-24-26-10
ECLASS 11.0	27-24-26-10	ECLASS 12.0	27-24-26-10
Tender specification sheets	;		
Long specification	AUX-GND-I 16-pole potential distribution module for ground from input current path Supply voltage: 24 VDC +25% / – 15% Weight: 84 g Brand: Weidmüller Type: UR20- GND-I		
Environmental Product Compli	ance		
REACH SVHC	Lead 7439-92-1		
SCIP	82327f13-cd27-455a-ab5b-a6	2e1996dcf8	

Technical data



Weidmüller Interface GmbH & Co. KG Klingenbergstraße 26 D-32758 Detmold

Germany

Approvals	
Approvals	Image: Second state of the second s
ROHS	Conform
UL File Number Search	UL Website
Certificate no. (cULus)	E141197
Certificate no. (cULusEX)	E223527
Downloads	
Approval/Certificate/Document of Conformity	Compass safe distance certificate Lloyds Register certificate DNV/GL certificate ABS certificate RINA certificate Bureau Veritas - Type Approval Certificate PRS (Polish Register of Shipping) NIPPON KAIJI KYOKAI Certificate DEMKO15ATEX1525X
Engineering Data	CAD data – STEP
Facine anime Data	Compatibility information – Combinability of UR20
Engineering Data	WSCAD, Zuken E3.S
User Documentation	MAN_U-REMOTE_DE
	MAN U-REMOTE EN

Drawings

Block diagram



Weidmüller Interface GmbH & Co. KG

Klingenbergstraße 26 D-32758 Detmold Germany

www.weidmueller.com

Connection diagram







Weidmüller Interface GmbH & Co. KG

Klingenbergstraße 26 D-32758 Detmold Germany

www.weidmueller.com

Accessories

THM ET S7



THM ET S7 non-adhesive. roll-packaged labels are used to label the SIMATIC ET 200S and S7-modules from Siemens.

The M-Print® PRO software can be used to individually print the THM ET S7 labels with a THM printer. Labels can be easily separated. The THM MultiMark printer ensures highly-resistant printing.

General	General ordering data		
Туре	THM UR20 GE	Version	
Order No.	<u>1429910000</u>	THM, Insert markers, 90 x 8 mm, yellow	
GTIN (EAN)	4050118234787		
Qty.	1 pc(s).		
Туре	THM UR20 WS	Version	
Order No.	<u>1429420000</u>	THM, Insert markers, 90 x 8 mm, white	
GTIN (EAN)	4050118233858		
Qty.	1 pc(s).		

Accessories



Potential-distribution modules; system accessory

A wide range of accessory modules is available for individual requirements of machine and plant engineering. Various potential distribution modules are available for the supply of sensors with 2- to 4-wire connection technology directly from the remote I/O system. These offer 16 "PUSH IN" potential points and supply your application with any auxiliary potential available. An empty module, where the system bus and voltage supply are looped through, allows you to plan expansion slots in a system and to start these up without any interruptions if required.

Туре	UR20-SM-ACC	Version
Order No.	<u>1339920000</u>	Cover, ,
GTIN (EAN)	4050118144727	
Qty.	20 pc(s).	
Туре	UR20-EBK-ACC	Version
Order No.	<u>1346610000</u>	End bracket, ,
GTIN (EAN)	4050118151596	
Qty.	5 pc(s).	
Туре	IE-USB-A-MICRO-1.8M	Version
Order No.	<u>1487980000</u>	USB cable, USB A, USB Micro, PVC, 1.8 m
GTIN (EAN)	4050118298451	
Qty.	1 pc(s).	



Weidmüller Interface GmbH & Co. KG

Klingenbergstraße 26 D-32758 Detmold Germany

www.weidmueller.com

Accessories

Туре	KOSM BHZ5.00	Version	Product data	Packaging
Order No.	<u>1483050000</u>	PCB plug-in connector, Accessories, Coding element, orang	je	Box
GTIN (EAN)	4050118292039			
Qty.	100 pc(s).			

Blank

1		ì
ſ	62226222622622626	
I	***********	i
1		1
1		
I	SUSSECTORES	ĺ

General ordering data

Туре	PM 2.7/2.6 MC NE WS	Version
Order No.	<u>1323710000</u>	OMNIMATE Signal - series PM, Pusher markers, 2.7 x 2.6 mm, Pitch in
GTIN (EAN)	4050118126778	mm (P): 3.50 Weidmueller, white
Qty.	960 pc(s).	

Electronic modules



Туре	UR20-EM-1334800000-SP	Version
Order No.	<u>1347490000</u>	Replacement part, ,
GTIN (EAN)	4050118248258	
Qty.	1 pc(s).	

Accessories

Plugkit



Weidmüller Interface GmbH & Co. KG

Klingenbergstraße 26 D-32758 Detmold Germany

www.weidmueller.com



General ordering data

Туре	UR20-PK-1334800000-SP	Version
Order No.	<u>1346470000</u>	Replacement part, Plug-in connector, ,
GTIN (EAN)	4050118151466	
Qty.	5 pc(s).	

Custom printing

r		
h		
h	0000000	
h	0000000	
t		
r	0000000	
F	00000009	
r		
r		
r		

The Dekafix (DEK) marker is the universal marker for all conductor and plug-in connectors as well as for electronic sub-assemblies. The system is ideal for short number sequences and covers a wide range of ready-printed markers.

Strips for fast installation in only one work step. The printing is easy to read, rich in contrast and available in various widths.

- Large range of ready-to-use markers
- Strips for fast installation
- Terminal markers, suitable for all Weidmüller cable connectors
- Available as blank MultiCard or with standard printing

For custom printing: Please send us a file of our labeling software M-Print PRO or M-Print PRO Online (without installation) for your labeling specifications.

Туре	DEK 5/8-11.5 MC SDR	Version
Order No.	<u>1341610000</u>	Dekafix, Terminal marker, 5 x 8 mm, Pitch in mm (P): 8.00
GTIN (EAN)	4050118146059	Weidmueller, To customer specification
Qty.	100 pc(s).	

Accessories

Custom printing



General ordering data

Туре	PM 2.7/2.6 MC SDR	Version
Order No.	<u>1323700000</u>	OMNIMATE Signal - series PM, Pusher markers, 2.7 x 2.6 mm, Pitch in
GTIN (EAN)	4050118126761	mm (P): 3.50 Weidmueller, To customer specification
Qty.	192 pc(s).	

Basic modules



General ordering data

	<u> </u>		
Туре	UR20-BM-SP	Version	Packaging
Order No.	<u>1350930000</u>	Replacement part, , Flange-mounted housing	Cardboard
GTIN (EAN)	4050118402735		box
Qty.	5 pc(s).		



Weidmüller Interface GmbH & Co. KG

Klingenbergstraße 26 D-32758 Detmold Germany

Accessories

Blank

Ľ				ľ
Ľ				1
		12	60	1
Ľ				1
Ľ				3
Ľ				ľ
Ľ				1
				1
Ľ				ľ
1			-	1



Weidmüller Interface GmbH & Co. KG

Klingenbergstraße 26 D-32758 Detmold Germany

www.weidmueller.com

The Dekafix (DEK) marker is the universal marker for all conductor and plug-in connectors as well as for electronic sub-assemblies. The system is ideal for short number sequences and covers a wide range of ready-printed markers.

Strips for fast installation in only one work step. The printing is easy to read, rich in contrast and available in various widths.

- Large range of ready-to-use markers
- Strips for fast installation
- Terminal markers, suitable for all Weidmüller cable connectors
- Available as blank MultiCard or with standard printing

For custom printing: Please send us a file of our labeling software M-Print PRO or M-Print PRO Online (without installation) for your labeling specifications.

General ordering data

	0	
Туре	DEK 5/8-11.5 MC NE WS	Version
Order No.	<u>1341630000</u>	Dekafix, Terminal marker, 5 x 8 mm, Pitch in mm (P): 8.00
GTIN (EAN)	4050118145946	Weidmueller, white
Qty.	500 pc(s).	

ESO insert tags



	0	
Туре	ESO UR20 DIN A4 WS	Version
Order No.	<u>1429430000</u>	Terminal markers, Insert markers, 90 x 8 mm, white
GTIN (EAN)	4050118233865	
Qty.	10 pc(s).	

Replacement parts

Electronic modules



General ordering data

Туре	UR20-EM-1334800000-SP	Version
Order No.	<u>1347490000</u>	Replacement part, ,
GTIN (EAN)	4050118248258	
Qty.	1 pc(s).	

Plugkit



General ordering data				
Туре	UR20-PK-1334800000-SP	Version		
Order No.	<u>1346470000</u>	Replacement part, Plug-in connector, ,		
GTIN (EAN)	4050118151466			
Qty.	5 pc(s).			



Weidmüller Interface GmbH & Co. KG

Klingenbergstraße 26 D-32758 Detmold Germany

Replacement parts

Basic modules



General ordering data

Туре	UR20-BM-SP	Version	Packaging
Order No.	<u>1350930000</u>	Replacement part, , Flange-mounted housing	Cardboard
GTIN (EAN)	4050118402735		box
Qty.	5 pc(s).		



Weidmüller Interface GmbH & Co. KG

Klingenbergstraße 26 D-32758 Detmold Germany