9001KN205

30mm Push Button, Type K, aluminum legend plate, red, marked EMERGENCY STOP





| Main | |
|---------------------------------------|--|
| Range of Product | Harmony 9001K |
| Accessory / Separate Part Type | Legend plate |
| Accessory / separate part category | Marking accessory |
| Accessory / separate part destination | Control and signalling units Ø 30 mm (metal range) |
| Label dimensions | 40 x 43 mm |
| Marking | White EMERGENCY STOP red |

English

Complementary

| Mounting diameter | 1.18 in (30 mm) |
|-------------------|------------------------|
| Material | Aluminium |
| Net Weight | 0.01 lb(US) (0.005 kg) |

User Language

Ordering and shipping details

| Category | 21433 - 9001 ACCESS FOR K,KX,SK | 21433 - 9001 ACCESS FOR K,KX,SK | |
|-----------------------|---------------------------------|---------------------------------|--|
| Discount Schedule | CS1 | | |
| GTIN | 3389110946291 | | |
| Nbr. of units in pkg. | 1 | | |
| Package weight(Lbs) | 0.16 oz (4.536 g) | | |
| Returnability | Yes | | |
| Country of origin | US | | |

Packing Units

| Unit Type of Package 1 | PCE |
|------------------------------|--------------------|
| Package 1 Height | 0.10 in (0.254 cm) |
| Package 1 width | 1.60 in (4.064 cm) |
| Package 1 Length | 1.70 in (4.318 cm) |
| Unit Type of Package 2 | BB1 |
| Number of Units in Package 2 | 50 |
| Package 2 Weight | 8.01 oz (227 g) |
| Package 2 Height | 2.13 in (5.4 cm) |
| Package 2 width | 1.81 in (4.6 cm) |
| Package 2 Length | 3.70 in (9.4 cm) |

Offer Sustainability

Warranty

| WARNING: This product can expose you to chemicals including: Nickel compounds, which is known to the State of California to cause cancer, and | |
|---|--|
| | |
| ☑ REACh Declaration | |
| Pro-active compliance (Product out of EU RoHS legal scope) | |
| Yes | |
| €Yes | |
| ☐ China RoHS Declaration | |
| Product Environmental Profile | |
| | |

18 months

Product data sheet Dimensions Drawings

9001KN205

Dimensions



| а | | b | |
|------|------|------|------|
| mm | in. | mm | in. |
| 41.3 | 1.62 | 24.6 | 0.97 |