



## **Product Phase-out Notice**

This statement is to announce the phase-out of Advantech's Remote IO module, ADAM-6017-CE.

Key component of ADAM-6017-CE is no longer available since April. 2018. Therefore, ADAM-6017-CE is going to be phased out. A last-buy period of 2 months is provided to make sure necessary stock is reserved.

## Last-buy Period

May.25,2018 ~July.25,2018

## Suggested Replacement

ADAM-6017-D.

## Comparison Table

ADAM-6017-D is designed to be compatible with ADAM-6017-CE in pin assignment and functions. Furthermore, some specifications are enhanced and new features are added .The main enhancements are listed in the following comparison table

	ADAM-6017-CE	ADAM-6017-D			
Operation Temperature	-10 ~ 70°C	-40 ~ 70°C			
Storage Temperature	-20 ~ 80°C	-40 ~ 80°C			
Support protocol	Modbus/TCP, TCP/IP, UDP, HTTP	Modbus/TCP, TCP/IP, UDP, HTTP , <mark>SNMP,MQTT</mark>			
Current/Voltage input range switch	Jumper setting (open the case the set up)	Switch setting (do not need to open the case)			
DO Diagnostic function	N/A	<ul> <li>Diagnostic condition</li> <li>Digital output circuit wire break (Open load)</li> <li>Digital output connection is short to ground</li> <li>Over current (over 1A)</li> </ul>			
RTC(Real-Time Clock)	N/A	UTC (ISO 8601 format)			

Your ePlatform Partner





ADAM-6017-D current/voltage input range switch setting

Switch	SW1			SW2					
Analog input channel	CH0	CH1	CH2	CH3	CH4	CH5	CH6	CH7	
Switch ON	Current input mode								
Switch OFF (default)	Voltage input mode								

Best regards,

Product Division of iSensing Devices Advantech IIoT Solution Group