
-XX IN THE ENDING OF THE CABLE PART NUMBER IS CALLING OUT THE LENGTH OF THE ASSEMBLY FROM CENTER TO MATING FLANGE OF CONNECTORS. EXAMPLES SHOWN BELOW:

LTI P/N: CB1.13-IPX-SAFGT-6IN (6 INCHES) CB1.13-IPX-SAFGT-10IN (10 INCHÉS)

	REVISIONS											
RI	EV	ECR	DESCRIPTION	DRAWN	DATE							
1			PRODUCTION RELEASE	M. LARSEN	01/17/2022							



ITEM	PART NUMBER	DESCRIPITION	QTY
1	IPXLF11GBP-113	IPX (MHF1), RHT ANGLE, JACK, CABLE CRIMP (I-PEX 20278-112R-13)	1
2	SASF11GT-316	SMA, STRAIGHT, JACK, CABLE CRIMP	1
3	1.13 MICRO COAX	CABLE, 1.13 MICRO COAX, BLACK	AR
4	1635F-1/8"	.125 (1/8) DIA, .75 LENGTH, GREEN	1

IPX® AND MHF® ARE REGISTERED TRADEMARKS OF I-PEX CO., LTD, CORPORATION

DO NOT SCALE DRAWING					Lighthorse Tec	ehnologies	
TOLERANCES UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN			San Diego, CA WWW.RFCONNECTOR.COM				
		⊕ €=]-	TITLE	TITLE: CABLE ASSEMBLY,			
		THIRD ANGLE PROJECTION					
CUSTOMER APPROVAL				JACK, CRIMP USING 1.13 MICRO COAX			
SIGN / DATE:			SIZE	PA	RT/DWG. NO:		REV
ENG APPR.	P. BURDGE	01/19/2022					
CHECKED M. HELD 0		01/19/2022	В	CB1.13-IPX-SAFGT-xxIN		A	
DRAWN	M. LARSEN	01/17/2022					
	NAME	DATE	SCALE	2:1	FILE NAME	SHEE	T 1 OF 1

## PROPRIETARY AND CONFIDENTIAL

UNLESS OTHERWISE SPECIFIED: THIS DOCUMENT CONTAINS LIGHTHORSE TECHNOLOGIES INFORMATION, REPRODUCTION, USE, DISCLOSUBE OR TRANSMITTAL OF ALL OR ANY PART OF THIS DOCUMENT IS PROHIBITED EXCEPT TO THE EXTENT APPROVED IN WRITING BY AN AUTHORIZED REPRESENTATIVE OF LIGHTHORSE TECHNOLOGIES. LIGHTHORSE TECHNOLOGIES RESERVES ALL RIGHTS UNDER PATENTS, TRADEMARKS, COPY RIGHTS OF LIGHTHORSE TECHNOLOGIES 2011, ALR RIGHTS INCRESE 2011, ALR RIGHTS WIS AND TRADE SECRETS. COPY RIGHTS OF LIGHTHORSE TECHNOLOGIES 2011, ALR RIGHTS NESERVED.

5