
## Product data sheet Characteristics

## XUSZVA8

# Telemecanique Safety light curtains XUSL, Anti vibration kit comprising 8 dampers



Main	
Range of Product	Telemecanique Safety light curtains XUSL
Accessory / separate part category	Spare parts
Accessory / Separate Part Type	Anti-vibration kit
Product Compatibility	XUSL2E XUSL4E
Accessory / separate part destination	Safety light curtain type 2 Safety light curtain type 4
Height protected	18.11 In (460 mm) 35.83 In (910 mm) 12.20 In (310 mm) 24.02 In (610 mm) 29.92 In (760 mm) 41.73 In (1060 mm) 10.24 in (260 mm)

Complementary

Kit composition	8 damper(s)	
Net Weight	0.22 lb(US) (0.1 kg)	

#### Ordering and shipping details

Category	22455-LIGHT CURTAINS - XUSL	
Discount Schedule	DS2	
GTIN	3389119618724	
Nbr. of units in pkg.	1	
Package weight(Lbs)	3.53 oz (100.0 g)	
Returnability	No	
Country of origin	IT	


#### **Packing Units**

Unit Type of Package 1	PCE	
Package 1 Height	1.57 in (4 cm)	
Package 1 width	4.33 in (11 cm)	
Package 1 Length	4.72 in (12 cm)	
Unit Type of Package 2	S01	
Number of Units in Package 2	24	
Package 2 Weight	5.74 lb(US) (2.603 kg)	
Package 2 Height	5.91 in (15 cm)	
Package 2 width	5.91 in (15 cm)	
Package 2 Length	15.75 in (40 cm)	

### Offer Sustainability

Sustainable offer status	Green Premium product	
California proposition 65	WARNING: This product can expose you to chemicals including: Diisononyl phthalate (DINP), which is known to the State of California to cause cancer, and Di-isodecyl phthalate (DIDP), which is known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov	
REACh Regulation	☑ REACh Declaration	
REACh free of SVHC	Yes	
EU RoHS Directive	Pro-active compliance (Product out of EU RoHS legal scope) EU RoHS  Declaration	
Toxic heavy metal free	Yes	
Mercury free	Yes	
RoHS exemption information	€Yes	
Environmental Disclosure	Product Environmental Profile	
Circularity Profile	End Of Life Information	

#### **Dimensions**



- (1) Anti Vibration Damper(2) Insert

#### Mounting and Clearance

