

Previous Page | Return to Index | Next Page



MOLDED CABLE ASSEMBLIES 3.5 mm with Plugs

1. 35HRXXX35

2. 36HRXXX36

3. 35HRXXX84

<u>click here to download a schematic drawing</u> (you will need to have Adobe Acrobat installed on your system to do this)



FEATURES AND BENEFITS

- Choose plug-to-plug or plug-to-stripped and tinned leads
- 3.5 mm plugs available as straight or right-angle

- Available in mono and stereo
- NOM.29 GA jacketed conductors (red and white) with copper spiral shield
- Cable O.D. 3.0 mm nom./.118" nom.
- Black cable

ORDERING

- 1. Order by part number ("XXX" is length in inches).
- 2. Contact Switchcraft for custom requirements.

PART NUMBERING SYSTEM H - Black R - 3.0 mm nom. Length (feet) 32 - Mono 32 - Mono 33 - RA Mono 2-conductor wire 036 (3) 33 - RA Mono 35 - Stereo with spiral copper 072 (6) 35 - Stereo 36 - RA Stereo shield 144 (12) 36 - RA Stereo 84 - Stripped and tinned 90 - Straight Cut Off

SPECIFICATIONS

PLUG

Tip, Ring and Sleeve: Brass with nickel-plate **Flex Life:** 5000 cycles minimum **Plug Insulator:** ACETAL

Previous Page | Return to Index | Next Page

To search a category please click on the corresponding icon:



| Connectors | Jacks and Plugs |

| Patch Panels, Patch Kits & Jackfields | Cable Assemblies and Patch Cords | Switches |

All products shown are covered by Switchcraft's limited lifetime warranty.

| <u>Switchcraft home</u> | <u>About Us</u> | <u>Products</u> | <u>What's New</u> | <u>Search</u> | <u>Contact Us</u>