## Product data sheet Characteristics

## NSYCUX4K3P4UL

# ClimaSys standard cooling unit side of enclosure - 3850W at 400 V

3 phase



#### Main Range ClimaSys Product name CU **Product or Component** Cooling unit Type Side Mounting type Type of Installation Indoor Product destination For enclosure Mounting Mode By screws Input voltage 460 V 60 Hz

13140 Btu/H 60 Hz L35-L35

9790 Btu/h 60 Hz L35-L50

Complementary

Complementary	
Height	50.00 in (1270 mm)
Width	19.69 in (500 mm)
Depth	13.23 in (336 mm)
Line Rated Current	3.6 A
Inrush current	18 A
Power consumption in W	1780 W 60 Hz, L35-L35 2050 W 60 Hz, L35-L50
Energy efficiency ratio	2.2
Control Type	Electronic controller
Temperature setting range	68113 °F (2045 °C)
Ambient air temperature for operation	Outside the enclosure 68113 °F (2045 °C)  Maximum 113 °F (45 °C)  Inside the enclosure 68113 °F (2045 °C)
Noise level	70 dB
Pressure	362.59 psi (25 bar)
Flow rate	Internal circuit 383056.34 Gal/hr(US) (1450 m3/h) 60 Hz External circuit 383056.34 Gal/hr(US) (1450 m3/h) 60 Hz
Net Weight	187.39 lb(US) (85 kg)
Cooling gas type	R134a 2.51 lb(US) (1.14 kg))
Type of filter	Optional external circuit filter
Protection type	Thermal protection T 8 A Short-circuit protection (magnetic)
Material	Stainless steel
Color	Gray RAL 7035)

Phase

Cooling power

### Environment

Product Certifications	UL
Standards	DIN 3168
IP degree of protection	IP55 IEC 60529 on the internal circuit) IP34 IEC 60529 on the external circuit)

## Ordering and shipping details

Category	80036-ENCLOSURE SYSTEMS ACCESSORIES	
Discount Schedule	ES1	
GTIN	3606480653872	
Nbr. of units in pkg.	1	
Package weight(Lbs)	187.39 lb(US) (85.0 kg)	
Returnability	No	

## Packing Units

Unit Type of Package 1	PCE	
Package 1 Height	50.00 in (127.0 cm)	
Package 1 width	13.23 in (33.6 cm)	
Package 1 Length	19.69 in (50.0 cm)	

## Offer Sustainability

REACh Regulation	☑ REACh Declaration
REACh free of SVHC	Yes
EU RoHS Directive	Compliant EPEU RoHS Declaration
Toxic heavy metal free	Yes
Mercury free	Yes
RoHS exemption information	€ Yes
China RoHS Regulation	China RoHS Declaration
WEEE	The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins.