


В



DATE

APP'D BY

PCB PIN NUMBERS 0 0 0 \circ [2.03] ŎŌŎ COMPONENT SIDE

PCB RECOMMENDED HOLE LAYOUT SEEN FROM COMPONENT SIDE

ALL CENTERLINE DIMENSIONS ARE BASIC


I. CONNECTOR MATERIALS: HOUSING: THERMOPLASTIC UL94 V-0 CONTACTS/SHIELD: COPPER ALLOY SHIELD PLATING: NICKEL CONTACT PLATING: SELECTIVE GOLD IN CONTACT AREA

SEE CHART FOR PART NUMBER


2. PRODUCT DESIGNED FOR CATEGORY 6 APPLICATIONS
3. DIMENSIONS AND TOLERANCES COMPLY WITH FCC/CFR 47, PART 68.

4. REFERENCE PRODUCT SPECIFICATION PRO22-01

50 MICRO-INCHES [1.27um] SS-60000-023 CONTACT PLATING PART NUMBER IN MATING AREA



THIRD ANGLE PROJECTION



DO NOT SCALE DRAWING DRAWING IS SUBJECT TO CHANGE WITHOUT NOTICE

DIMENSIONS: INCHES [METRIC]

UNLESS OTHERWISE SPECIFIED TOLERANCES ARE ± .005 [0.13] ANGLES ARE ± 1°

SHEET NO. I OF I

Bel Stewart Connector

IIII8 Susquehanna Trail South Glen Rock, PA 17327-9199

(717) 235-7512 Fax: (717) 235-7954 http://www.stewartconnector.com

CATEGORY 6 UNSHIELDED VERTICAL JACK NO MOUNTING POSTS

THIS DRAWING AND THE SUBJECT MATTER SHOWN THEREO ARE CONFIDENTIAL AND THE PROPRIETARY PROPERTY O BEL STEWART CONNECTOR AND SHALL NOT BE REPRODUCE! COPIED, OR USED IN ANY MANNER WITHOUT PRIOR WRIT CONSENT OF BEL STEWART CONNECTOR. THE SUBJECT MATTER MAY BE PATENTED OR A PATENT MAY BE PENDIN

ON	DRN BY:	TRM	DATE	1-17-04
DF D.	CKD BY:	RGC	DATE	1-17-04
TEN	APPD BY:	TRM	DATE	1-17-04
NG.	DWG. NO.	CT600	028	REV. CO

2

Pro/E