AEB 35 SC/1



Weidmüller Interface GmbH & Co. KG

Klingenbergstraße 26 D-32758 Detmold Germany

www.weidmueller.com

Product image





Weidmüller's range of products includes end brackets that guarantee a permanent, reliable mounting on the terminal rail and prevent sliding. Versions with and without screws are available. The end brackets include marking options, also for group markers, and also a test plug holder.

General ordering data

Version	A-series, End bracket
Order No.	<u>1991920000</u>
Туре	AEB 35 SC/1
GTIN (EAN)	4050118376722
Qty.	50 pc(s).

AEB 35 SC/1

Technical data



Weidmüller Interface GmbH & Co. KG

Klingenbergstraße 26 D-32758 Detmold Germany

www.weidmueller.com

Depth	36 mm	Depth (inches)	1.417 inch	
Height	58 mm	Height (inches)	2.283 inch	
Width	8 mm	Width (inches)	0.315 inch	
Net weight	13.32 g			
Femperatures				
Storage temperature	-25 °C55 °C	Continuous operating temp., min.	-60 °C	
Continuous operating temp., max.	130 °C			
Material data				
Material	WEMID GF 30	Colour	dork boigo	
UL 94 flammability rating	VEIVID GF 30		dark beige	
System specifications	•••			
- /				
Version	For the terminals	Rail	TS 35	
Additional technical data				
Installation advice	Rail	Interlock	for screw fixing	
Open sides	closed	Snap-on	No	
Type of mounting	when screwed in	With snap-in pegs	No	
Conductors for clamping (ra	ted connection)			
Tightening torque, max.	1 Nm	Tightening torque, min.	0.5 Nm	
General				
Installation advice	Rail	Rail	TS 35	
Classifications				
ETIM 8.0	EC001041	ETIM 7.0	EC001041	
ETIM 8.0	EC001041	ECLASS 9.0	27-14-11-35 27-14-11-35	
ECLASS 9.1 ECLASS 11.0	27-14-11-35 27-14-11-35	ECLASS 10.0	27-14-11-35	
	27-14-11-00			
Approvals				
ROHS	Conform			
Downloads				
Engineering Data	<u>STEP</u>			
Engineering Data	EPLAN, WSCAD, Zuken E3.S			
	<u>Klippon® Connect 1991920000 EN</u> Klippon® Connect 1991920000 DE			
Tender specification	Klinnon® Connect 100	StorageConditionsTerminalBlocks		
Tender specification User Documentation Catalogues		<u>iinalBlocks</u>		