









LOGO(SEE NOTE 3)



DETAIL X





PRINT P/N & DATE CODE (SEE NOTE 4)







mat'l. code		surface ASME Y14.5 ✓		tolerance ASME Y14.5		projection MM [INCH]		product family GANGED MJACK		
ltr	ecn no	dr	date	tolerances unless otherwise specified		scale		title CAT 3 MULTI-PORTS TAB DOWN 1x4 WITH SHIELD, W/O LED		
A		WL	11/04/11	angles	X.X±0.25			sheet 1 of 4		
				fillet	X.XX±0.13			size A4		
				X*±1*	X.XXX±0.05			dwg no 10118062		
				dr	WENDY CHEN	05/03/11			type CUSTOMER Drawing	
				enr	WENDY CHEN	05/03/11				
				chr	WENDY CHEN	05/03/11				
				appd	GARY HSIEH	05/03/11				
sheet index	revision sheet	A	A	A	A	A				
		1	2	3	4					

LOGO(SEE NOTE 3)





DETAIL X

PRINT P/N & DATE CODE
(SEE NOTE 4)



mat'l. code		surface ASME Y14.5	tolerance ASME Y14.5	projection MM [INCH]	product family GANGED MJACK
ltr	ecn no	dr	date	tolerances unless otherwise specified	title CAT 3 MULTI-PORTS TAB DOWN 1x4 WITH SHIELD, W/O LED
A				angles X.X±0.25	sheet 2 of 4 size A4
				flatness X.XX±0.13	
				parallelism X.XXX±0.05	dwg no 10118062
		dr	WENDY CHEN 05/03/11	scale	type CUSTOMER Drawing
		enr	WENDY CHEN 05/03/11	FCI	
		chr	WENDY CHEN 05/03/11		
		appd	GARY HSIEH 05/03/11		
sheet index	revision sheet				




RECOMMENDED PCB LAYOUT
RECOMMENDED PCB THICKNESS: 1.6mm
TOLERANCE: ± 0.05 (TOP VIEW)

RECOMMENDED PCB LAYOUT
RECOMMENDED PCB THICKNESS: 1.6mm
TOLERANCE: ± 0.05 (TOP VIEW)


mat'l. code		surface ASME Y14.5 ✓		tolerance ASME Y14.5		projection ⊕		product family GANGED MJACK	
ltr		ecn no		dr		date		title CAT 3 MULTI-PORTS TAB DOWN 1x4 WITH SHIELD, W/O LED	
A								scale MM [INCH]	
		angles		ϕ				dwg no 10118062	
		X°±1'		X.XX±0.13		X.XXX±0.05		sheet 3 of 4	
		dr		WENDY CHEN		05/03/11		size A4	
		enr		WENDY CHEN		05/03/11		type CUSTOMER Drawing	
		chr		WENDY CHEN		05/03/11		FCI	
		appd		GARY HSIEH		05/03/11			
sheet index		revision sheet							

NOTE:

- MATERIAL:
HOUSING: HIGH TEMPERATURE THERMOPLASTIC , UL94V-0
COLOR: BLACK.
CONTACTS: COPPER ALLOY.
SHIELD: COPPER ALLOY.
- FINISH:
CONTACTS: 50u" MIN. NICKEL UNDER PLATED OVER ALL.
SELECTIVE GOLD PLATED ON CONTACT AREA,
1u" GOLD PLATED ON SOLDER TAIL.
SHIELD: 20u" MIN. NICKEL OVER ALL.
- LASER MARK FCI LOGO ON THE TOP OF SHIELD.
- "DATE CODE" DESCRIPTION:
XX XX
WEEK
YEAR (EX. : 10--2010)
- PRODUCT PERFORMANCE PER SPEC. : GS-12-0990.
- PACKING SPEC. : GS-14-2170.
- THIS PRODUCT MEETS THE EUROPEAN UNION DIRECTIVE AS DESCRIBED IN GS-22-008.
- THE HOUSING WILL WITHSTAND EXPOSURE TO 260°C PEAK TEMPERATURE FOR 5 SECONDS IN A WAVE SOLDER APPLICATION WITH A CIRCUIT BOARD.




10118062-XXXX3XXLF
WITH 3 BACK SHIELD TABS



10118062-XXXX0XXLF
WITHOUT BACK SHIELD TAB

9. PART NUMBER DESCRIPTION:

- 10118062-X X X X X X X LF
- LEAD FREE
 - 0 : RESERVED (NOT USED)
 - PACKAGING
1 : TRAY
 - OPTIONAL BACK SHIELD TAB
0 : WITHOUT BACK SHIELD TAB
3 : WITH 3 BACK SHIELD TABS
 - OPTIONAL RIGHT / LEFT SHIELD TAB
1 : DIM.A=4.57
5 : DIM.B=3.05
 - OPTIONAL PANEL GROUND
0 : WITHOUT PANEL GROUND
 - LED COLOR
0 : WITHOUT LED
 - CONTACT AREA PLATING
1 : 15u" GOLD PLATING
2 : 30u" GOLD PLATING
5 : 1u" GOLD FLASH PLATING



mat'l. code		surface ASME Y14.5	tolerance ASME Y14.5	projection	product family GANGED MJACK
ltr	ecn no	dr	date	tolerances unless otherwise specified	title
A				angles X.X±0.25 X.XX±0.13 X°±1'	CAT 3 MULTI-PORTS TAB DOWN 1x4 WITH SHIELD, W/O LED
				scale	MM [INCH]
		dr	WENDY CHEN 05/03/11		dwg no
		enr	WENDY CHEN 05/03/11		sheet 4 of 4
		chr	WENDY CHEN 05/03/11		size
		appd	GARY HSIEH 05/03/11		10118062
					A4
					type
					CUSTOMER Drawing
sheet index	revision sheet				