




LOC	DIST	REVISIONS					
GP	00	P	LTN	DESCRIPTION	DATE	DWN	APVD
		A		INITIAL RELEASE	23SEP2016	RG	SH



- 1 MATERIAL:  
 CAGE ASSEMBLY- STAINLESS STEEL.  
 EMI SPRING- COPPER ALLOY.  
 HOUSING- BLACK LCP,UL 94V-0 RATED  
 CHICKLET- BLACK LCP,UL 94V-0 RATED  
 LIGHT PIPE- POLYCARBONATE, CLEAR, UL 94V-0 RATED  
 CONTACT- COPPER ALLOY.
- 2 DATUM AND BASIC DIMENSIONS ESTABLISHED BY CUSTOMER.
- 3. MINIMUM PCB THICKNESS OF 1.57mm.
- 4 CONTACT FINISH- CONFORMS TO THE REQUIREMENTS OF TE PRODUCT SPECIFICATION 108-127010. BASED ON EIA/ECA-364-1000.01A, (CONTROLLED ENVIRONMENT APPLICATIONS) ON MATING INTERFACE, TIN ON NEEDLE EYE.
- 5 THE ENTIRE AREA OF THE CONNECTOR FOOTPRINT, INDICATED BY THE DASHED LINE, TO BE CONSIDERED THE KEEPOUT AREA FOR COMPONENTS AND SIGNAL TRACES. TOP SIDE ONLY. TOP SIDE TRACES ALLOWED WITHIN CONNECTOR HOLE PATTERN.
- 6 LIGHT PIPE PAD LAYOUT IS FOR 0805 LOW PROFILE LED PACKAGE WITH A HEIGHT OF 0.8mm.
- 7. CAGE FINISH-1.25 μm MINIMUM NICKEL PLATING.

4 LIGHT PIPES	2293961-5
4 LIGHT PIPES	2293961-4
NO LIGHT PIPE	2293961-3
2 LIGHT PIPE	2293961-2
4 LIGHT PIPES	2293961-1
DESCRIPTION	PART NUMBER

THIS DRAWING IS A CONTROLLED DOCUMENT. DWN: ROBERT\_GAN 23JUN2015  
 CHK: ROBERT\_GAN



DIMENSIONS:	TOLERANCES UNLESS OTHERWISE SPECIFIED:	APVD: SEAN_HAN 23JUN2015	NAME
mm	0 PLC ± .	PRODUCT SPEC	CAGE AND PT CONNECTOR ASSEMBLY
	1 PLC ± 0.25	APPLICATION SPEC	SPRING TYPE, PRESS FIT,
	2 PLC ± 0.15	SIZE	2X2, STACKED QSFP+
	3 PLC ± .	WEIGHT	
	4 PLC ± .	CAGE CODE	114-32020
	ANGLES ± .	DRAWING NO	00779
	FINISH	RESTRICTED TO	
MATERIAL		CUSTOMER DRAWING	SCALE 1:1 SHEET 1 OF 4 REV A

STC TE Connectivity



LOC	DIST	REV	DATE	APP'D
GP	00			

REVISIONS				
NO.	DESCRIPTION	DATE	BY	APP'D
-	SEE SHEET 1	-	-	-





DETAIL A  
 2X INDIVIDUALLY  
 SCALE 8:1



THIS PRINT IS  
**PRELIMINARY**  
 UNQUALIFIED PRODUCT  
 CONTACT PRODUCT ENGINEERING  
 BEFORE USING THIS PRINT

THIS DRAWING IS A CONTROLLED DOCUMENT.		OWN: ROBERT_GAN 23JUN2015	TE Connectivity
DIMENSIONS: mm		APVD: SEAN_HAN 23JUN2015	
TOLERANCES UNLESS OTHERWISE SPECIFIED: 0 PLC ±. 1 PLC ±0.25 2 PLC ±0.15 3 PLC ±. 4 PLC ±. ANGLES ±.		NAME: CAGE AND PT CONNECTOR ASSEMBLY PRODUCT SPEC: 108-127010 APPLICATION SPEC: 114-32020	SIZE: A1 CAGE CODE: 00779 DRAWING NO: 2293961 RESTRICTED TO: -
MATERIAL: FINISH:		WEIGHT: 114-32020	


LOC	DIST	REVISIONS					
		P	LTN	DESCRIPTION	DATE	DWN	APVD
GP	00	-	-	SEE SHEET 1	-	-	-




THIS PRINT IS  
**PRELIMINARY**  
 UNQUALIFIED PRODUCT  
 CONTACT PRODUCT ENGINEERING  
 BEFORE USING THIS PRINT

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN ROBERT_GAN CHK	23JUN2015	
DIMENSIONS: mm		APVD SEAN_HAN	23JUN2015	
TOLERANCES UNLESS OTHERWISE SPECIFIED: 0 PLC ± 1 PLC ±0.25 2 PLC ±0.15 3 PLC ± 4 PLC ±		NAME CAGE AND PT CONNECTOR ASSEMBLY SPRING TYPE, PRESS FIT, 2X2, STACKED QSFP+	PRODUCT SPEC 108-127010	
MATERIAL		APPLICATION SPEC 114-32020	SIZE A1	RESTRICTED TO
FINISH		WEIGHT CUSTOMER DRAWING	CAGE CODE 00779	DRAWING NO 2293961
		SCALE 1:1	SHEET 3	OF 4
			REV A	


LOC	DIST	REVISIONS					
GP	00	P	LYR	DESCRIPTION	DATE	DMN	APVD
-	-	-	-	SEE SHEET 1	-	-	-




2293961-1  
SCALE 3:1




2293961-2  
SCALE 3:1



2293961-3  
SCALE 3:1



2293961-4  
SCALE 3:1



2293961-5  
SCALE 3:1

THIS DRAWING IS A CONTROLLED DOCUMENT.		DMN ROBERT_GAN	23JUN2015	TE Connectivity
DIMENSIONS:		CHK SEAN_HAN	23JUN2015	
mm	0 PLC ±	APVD SEAN_HAN	23JUN2015	NAME CAGE AND PT CONNECTOR ASSEMBLY SPRING TYPE, PRESS FIT, 2X2, STACKED QSFP+
	1 PLC ±0.25	PRODUCT SPEC	108-127010	
	2 PLC ±0.15	APPLICATION SPEC	114-32020	
	3 PLC ±	SIZE	A1	
	4 PLC ±	CAGE CODE	00779	DRAWING NO 2293961
	ANGLES ±	WEIGHT	-	
MATERIAL	FINISH	CUSTOMER DRAWING		RESTRICTED TO
		SCALE	1:1	SHEET 4 OF 4
		REV	A	