



## Data

### Technical data

Marking method	Thermal transfer
Marking	plain
Delivery form	Roll
Delivery form configuration	300 markers/reel; 1 line
Printing device	Smart Printer (thermal transfer printer)

### Physical data

Marking surface	99 x 44 mm
-----------------	------------

### Mechanical Data

Mounting type	Sticking
Smear resistance	in conjunction with 258-5005 Ink Ribbon

### Material Data

Color	silver-colored
-------	----------------

Subject to changes. Please also observe the further product documentation!



Material	Polyester
Adhesive information	Acrylic; permanent
Halogen-free	Yes
Weight	240 g

## Environmental requirements

Ambient temperature (storage)	+20 ... +25 °C
Ambient temperature (operation)	-40 ... +120 °C
Relative humidity	40 ... 50 %

## Commercial data

ETIM 8.0	EC000761
ETIM 7.0	EC000761
PU (SPU)	1 pcs
Packaging type	bag
Country of origin	DE
GTIN	4055143989411
Customs tariff number	39199080888

## Environmental Product Compliance

RoHS Compliance Status	Compliant, No Exemption
------------------------	-------------------------

## Optional accessories

### Marking accessories

Marking devices
-----------------



**Item no.: 258-5000**

Thermal transfer printer; Smart Printer; for complete control cabinet marking; 300 dpi; With marking material

[www.wago.com/258-5000](http://www.wago.com/258-5000)

## Downloads

### Documentation

#### Operating Instructions

210-804 Information on handling print material	1 2020 Aug 28	pdf 1.4 MB	Download
--	------------------	---------------	----------

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG  
Hansastr. 27  
32423 Minden  
Phone: +49571 887-0 | Fax: +49571 887-169  
Email: [info.de@wago.com](mailto:info.de@wago.com) | Web: [www.wago.com](http://www.wago.com)

Do you have any questions about our products?  
We are always happy to take your call at +49 (571) 887-44222.




Environmental Product Compliance

Compliance Search

Environmental Product Compliance 210-824	URL	Download
Safety labels; 99 x 44 mm; silver-colored		

Installation Notes



Subject to changes. Please also observe the further product documentation!