



FORM:	PART NO.
CHAIN	2050328000

- NOTES:
1. APPLICABLE HOUSING: 203438 SERIES
 2. MATERIAL: COPPER ALLOY
THICKNESS: 0.25MM
PLATING: TIN PLATING
 3. INSULATOR RANGE: $\varnothing 1.25 \sim \varnothing 2.35$
 4. WIRE RANGE: AWG 22 ~ AWG 24

SYMBOLS ▽ = 0 ▽ = 0	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION	CURRENT REV DESC: PRODUCTION RELEASE					
	DIMENSION UNITS: mm	SCALE: 7:1	EC NO: 615738				CP6.5 WTW CRIMP TERMINAL FOR AWG 22 ~ 24
	GENERAL TOLERANCES (UNLESS SPECIFIED)		DRWN: SMAHAJANSHET 2019/04/25		PRODUCT CUSTOMER DRAWING		
	ANGULAR TOL ± 3.0°		CHK'D: NCSR 2019/04/26		DOCUMENT NUMBER		
4 PLACES ±		APPR: NCSR 2019/04/26		2050328000-SD		DOC TYPE	
3 PLACES ±		INITIAL REVISION:		PSD		DOC PART	
2 PLACES ± 0.25		DRWN: SMAHAJANSHET 2019/01/30		000		REVISION	
1 PLACE ±		APPR: NCSR 2019/02/20		B			
0 PLACES ±		THIRD ANGLE PROJECTION		MATERIAL NUMBER			
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		DRAWING: A3-SIZE		CUSTOMER: GENERAL MARKET		SHEET NUMBER	
		SERIES: 205032		SEE TABLE		1 OF 1	