

www.wago.com/280-432



Data Technical data

| Main product function | Operating tool | |
|-----------------------|----------------------|--|
| Number of spacings | 2 -way | |
| Physical data | | |
| Depth | 150 mm / 5.91 inches | |
| Pin spacing | 5/5.08 mm | |
| | | |
| | | |

Suitable

for male and female connectors with CAGE $\mathsf{CLAMP}^{^{\otimes}}$ connection

Material Data

| Color | white |
|-----------|----------|
| Fire load | 0.308 MJ |
| Weight | 10.1 g |

Commercial data

| Product Group | 1 (Rail Mounted Terminal Blocks) |
|---------------|----------------------------------|
| eCl@ss 10.0 | 27-14-11-92 |
| eCl@ss 9.0 | 27-14-11-92 |

Subject to changes. Please also observe the further product documentation!

| WAGO GmbH & Co. KG | Do you have any questions about our products? |
|---|---|
| Hansastr. 27 | We are always happy to take your call at +49 (571) 887-44222. |
| 32423 Minden | |
| Phone: +49571 887-0 Fax: +49571 887-169 | |
| Email: info.de@wago.com Web: www.wago.com | |

Data sheet | Item number: 280-432

www.wago.com/280-432



| ETIM 8.0 | EC002848 |
|-----------------------|---------------|
| ETIM 7.0 | EC002848 |
| PU (SPU) | 100 (1) pcs |
| Packaging type | box |
| Country of origin | DE |
| GTIN | 4017332270618 |
| Customs tariff number | 82055980000 |

Environmental Product Compliance

| RoHS Compliance Status | Compliant,No Exemption | | |
|---------------------------|------------------------|---------|----------|
| Downloads | | | |
| Documentation Bid Text | | | |
| 280-432 | 2019 Feb 19 | xml | Download |
| (81 - Datei | | 2.6 kB | |
| 280-432 | 2018 Jan 4 | doc | Download |
| doc - Datei | | 24.1 kB | |

Environmental Product Compliance

Compliance Search

| Environmental Product Compliance 280-432 | URL | Download |
|---|-----|----------|
| Operating tool; made of insulating material; 2-way; white | | |

Installation Notes

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG Hansastr. 27 32423 Minden Phone: +49571 887-0 | Fax: +49571 887-169 Email: info.de@wago.com | Web: www.wago.com Do you have any questions about our products? We are always happy to take your call at +49 (571) 887-44222.

Data sheet | Item number: 280-432

www.wago.com/280-432





Inserting a male connector via multipole operating tool.

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG Hansastr. 27 32423 Minden Phone: +49571 887-0 | Fax: +49571 887-169 Email: info.de@wago.com | Web: www.wago.com Do you have any questions about our products? We are always happy to take your call at +49 (571) 887-44222.