NOTES:

I. MATERIALS OF CONSTRUCTION:


BODY & HEX NUT = BRASS (ASTM-BIG HO2, C36000), GOLD PLATED (.000003 MIN THICK)


CONTACT PIN = BeCu (QQ-C-530), GOLD PLATED (.000050 MIN THICK) LOCKWASHER = BRASS (QQ-B-613), GOLD PLATED (.000003 MIN THICK) FERRULE = COPPER, GOLD PLATED (.000003 MIN THICK)

INSULATOR = PTFE, ASTM D 1710 OR EQUIV.


HEAT SHRINK TUBING = COLOR BLACK

901-9875	REVISIONS				
DRAWING NO.	REV	DESCRIPTION	DATE	ECO	APPR
THIRD ANGLE PROJ. 🕀 🖯	Α	RELEASE TO MFG.	4/7/95	40352	PB/RV
	С	SEE SHEET I	10/2/02	44222	CPM






Ø6,5 [.256]







CUSTOMER OUTLINE DRAWING

ALL OTHER SHEETS ARE FOR INTERNAL USE ONLY

|--|

RECOMMENDED MOUNTING

HOLE DIMENSIONS

SCALE 5.000

[.236]

NOTICE - These drawings, specifications, or other data (1) are, and remain the NOTICE - These drawings, specifications, or other data (1) are, and remain the property of Amphenol Corp. (2) must be returned upon request; and (3) are confidential and not to be disclosed to any person other than those to whom they are given by Amphenol Corp. The furnishing of these drawings, specifications, or other data by Amphenol Corp., or to any other person to anyone for any purpose is not to be regarded by implication or otherwise in any manner licensing, granting rights or permitting such holder or any other person to manufacture, use or sell any product, process or design, patented or otherwise, that may in any way be related to or disclosed by said drawings, specifications, or other data.

GEN# 901-10039-RFX_ASSY EAR 966280-3 & 111-964413

MATERIAL

	DRAWN	DATE
	C. McGRATH	10/1/02
Γ	ENGINEER	DATE
4	O. BARTHELMES	10/1/02
Γ	APPROVED	DATE
	O. BARTHELMES	10/2/02
T	CAD FILE	
	I:\SMA\90I-9875	

[.425]

Ø

1,27

TITLE SMA BULKHEAD CRIMP JACK (FOR RG-174/U, 188A/U, 316/U CABLES)

74868

Amphenol Amphenol Corporation Communication and Network Products Division Danbury, CT U.S.A. 06810 SCALE: 4.0:1 SHEET 2 OF 2

CODE ID DWG SIZE DRAWING NO. REV 901-9875 C