

SAFETY DATA SHEET FRC - GENERAL PURPOSE FLUX REMOVER - FLUX REMOVER C, BULK

According to Appendix D, OSHA Hazard Communication Standard 29 CFR §1910.1200

1. Identification	
Product identifier	
Product name	FRC - GENERAL PURPOSE FLUX REMOVER - FLUX REMOVER C, BULK
Product number	MCC-FRCL, MCC-FRCG, MCC-FRCP, MCC-FRCD, MCC-FRCGL, MCC-FRCGG
Synonyms; trade names	FRC - FLUX REMOVER C - BULK
Recommended use of the che	emical and restrictions on use
Uses advised against	No specific uses advised against are identified.
Details of the supplier of the s	afety data sheet
Supplier	MICROCARE LLC
Manufacturer	MICROCARE LLC 595 John Downey Drive New Britain, CT 06051 United States of America CAGE: OATV9 Tel: + 1 800 638 0125, +1 860-827-0626 techsupport@microcare.com
Emergency telephone numbe	<u>r</u>
Emergency telephone	INFOTRAC 1-800-535-5053 (U.S.A. and CANADA) 1-352-323-3500 (from anywhere in the world)
2. Hazard(s) identification	
Classification of the substance	e or mixture
OSHA Regulatory Status	This Product is Hazardous under the OSHA Hazard Communication Standard.
Physical hazards	Not Classified
Health hazards	Eye Irrit. 2A - H319 STOT SE 1 - H370 STOT SE 3 - H336
Environmental hazards	Aquatic Chronic 3 - H412
Label elements Hazard symbols	
Signal word	Danger
Hazard statements	H319 Causes serious eye irritation. H370 Causes damage to organs . H336 May cause drowsiness or dizziness. H412 Harmful to aquatic life with long lasting effects.

30-60%

30-60%

10-30%

1-5%

FRC - GENERAL PURPOSE FLUX REMOVER - FLUX REMOVER C, BULK

Precautionary statements	 P260 Do not breathe vapor/ spray. P273 Avoid release to the environment. P280 Wear protective gloves/ protective clothing/ eye protection/ face protection. P302+P352 If on skin: Wash with plenty of water. P314 Get medical advice/ attention if you feel unwell. P501 Dispose of contents/ container in accordance with national regulations.
Supplemental label information	Safety data sheet available on request. For use in industrial installations only. AT(d) % of the mixture consists of ingredient(s) of unknown acute dermal toxicity.
Contains	trans-1,2-DICHLOROETHYLENE, METHANOL

Other hazards

This product does not contain any substances classified as PBT or vPvB.

3. Composition/information on ingredients

Mixtures

trans-1,2-DICHLOROETHYLENE

CAS number: 156-60-5

Classification

Flam. Liq. 2 - H225 Acute Tox. 4 - H332 Eye Irrit. 2A - H319 STOT SE 3 - H336 Aquatic Chronic 3 - H412

1,1,1,2,2,3,4,5,5,5-decafluoropentane

CAS number: 138495-42-8

Classification

Aquatic Chronic 3 - H412

1,1,1,3,3-PENTAFLUOROBUTANE

CAS number: 406-58-6

Classification

Flam. Liq. 2 - H225

METHANOL CAS number: 67-56-1

Classification

Flam. Liq. 2 - H225 Acute Tox. 3 - H301 Acute Tox. 3 - H311 Acute Tox. 3 - H331 STOT SE 1 - H370

The full text for all hazard statements is displayed in Section 16.

Composition comments	TSCA: The ingredients of this product are on the TSCA Inventory. The exact percentage (concentration) of composition has been withheld as a trade secret in accordance with paragraph (i) of CFR 1900.1200
Ingredient notes	A MIXTURE OF: (R,R)-1,1,1,2,2,3,4,5,5,5-DECAFLUOROPENTANE, (S,S)- 1,1,1,2,2,3,4,5,5,5-DECAFLUOROPENTANE has been revised to 1,1,1,2,2,3,4,5,5,5- decafluoropentane. No change in chemistry. 20JUL17
Composition	

4. First-aid measures

Description of first aid measures

General information	Get medical attention if any discomfort continues. Show this Safety Data Sheet to the medical personnel.
Inhalation	Move affected person to fresh air and keep warm and at rest in a position comfortable for breathing. Maintain an open airway. Loosen tight clothing such as collar, tie or belt. When breathing is difficult, properly trained personnel may assist affected person by administering oxygen. Get medical attention. Place unconscious person on their side in the recovery position and ensure breathing can take place.
Ingestion	Rinse mouth thoroughly with water. Give a few small glasses of water or milk to drink. Stop if the affected person feels sick as vomiting may be dangerous. Never give anything by mouth to an unconscious person. Place unconscious person on their side in the recovery position and ensure breathing can take place. Keep affected person under observation. Get medical attention if symptoms are severe or persist.
Skin Contact	Rinse with water.
Eye contact	Remove any contact lenses and open eyelids wide apart. Rinse with water. Get medical attention if any discomfort continues.
Protection of first aiders	First aid personnel should wear appropriate protective equipment during any rescue.
Most important symptoms and	effects, both acute and delayed
General information	The severity of the symptoms described will vary dependent on the concentration and the length of exposure.
Inhalation	A single exposure may cause the following adverse effects: Pain or irritation. Intoxication. Narcotic effect. Muscle weakness. Nausea, vomiting.
Ingestion	A single exposure may cause the following adverse effects: Intoxication. Nausea, vomiting. May cause drowsiness or dizziness. Central nervous system depression. May cause severe internal injury.
Skin contact	A single exposure may cause the following adverse effects: Pain.
Eye contact	No specific symptoms known. May be slightly irritating to eyes.
Indication of immediate medic	al attention and special treatment needed
Notes for the doctor	Treat symptomatically.
5. Fire-fighting measures	
Extinguishing media	
Suitable extinguishing media	The product is not flammable. Extinguish with alcohol-resistant foam, carbon dioxide, dry powder or water fog. Use fire-extinguishing media suitable for the surrounding fire.
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.

Flammability Class	The product is not flammable.
Specific hazards	Containers can burst violently or explode when heated, due to excessive pressure build-up.
Hazardous combustion products	Thermal decomposition or combustion products may include the following substances: Harmful gases or vapors.
Advice for firefighters	
Protective actions during firefighting	Avoid breathing fire gases or vapors. Evacuate area. Keep upwind to avoid inhalation of gases, vapors, fumes and smoke. Ventilate closed spaces before entering them. Cool containers exposed to heat with water spray and remove them from the fire area if it can be done without risk. Cool containers exposed to flames with water until well after the fire is out. If a leak or spill has not ignited, use water spray to disperse vapors and protect men stopping the leak. Avoid discharge to the aquatic environment. Control run-off water by containing and keeping it out of sewers and watercourses. If risk of water pollution occurs, notify appropriate authorities.
Special protective equipment for firefighters	Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing. Standard Firefighter's clothing including helmets, protective boots and gloves will provide a basic level of protection for chemical incidents.
6. Accidental release measure	\$
Personal precautions, protection	ve equipment and emergency procedures
Personal precautions	Wear protective clothing as described in Section 8 of this safety data sheet. No action shall be taken without appropriate training or involving any personal risk. Do not touch or walk into spilled material. Avoid inhalation of vapors and spray/mists. Use suitable respiratory protection if ventilation is inadequate.
Environmental precautions	
Environmental precautions	Avoid discharge into drains or watercourses or onto the ground. Avoid discharge to the aquatic environment.
Methods and material for conta	ainment and cleaning up
Methods for cleaning up	Wear protective clothing as described in Section 8 of this safety data sheet. Clear up spills immediately and dispose of waste safely. Small Spillages: Collect spillage. Large Spillages: Absorb spillage with non-combustible, absorbent material. The contaminated absorbent may pose the same hazard as the spilled material. Collect and place in suitable waste disposal containers and seal securely. Label the containers containing waste and contaminated materials and remove from the area as soon as possible. Flush contaminated area with plenty of water. Wash thoroughly after dealing with a spillage. Dangerous for the environment. Do not empty into drains. For waste disposal, see Section 13.
Reference to other sections	For personal protection, see Section 8. See Section 11 for additional information on health hazards. See Section 12 for additional information on ecological hazards. For waste disposal, see Section 13.
7. Handling and storage	
Precautions for safe handling	
Usage precautions	Read and follow manufacturer's recommendations. Wear protective clothing as described in Section 8 of this safety data sheet. Keep away from food, drink and animal feeding stuffs. Handle all packages and containers carefully to minimize spills. Keep container tightly sealed when not in use. Avoid the formation of mists. Avoid discharge to the aquatic environment.

Special hazards arising from the substance or mixture

Advice on general occupational hygiene	Wash promptly if skin becomes contaminated. Take off contaminated clothing and wash before reuse. Wash contaminated clothing before reuse.	
Conditions for safe storage, including any incompatibilities		
Storage precautions	Store away from incompatible materials (see Section 10). Keep only in the original container. Keep container tightly closed, in a cool, well ventilated place. Keep containers upright. Protect containers from damage.	
Storage class	Miscellaneous hazardous material storage.	
Specific end uses(s)		
Specific end use(s)	The identified uses for this product are detailed in Section 1.	
Reference to other sections.	Store away from incompatible materials (see Section 10).	
0 European controls/Develope	I mente atten	

8. Exposure controls/Personal protection

Control parameters

Occupational exposure limits

trans-1,2-DICHLOROETHYLENE

Long-term exposure limit (8-hour TWA): ACGIH 200 ppm 793 mg/m³

1,1,1,2,2,3,4,5,5,5-decafluoropentane

No information available that would effect occupational exposure limit values.

1,1,1,3,3-PENTAFLUOROBUTANE

Long-term exposure limit (8-hour TWA): SUP 1000 ppm

METHANOL

Long-term exposure limit (8-hour TWA): ACGIH 200 ppm 262 mg/m³ Short-term exposure limit (15-minute): ACGIH 250 ppm 328 mg/m³ Sk

Long-term exposure limit (8-hour TWA): OSHA 200 ppm 260 mg/m³ ACGIH = American Conference of Governmental Industrial Hygienists.

Sk = Danger of cutaneous absorption. OSHA = Occupational Safety and Health Administration.

Ingredient comments WEL = Workplace Exposure Limits ACGIH = US Standard.

METHANOL (CAS: 67-56-1)

Biological limit values 15 mg/l

Exposure controls

Protective equipment



Appropriate engineering controls	Provide adequate general and local exhaust ventilation. Ensure the ventilation system is regularly maintained and tested. Good general ventilation should be adequate to control worker exposure to airborne contaminants. Observe any occupational exposure limits for the product or ingredients.
Eye/face protection	Unless the assessment indicates a higher degree of protection is required, the following protection should be worn: Tight-fitting safety glasses.

Hand protection	No specific hand protection recommended. Avoid contact with skin.
Other skin and body protection	Wear appropriate clothing to prevent repeated or prolonged skin contact.
Hygiene measures	Wash after use and before eating, smoking and using the toilet. Do not eat, drink or smoke when using this product.
Respiratory protection	Ensure all respiratory protective equipment is suitable for its intended use and is NIOSH approved. Check that the respirator fits tightly and the filter is changed regularly. Gas and combination filter cartridges should comply with OSHA 1910.134. Full face mask respirators with replaceable filter cartridges should comply with OSHA 1910.134. Half mask and quarter mask respirators with replaceable filter cartridges should comply with Comply with OSHA 1910.134.
Environmental exposure controls	Keep container tightly sealed when not in use. Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

9. Physical and chemical properties

Information on basic physical and chemical properties	

Appearance	Clear liquid.
Color	Colorless.
Odor	Slight. Ether.
Initial boiling point and range	37°C/99°F @ 101.3 kPa
Flash point	The product is not flammable.
Upper/lower flammability or explosive limits	Upper flammable/explosive limit: 9.0 %(V) Lower flammable/explosive limit: 7.5 %(V
Other flammability	The product is not flammable.
Vapor pressure	65 kPa @ 25°C
Vapor density	4.0
Relative density	1.37
Bulk density	Not applicable.
Solubility(ies)	Slightly soluble in water.
Auto-ignition temperature	No information available.
Viscosity	No information available.
Explosive properties	No information available.
Global Warming Potential (GWP)	
Surface tension	
Refractive index	No information available.
Particle size	No information available.
Molecular weight	No information available.
Volatility	100%

Saturation concentration	600
Critical temperature	No information available.
Volatile organic compound	This product contains a maximum VOC content of 590 g/l.
Heat of vaporization (at boiling point), cal/g (Btu/lb)	
10. Stability and reactivity	
Reactivity	See the other subsections of this section for further details.
Stability	Stable at normal ambient temperatures and when used as recommended. Stable under the prescribed storage conditions.
Possibility of hazardous reactions	No potentially hazardous reactions known.
Conditions to avoid	There are no known conditions that are likely to result in a hazardous situation.
Materials to avoid	No specific material or group of materials is likely to react with the product to produce a hazardous situation.
Hazardous decomposition products	Does not decompose when used and stored as recommended. Thermal decomposition or combustion products may include the following substances: Harmful gases or vapors.
11. Toxicological information	
Information on toxical arised off	in a ta
Information on toxicological eff	
Acute toxicity - oral	
Acute toxicity - oral Notes (oral LD₅o)	Based on available data the classification criteria are not met.
Acute toxicity - oral Notes (oral LD₅₀) ATE oral (mg/kg)	
Acute toxicity - oral Notes (oral LD₅o)	Based on available data the classification criteria are not met.
Acute toxicity - oral Notes (oral LD₅o) ATE oral (mg/kg) Acute toxicity - dermal	Based on available data the classification criteria are not met. 2,857.14
Acute toxicity - oral Notes (oral LD ₅₀) ATE oral (mg/kg) Acute toxicity - dermal Notes (dermal LD ₅₀)	Based on available data the classification criteria are not met. 2,857.14 Based on available data the classification criteria are not met.
Acute toxicity - oral Notes (oral LD ₅₀) ATE oral (mg/kg) Acute toxicity - dermal Notes (dermal LD ₅₀) ATE dermal (mg/kg)	Based on available data the classification criteria are not met. 2,857.14 Based on available data the classification criteria are not met.
Acute toxicity - oral Notes (oral LD ₅₀) ATE oral (mg/kg) Acute toxicity - dermal Notes (dermal LD ₅₀) ATE dermal (mg/kg) Acute toxicity - inhalation	Based on available data the classification criteria are not met. 2,857.14 Based on available data the classification criteria are not met. 8,571.43
Acute toxicity - oral Notes (oral LD ₅₀) ATE oral (mg/kg) Acute toxicity - dermal Notes (dermal LD ₅₀) ATE dermal (mg/kg) Acute toxicity - inhalation Notes (inhalation LC ₅₀)	Based on available data the classification criteria are not met. 2,857.14 Based on available data the classification criteria are not met. 8,571.43 Based on available data the classification criteria are not met.
Acute toxicity - oral Notes (oral LD ₅₀) ATE oral (mg/kg) Acute toxicity - dermal Notes (dermal LD ₅₀) ATE dermal (mg/kg) Acute toxicity - inhalation Notes (inhalation LC ₅₀) ATE inhalation (vapours mg/l) ATE inhalation (dusts/mists	Based on available data the classification criteria are not met. 2,857.14 Based on available data the classification criteria are not met. 8,571.43 Based on available data the classification criteria are not met. 20.43
Acute toxicity - oral Notes (oral LD ₅₀) ATE oral (mg/kg) Acute toxicity - dermal Notes (dermal LD ₅₀) ATE dermal (mg/kg) ACUTE toxicity - inhalation Notes (inhalation LC ₅₀) ATE inhalation (vapours mg/l) ATE inhalation (dusts/mists mg/l) Skin corrosion/irritation	Based on available data the classification criteria are not met. 2,857.14 Based on available data the classification criteria are not met. 8,571.43 Based on available data the classification criteria are not met. 20.43 14.29
Acute toxicity - oral Notes (oral LD ₅₀) ATE oral (mg/kg) Acute toxicity - dermal Notes (dermal LD ₅₀) ATE dermal (mg/kg) Acute toxicity - inhalation Notes (inhalation LC ₅₀) ATE inhalation (vapours mg/l) ATE inhalation (dusts/mists mg/l) Skin corrosion/irritation Animal data Serious eye damage/irritation	Based on available data the classification criteria are not met. 2,857.14 Based on available data the classification criteria are not met. 8,571.43 Based on available data the classification criteria are not met. 20.43 14.29 Based on available data the classification criteria are not met.

Germ cell mutagenicity	
Genotoxicity - in vitro	Based on available data the classification criteria are not met.
Carcinogenicity	
Carcinogenicity	Based on available data the classification criteria are not met.
IARC carcinogenicity	None of the ingredients are listed or exempt.
Reproductive toxicity	
Reproductive toxicity - fertility	Based on available data the classification criteria are not met.
Reproductive toxicity - development	Based on available data the classification criteria are not met.
Specific target organ toxicity -	single exposure
STOT - single exposure	STOT SE 1 - H370 Causes damage to organs .
Specific target organ toxicity -	repeated exposure
STOT - repeated exposure	Not classified as a specific target organ toxicant after repeated exposure.
Aspiration hazard	
Aspiration hazard	Based on available data the classification criteria are not met.
General information	The severity of the symptoms described will vary dependent on the concentration and the length of exposure.
Inhalation	A single exposure may cause the following adverse effects: Pain or irritation. Intoxication. Narcotic effect. Muscle weakness. Nausea, vomiting.
Ingestion	A single exposure may cause the following adverse effects: Intoxication. Nausea, vomiting. May cause drowsiness or dizziness. Central nervous system depression. May cause severe internal injury.
Skin Contact	A single exposure may cause the following adverse effects: Pain.
Eye contact	No specific symptoms known.
Route of exposure	Ingestion Inhalation Skin and/or eye contact
Target Organs	No specific target organs known.
Toxicological information on in	aredients.

Toxicological information on ingredients.

trans-1,2-DICHLOROETHYLENE

Other health effects	There is no evidence that the product can cause cancer.
Acute toxicity - oral	
Acute toxicity oral (LD₅₀ mg/kg)	7,902.0
Species	Rat
ATE oral (mg/kg)	7,902.0
Acute toxicity - dermal	
Acute toxicity dermal (LD₅₀ mg/kg)	5,000.0
Species	Rat

ATE dermal (mg/kg)	5,000.0
Acute toxicity - inhalation	5,000.0
ATE inhalation (vapours	11.0
mg/l)	11.0
Skin corrosion/irritation	
Skin corrosion/irritation	Prolonged and frequent contact may cause redness and irritation.
Animal data	Slightly irritating. Rabbit
Serious eye damage/irritation	on
Serious eye damage/irritation	Supplier's information. Rabbit 500 mg 24 hours Causes mild skin irritation.
Respiratory sensitization	
Respiratory sensitization	No specific test data are available.
Skin sensitization	
Skin sensitization	No specific test data are available.
Germ cell mutagenicity	
Genotoxicity - in vitro	This substance has no evidence of mutagenic properties.
Genotoxicity - in vivo	This substance has no evidence of mutagenic properties.
Carcinogenicity	
Carcinogenicity	No specific test data are available.
Specific target organ toxicit	y - single exposure
STOT - single exposure	NOAEL Not available.
Specific target organ toxicit	y - repeated exposure
STOT - repeated exposure	NOAEL 16 mg/l, 90 days
Target organs	Endocrine system Liver Kidneys Bladder Respiratory tract
	1,1,1,2,2,3,4,5,5,5-decafluoropentane
Acute toxicity - oral	
Acute toxicity oral (LD₅₀ mg/kg)	5,000.0
Species	Rat
ATE oral (mg/kg)	5,000.0
Acute toxicity - dermal	
Acute toxicity dermal (LD _∞ mg/kg)	5,000.0
Species	Rat
ATE dermal (mg/kg)	5,000.0
Acute toxicity - inhalation	
Acute toxicity inhalation (LC₅ vapours mg/l)	114.0

Species	Rat
ATE inhalation (vapours mg/l)	114.0
Skin corrosion/irritation	
Animal data	Not irritating. Rabbit
Human skin model test	Data lacking.
Extreme pH	Not applicable. Not corrosive to skin.
Serious eye damage/irritat	ion
Serious eye damage/irritation	Not irritating. Rabbit
Respiratory sensitization	
Respiratory sensitization	Data lacking.
Skin sensitization	
Skin sensitization	Not sensitizing Guinea pig: Not sensitizing.
Germ cell mutagenicity	
Genotoxicity - in vitro	This substance has no evidence of mutagenic properties.
Genotoxicity - in vivo	This substance has no evidence of mutagenic properties.
Carcinogenicity	
Carcinogenicity	Does not contain any substances known to be carcinogenic.
IARC carcinogenicity	Not listed.
NTP carcinogenicity	Not listed.
OSHA Carcinogenicity	Not listed.
Reproductive toxicity	
Reproductive toxicity - fertility	No evidence of reproductive toxicity in animal studies.
Skin Contact	Skin irritation should not occur when used as recommended. May cause defatting of the skin but is not an irritant.
Eye contact	May cause eye irritation.
Acute and chronic health hazards	There is no evidence that the product can cause cancer.
	1,1,1,3,3-PENTAFLUOROBUTANE
Acute toxicity - oral	
Acute toxicity oral (LD₅₀ mg/kg)	2,000.0
Species	Rat
ATE oral (mg/kg)	2,000.0
Acute toxicity - inhalation	

10/17

Acute toxicity inhalation (LC₅₀ vapours mg/l)	100,000.0
Species	Rat
ATE inhalation (vapours mg/l)	100,000.0
Specific target organ toxici	y - single exposure
STOT - single exposure	LOAEL 75100 ppm, Inhalation,
Specific target organ toxicit	ty - repeated exposure
STOT - repeated exposure	NOAEC 6 mg/l, Inhalation, Rat
Target organs	Liver Kidneys
	METHANOL
Acute toxicity - oral	
Notes (oral LD₅₀)	Acute Tox. 3 - H301 Toxic if swallowed.
ATE oral (mg/kg)	100.0
Acute toxicity - dermal	
Notes (dermal LD₅₀)	Acute Tox. 3 - H311 Toxic in contact with skin.
ATE dermal (mg/kg)	300.0
Acute toxicity - inhalation	
Notes (inhalation LC₅₀)	Acute Tox. 3 - H331 Toxic if inhaled.
ATE inhalation (vapours mg/l)	3.0
ATE inhalation (dusts/mists mg/l)	0.5
Skin corrosion/irritation	
Animal data	Based on available data the classification criteria are not met.
Serious eye damage/irritati	on
Serious eye damage/irritation	Based on available data the classification criteria are not met.
Respiratory sensitization	
Respiratory sensitization	Based on available data the classification criteria are not met.
Skin sensitization	
Skin sensitization	Based on available data the classification criteria are not met.
Germ cell mutagenicity	
Genotoxicity - in vitro	Based on available data the classification criteria are not met.
Carcinogenicity	
Carcinogenicity	Based on available data the classification criteria are not met.
IARC carcinogenicity	None of the ingredients are listed or exempt.
Reproductive toxicity	

Reproductive toxicity - fertility	Based on available data the classification criteria are not met.
Reproductive toxicity - development	Based on available data the classification criteria are not met.
Specific target organ toxicit	y - single exposure
STOT - single exposure	STOT SE 1 - H370 Causes damage to organs .
Specific target organ toxicit	y - repeated exposure
STOT - repeated exposure	Not classified as a specific target organ toxicant after repeated exposure.
Aspiration hazard	
Aspiration hazard	Based on available data the classification criteria are not met.
General information	The severity of the symptoms described will vary dependent on the concentration and the length of exposure.
Inhalation	A single exposure may cause the following adverse effects: Drowsiness, dizziness, disorientation, vertigo. Unconsciousness. High concentrations may be fatal.
Ingestion	May cause stomach pain or vomiting. May cause severe internal injury.
Skin Contact	A single exposure may cause the following adverse effects: Pain.
Eye contact	No specific symptoms known.
Route of exposure	Ingestion Inhalation Skin and/or eye contact
Target Organs	No specific target organs known.
cal information	

12. Ecological information

Ecological information on ingredients.

trans-1,2-DICHLOROETHYLENE

Ecotoxicity	Harmful to aquatic life. May cause long lasting harmful effects to aquatic life.
	1,1,1,2,2,3,4,5,5,5-decafluoropentane
Ecotoxicity	It is unlikely that the substance will dissolve in water in amounts big enough to have a toxic effect on fish and daphnies.
	METHANOL
Ecotoxicity	Not regarded as dangerous for the environment. However, large or frequent spills may have hazardous effects on the environment.
Toxicity	Aquatic Chronic 3 - H412 Harmful to aquatic life with long lasting effects.
Ecological information on ingred	lients.
	trans-1,2-DICHLOROETHYLENE
Acute aquatic toxic	sity

12/17

LC50, 96 hours: 135 mg/l, Fish

	Acute toxicity - aquatic invertebrates	EC₅₀, 48 hours: 220 mg/l, Daphnia magna
	Acute toxicity - aquatic plants	LC₅₀, 72 hours: 36.36 mg/l, Pseudokirchneriella subcapitata
	Chronic aquatic toxicity	
	Chronic toxicity - fish early life stage	NOEC, 48 hours: 110,000 mg/l, Daphnia magna
		1,1,1,2,2,3,4,5,5,5-decafluoropentane
	Acute aquatic toxicity	
	Acute toxicity - fish	LC₅₀, 96 hours: 13.9 mg/l, Oncorhynchus mykiss (Rainbow trout)
	Acute toxicity - aquatic invertebrates	LC₅₀, 48 hours: 11.7 mg/l, Daphnia magna
	Acute toxicity - aquatic plants	EC₅₀, 72 hours: >120 mg/l, Algae
		METHANOL
	Toxicity	Based on available data the classification criteria are not met.
	Acute aquatic toxicity	
	Acute toxicity - fish	LC₅₀, 96 hours: >100 mg/l, Pimephales promelas (Fat-head Minnow)
	Acute toxicity - aquatic invertebrates	EC₅₀, 48 hours: >10000 mg/l, Daphnia magna
Persistence	and degradability	
Persistence	and degradability The deg	radability of the product is not known.
Ecological i	nformation on ingredients.	
		trans-1,2-DICHLOROETHYLENE
	Biodegradation	Not readily biodegradable. Method: OECD Test Guideline 301D
		METHANOL
	Persistence and degradability	The degradability of the product is not known.
Bioaccumul	ative potential	
Bio-Accumu	ulative Potential No data	available on bioaccumulation.
Ecological i	nformation on ingredients.	
		trans-1,2-DICHLOROETHYLENE
	Bio-Accumulative Potential	Bioaccumulation is unlikely to be significant because of the low water-solubility of this product.

Partition coefficient log Pow: 2.06

1,1,1,2,2,3,4,5,5,5-decafluoropentane

Bio-Accumulative Potential Bioaccumulation is unlikely to be significant because of the low water-solubility of this product. Partition coefficient Pow: 2.7 **METHANOL** Bio-Accumulative Potential No data available on bioaccumulation. Partition coefficient : -0.77 Mobility in soil Mobility No data available. Ecological information on ingredients. trans-1,2-DICHLOROETHYLENE Mobility The product has poor water-solubility. **METHANOL** Mobility No data available. Other adverse effects Other adverse effects None known. Ecological information on ingredients. **METHANOL** Other adverse effects None known. 13. Disposal considerations Waste treatment methods General information The generation of waste should be minimized or avoided wherever possible. Reuse or recycle products wherever possible. This material and its container must be disposed of in a safe way. When handling waste, the safety precautions applying to handling of the product should be considered. Care should be taken when handling emptied containers that have not been thoroughly cleaned or rinsed out. Empty containers or liners may retain some product residues and hence be potentially hazardous. **Disposal methods** Do not empty into drains. 14. Transport information General The product is not covered by international regulations on the transport of dangerous goods (IMDG, IATA, DOT). **UN Number** UN No. (International) Not applicable. UN No. (DOT) Not applicable. UN proper shipping name

Proper shipping name (International)	Not applicable.
Proper shipping name (DOT)	Not applicable.
Transport hazard class(es)	
Transport Labels (International)	No transport warning sign required.
DOT transport labels No transport warning sign requ	uired.
Packing group	
Packing group (International)	Not applicable.
DOT packing group	Not applicable.
Environmental hazards	
Environmentally Hazardous Su No.	ubstance
Special precautions for user	
Not applicable.	
DOT reportable quantity	Not applicable.
DOT TIH Zone	Not applicable.
Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code	Not applicable.
15. Regulatory information	

US Federal Regulations

SARA Section 302 Extremely Hazardous Substances Tier II Threshold Planning Quantities None of the ingredients are listed or exempt.

CERCLA/Superfund, Hazardous Substances/Reportable Quantities (EPA) The following ingredients are listed or exempt:

trans-1,2-DICHLOROETHYLENE Final CERCLA RQ: 1000(454) pounds (Kilograms) *METHANOL*

Final CERCLA RQ: 5000(2270) pounds (Kilograms)

SARA Extremely Hazardous Substances EPCRA Reportable Quantities

None of the ingredients are listed or exempt.

SARA 313 Emission Reporting

The following ingredients are listed or exempt:

METHANOL 1.0 %

CAA Accidental Release Prevention

None of the ingredients are listed or exempt.

FDA - Essential Chemical

None of the ingredients are listed or exempt.

FDA - Precursor Chemical None of the ingredients are listed or exempt.

SARA (311/312) Hazard Categories None of the ingredients are listed or exempt.

OSHA Highly Hazardous Chemicals None of the ingredients are listed or exempt.

US State Regulations

California Proposition 65 Carcinogens and Reproductive Toxins The following ingredients are listed or exempt: *METHANOL*

Developmental toxin.

California Air Toxics "Hot Spots" (A-I) The following ingredients are listed or exempt: *METHANOL*

California Air Toxics "Hot Spots" (A-II) None of the ingredients are listed or exempt.

California Directors List of Hazardous Substances The following ingredients are listed or exempt:

trans-1,2-DICHLOROETHYLENE

METHANOL

Massachusetts "Right To Know" List The following ingredients are listed or exempt:

trans-1,2-DICHLOROETHYLENE

METHANOL

Rhode Island "Right To Know" List The following ingredients are listed or exempt: *METHANOL*

Minnesota "Right To Know" List The following ingredients are listed or exempt: *METHANOL*

New Jersey "Right To Know" List The following ingredients are listed or exempt: *METHANOL*

Pennsylvania "Right To Know" List The following ingredients are listed or exempt: *trans-1,2-DICHLOROETHYLENE METHANOL*

Inventories

US - TSCA All the ingredients are listed or exempt.

US - TSCA 12(b) Export Notification

The following ingredients are listed or exempt:

1, 1, 1, 2, 2, 3, 4, 5, 5, 5-decafluoropentane

trans-1,2-DICHLOROETHYLENE

16. Other information

Abbreviations and acronyms used in the safety data sheet	TDG: The transport of dangerous goods act
	 IATA: International air transport association. ICAO: Technical instructions for the safe transport of dangerous goods by air. IMDG: International maritime dangerous goods. CAS: Chemical abstracts service. ATE: Acute toxicity estimate. LC₅₀: Lethal concentration to 50 % of a test population. LD₅₀: Lethal dose to 50% of a test population (median lethal dose). EC₅₀: 50% of maximal effective concentration. PBT: Persistent, bioaccumulative and toxic substance. vPvB: Very persistent and very bioaccumulative.
Classification abbreviations and acronyms	STOT SE = Specific target organ toxicity-single exposure Aquatic Chronic = Hazardous to the aquatic environment (chronic)
Training advice	Only trained personnel should use this material.
Revision comments	NOTE: Lines within the margin indicate significant changes from the previous revision.
Revision date	5/21/2021
Revision	33
Supersedes date	5/21/2021
SDS No.	BULK - FRC
SDS status	Approved.
Hazard statements in full	 H225 Highly flammable liquid and vapor. H301 Toxic if swallowed. H311 Toxic in contact with skin. H319 Causes serious eye irritation. H331 Toxic if inhaled. H332 Harmful if inhaled. H336 May cause drowsiness or dizziness. H370 Causes damage to organs . H412 Harmful to aquatic life with long lasting effects.

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.