
Central
Semiconductor Corp.
Central

Central Semiconductor Corp. Central <sup>™</sup> Semiconductor Corp.

145 Adams Avenue Hauppauge, New York 11788



1N485B 1N486B

SILICON DIODE

**JEDEC DO-35 CASE** 

## **DESCRIPTION**

The CENTRAL SEMICONDUCTOR 1N485B, 1N486B types are silicon planar diodes designed for low leakage applications.

# MAXIMUM RATINGS (T<sub>A</sub> = 25°C)

	SYMBOL	<u>1N485B</u>	<u>1N486B</u>	<u>UNITS</u>
Peak Repetitive Reverse Voltage	$v_{RRM}$	200	250	٧
Peak Working Reverse Voltage	<b>V</b> RWM	180	225	V
Average Forward Current	Io	200	200	mA
Forward Steady-State Current	Ιϝ	500	500	mA
Peak Repetitive Forward Current	I <sub>FM</sub>	600	600	mA
Peak Forward Surge Current (1.0μs pulse)	I <sub>FSM</sub>	4.0	4.0	Α
Peak Forward Surge Current (1.0s pulse)	<sup>I</sup> FSM	1.0	1.0	Α
Power Dissipation	$P_{D}$	500	500	mW
Operating and Storage				
Junction Temperature	$T_J, T_stg$	-65  to  +200		°C

## ELECTRICAL CHARACTERISTICS (T<sub>A</sub> = 25°C unless otherwise noted)

		<u>1N485</u>	<u>5B</u> <u>1N</u>	<u>486B</u>	
SYMBOL	TEST CONDITIONS	MIN M	IAX MIN	MAX	<u>UNITS</u>
$BV_R$	$I_{R} = 100 \mu A$	200	250		٧
I <sub>R</sub>	$V_R = Rated V_{RWM}$	:	25	50	nA
l <sub>R</sub>	$V_R = Rated V_{RWM}$ , $T_A = 150^{\circ}C$	5	5.0	10	μΑ
٧ <sub>F</sub>	I <sub>F</sub> = 100mA	1	.0	1.0	V



145 Adams Avenue Hauppauge, NY 11788 USA Tel: (631) 435-1110 • Fax: (631) 435-1824 www.centralsemi.com

### **OUTSTANDING SUPPORT AND SUPERIOR SERVICES**



#### PRODUCT SUPPORT

Central's operations team provides the highest level of support to insure product is delivered on-time.

- Supply management (Customer portals)
- · Inventory bonding
- · Consolidated shipping options

- · Custom bar coding for shipments
- · Custom product packing

#### **DESIGNER SUPPORT/SERVICES**

Central's applications engineering team is ready to discuss your design challenges. Just ask.

- Free quick ship samples (2<sup>nd</sup> day air)
- Online technical data and parametric search
- SPICE models
- · Custom electrical curves
- Environmental regulation compliance
- · Customer specific screening
- · Up-screening capabilities

- · Special wafer diffusions
- · PbSn plating options
- Package details
- · Application notes
- · Application and design sample kits
- · Custom product and package development

#### **CONTACT US**

#### Corporate Headquarters & Customer Support Team

Central Semiconductor Corp. 145 Adams Avenue Hauppauge, NY 11788 USA Main Tel: (631) 435-1110

Main Fax: (631) 435-1824

Support Team Fax: (631) 435-3388 www.centralsemi.com

Worldwide Field Representatives: <a href="https://www.centralsemi.com/wwreps">www.centralsemi.com/wwreps</a>

**Worldwide Distributors:** 

www.centralsemi.com/wwdistributors

For the latest version of Central Semiconductor's **LIMITATIONS AND DAMAGES DISCLAIMER**, which is part of Central's Standard Terms and Conditions of sale, visit: <a href="https://www.centralsemi.com/terms">www.centralsemi.com/terms</a>

www.centralsemi.com (000)



# Product End of Life Notification

PDN ID:	PDN01047
Notification Date:	8/19/16
Last Buy Date:	2/19/17
Last Shipment Date	8/19/17

Summary: The 1N485B and 1N486B low leakage silicon diodes in the DO-35 case are discontinued and now classified as End of Life (EOL).

Although Central Semiconductor Corp. makes every effort to continue to produce devices that have been proclaimed EOL (End of Life) by various manufacturers, it is an accepted industry practice to discontinue certain devices when customer demand falls below a minimum level of sustainability. Accordingly, the following product(s) have been transitioned to End of Life status as part of Central's Product Management Process. Any replacement product will be noted below. The effective date for placing the last purchase order will be six(6) months from the date of this notice and twelve(12) months from the notice date for final shipments; this may be extended if inventory is available.

Central Part Number	Replacement
1N485B BK	N/A
1N485B TR	N/A
1N486B BK	N/A
1N486B TR	N/A

Central would be happy to assist you by providing additional information or technical data to help locate an alternate source if we have no replacement available. Please email your requests to engineering@centralsemi.com.

DISCLAIMER: This End of Life (EOL) notification is in accordance with JEDEC standard JESD48 - Product Discontinuance. Central Semiconductor Corp. will make every effort to offer life-time buy (LTB) opportunities and/or offer replacement devices to existing customers for discontinued devices, however, one or both may not be possible for all devices. Please contact your local Central Semiconductor sales representative for LTB opportunities/additional information.

CCC785 REV 002